

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
562004	009 009	KD823-UK Premium 3x3 EHRLE Coldwater-High- Pressure-Cleaner				UK-Version 
461024	151 151	Bolt-On Unloader VRF2- P 30l/min TST-25 bar M22x1,5M				
598200	107 107	Cable 5m H07RN- F3G1.5 black KD3x3 UK				
5350	106 106	Cable joint nut M16x1,5 grey				
5346	106 106	Cable joint PERFECT M16x1,5				
261000	120 120	Cableclip red for connection cable H07RN-F 3x1,5 , 4x1,5				
800559	134 134	Chassis KD3x3 DC01 powder coated KD623, KD823, KD940		pcs.		
601167	012 012	Chassis Rotation- moulded Premium KD3x3 DAP Compound grey RAL7016				
205602	014 014	Chemical metric valve basic body 1/4"- wit 2 hose barbs 1/4"- 7mm				

item number	item group discount group	description	sales price	PU	QR code	picture
205601	134 134	Chemical suction spout KD4x4, KD3x3				
2056	134 134	Chemical suctionhose filter				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
3651	110 110	Connection HP M22x1.5 R3/8" AG for Hose-Reel				
461023	151 151	Connection-KIT Bolt-On Unloader for HP-Pump E1B, E2B, E3B				
23163	108 108	Contacter KLIBO 7,5 230V/50-60Hz 3s/1Hs				
35093	103 103	Controlboard Etronic 3 230 V				
601268	120 120	Cover KD3x3 ABS natural high polish red RAL3020				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
800562	134	Covering Stainless steel 1.4301 float box																																																																																									
	134	KD623, KD823, KD940 Premium					5315	410	Cross recessed pan head tapping screw C-H					410	DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel			5315	410	Cross recessed pan head tapping screw C-H					410	DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel			2877	134	Disc for wheel 20mm without cap					134	zinc plated			578716	120	Electric box BG90/100 KD3x3					120	PP grey consisting of an upper and lower part			348608	407	Electric-Motor AC240V 50Hz 2,2kW MEC100L					407	1500rpm B3/B14 hollowshaft Ø24mm			2629	405	Fitting-Clamping screw brass hex SW36					405	3/4" 6mm			2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410
5315	410	Cross recessed pan head tapping screw C-H																																																																																									
	410	DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel					5315	410	Cross recessed pan head tapping screw C-H					410	DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel			2877	134	Disc for wheel 20mm without cap					134	zinc plated			578716	120	Electric box BG90/100 KD3x3					120	PP grey consisting of an upper and lower part			348608	407	Electric-Motor AC240V 50Hz 2,2kW MEC100L					407	1500rpm B3/B14 hollowshaft Ø24mm			2629	405	Fitting-Clamping screw brass hex SW36					405	3/4" 6mm			2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel										
5315	410	Cross recessed pan head tapping screw C-H																																																																																									
	410	DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel					2877	134	Disc for wheel 20mm without cap					134	zinc plated			578716	120	Electric box BG90/100 KD3x3					120	PP grey consisting of an upper and lower part			348608	407	Electric-Motor AC240V 50Hz 2,2kW MEC100L					407	1500rpm B3/B14 hollowshaft Ø24mm			2629	405	Fitting-Clamping screw brass hex SW36					405	3/4" 6mm			2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel																					
2877	134	Disc for wheel 20mm without cap																																																																																									
	134	zinc plated					578716	120	Electric box BG90/100 KD3x3					120	PP grey consisting of an upper and lower part			348608	407	Electric-Motor AC240V 50Hz 2,2kW MEC100L					407	1500rpm B3/B14 hollowshaft Ø24mm			2629	405	Fitting-Clamping screw brass hex SW36					405	3/4" 6mm			2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel																																
578716	120	Electric box BG90/100 KD3x3																																																																																									
	120	PP grey consisting of an upper and lower part					348608	407	Electric-Motor AC240V 50Hz 2,2kW MEC100L					407	1500rpm B3/B14 hollowshaft Ø24mm			2629	405	Fitting-Clamping screw brass hex SW36					405	3/4" 6mm			2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel																																											
348608	407	Electric-Motor AC240V 50Hz 2,2kW MEC100L																																																																																									
	407	1500rpm B3/B14 hollowshaft Ø24mm					2629	405	Fitting-Clamping screw brass hex SW36					405	3/4" 6mm			2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel																																																						
2629	405	Fitting-Clamping screw brass hex SW36																																																																																									
	405	3/4" 6mm					2338	405	Fitting-Hose nipple brass hex					405	1/2" M 13mm			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel																																																																	
2338	405	Fitting-Hose nipple brass hex																																																																																									
	405	1/2" M 13mm					384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel																																																																												
384552	410	Flange button head screw with inside hexagon																																																																																									
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel																																																																																									

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
532802	404 404	Flat Nipple straight brass nickelplated DN13 for union nut R3/4"				
601147	120 120	Gun bracket long horizontal mounting PA6 red				
3503	120 120	Gun bracket short horizontal mounting PA6 red				
5172	410 410	Hexago socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x35 zinc plated				
5172	410 410	Hexago socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x35 zinc plated				
386214	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x12 stainless steel				
386209	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x16 stainless steel				
386217	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x25 stainless steel				
386220	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x40 stainless steel				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2712	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M8 zinc plated				
3549	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M4x40 zinc plated				
385701	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M4x35 stainless steel				
38791	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO M5x16 stainless steel				
52742	410 410	Hexagon socket head cap screws 8.8 DIN 912 DIN-EN-ISO 4762 M6x30 zinc plated				
237401	410 410	Hose clamp stst 12- 20mm 9mm wide				
354002	120 120	Hose real 150 anvil inside PA6 GF30% red				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
354005	134	Hose reel 150 spring 1.4310																																																																																									
	134	DF1,10x12,90x65,40x8, 50, cut					354003	120	Hose reel 150/300 crank cap					120	PA6 GF30% red			354006	120	Hose reel 150/300 handle crank					120	ABS black			354007	120	Hose reel 150/300 handle up inside					120	ABS black			354008	120	Hose reel 150/300 handle up outside					120	ABS black			354001	120	Hose reel 150 side cover					120	PA6 Mg30% GF BLACK			353203	110	Hose reel 150 Spindle					110	High-pressure connection Ø22x152,80mm 1.4305			35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120
354003	120	Hose reel 150/300 crank cap																																																																																									
	120	PA6 GF30% red					354006	120	Hose reel 150/300 handle crank					120	ABS black			354007	120	Hose reel 150/300 handle up inside					120	ABS black			354008	120	Hose reel 150/300 handle up outside					120	ABS black			354001	120	Hose reel 150 side cover					120	PA6 Mg30% GF BLACK			353203	110	Hose reel 150 Spindle					110	High-pressure connection Ø22x152,80mm 1.4305			35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120	PA6 nature										
354006	120	Hose reel 150/300 handle crank																																																																																									
	120	ABS black					354007	120	Hose reel 150/300 handle up inside					120	ABS black			354008	120	Hose reel 150/300 handle up outside					120	ABS black			354001	120	Hose reel 150 side cover					120	PA6 Mg30% GF BLACK			353203	110	Hose reel 150 Spindle					110	High-pressure connection Ø22x152,80mm 1.4305			35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120	PA6 nature																					
354007	120	Hose reel 150/300 handle up inside																																																																																									
	120	ABS black					354008	120	Hose reel 150/300 handle up outside					120	ABS black			354001	120	Hose reel 150 side cover					120	PA6 Mg30% GF BLACK			353203	110	Hose reel 150 Spindle					110	High-pressure connection Ø22x152,80mm 1.4305			35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120	PA6 nature																																
354008	120	Hose reel 150/300 handle up outside																																																																																									
	120	ABS black					354001	120	Hose reel 150 side cover					120	PA6 Mg30% GF BLACK			353203	110	Hose reel 150 Spindle					110	High-pressure connection Ø22x152,80mm 1.4305			35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120	PA6 nature																																											
354001	120	Hose reel 150 side cover																																																																																									
	120	PA6 Mg30% GF BLACK					353203	110	Hose reel 150 Spindle					110	High-pressure connection Ø22x152,80mm 1.4305			35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120	PA6 nature																																																						
353203	110	Hose reel 150 Spindle																																																																																									
	110	High-pressure connection Ø22x152,80mm 1.4305					35331	110	Hose reel 150 swivel joint for KD3x3					110	high pressure connection brass			3543	120	Hose reel 150/300 connecting-part					120	PA6 nature																																																																	
35331	110	Hose reel 150 swivel joint for KD3x3																																																																																									
	110	high pressure connection brass					3543	120	Hose reel 150/300 connecting-part					120	PA6 nature																																																																												
3543	120	Hose reel 150/300 connecting-part																																																																																									
	120	PA6 nature																																																																																									

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
354004	120 120	Hose reel 150/300 spring bolt crank PA6 GF30% red				
3570	110 110	Hose Reel 300 Washer Ø35/22,2/2 VA 1.4301				
100007	134 134	Hose Reel KD3x3 Ø120mm / 180mm		pcs.		
354009	120 120	Hose reel KD3x3 Spindle 134mm crank ABS black				
3542	120 120	Hose-Reel 300 fixing- part PA6 Mg 30% GF black				
296501	402 402	HP-Hose rubber steel mesh black DN08 315bar 150°C bs HSC M22x1,5/os90° 710mm				
200002	402 402	HP-Hose rubber steel mesh red DN08 315bar 150°C bs HSC M22x1,5 os bend protection 15m				
601149	120 120	HP-Hoseclip Hose-reel PA6 red				
361421	406 406	HP-Pump IP E1B1612 SSR Ø18 12l/min 160bar 1450rpm				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
591724	410 410	JD-79 Chipboard screw, countersunk head Z M4,5x25 zinc plated				
353303	110 110	Joint complete for Hose Drum connection M22x1,5 Premium KD3x3		pcs.		
800560	134 134	Motor socket BG100 DC01 powdercoated KD823, KD940		pcs.		
206403	120 120	Nozzleclip 05 POM light-blue				
3547	184 184	O-Ring 22x3 black for Hose-Reel				
214509	108 108	Overload-Protection 1 pole 15,5A				
587105	014 014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M connection back centric, INOX-case				
3550	410 410	Prevailing torque type hexagon nut nylon insert DIN 985 DIN-EN-ISO 10511 M4 zinc plated				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				



# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
232701	412 412	Rotary nozzle TN03DB S05 1/4"F max. 200bar@14l/min				
299002	120 120	Rotating knob switch on-off ABS Terloran GP35 red				
299001	120 120	Rotatingknob chemical valve ABS Terloran GP35 blue				
578713	120 120	Rubber feet for chassis TPE-V black				
2688	403 403	Rubber-Hose black 13x21mm R1/2" 30bar -30°C/+100°C				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
591707	410 410	Screw SPAX pan head z M6x25 zinc plated				
591722	410 410	Screw SPAX pan head z M4,5x15 zinc plated				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
3545	134 134	Sealing-Ring Copper 10x15x2,0mm				
3554	410 410	Seeger ring Diam. 22 DIN 471/A A2				
27881	410 410	Serrated lock washer type J DIN 6798 Ø1=28mm Ø2=44mm stainless steel				
35705	410 410	Spacer stainless steel Ø56-Ø38 -1,5 mm Float valve KD3x3				
900046	132 132	Spraylance st.st. 900mm 15° angled, KEW QC, nozzle protection red 1/4"F, nozzle 25050 1/4"M				
900189	132 132	Spraylance st.st. 900mm 15° angled, quick- coupling Rotary nozzle S05 1/4"F 200bar 14l/m				
3305	132 132	Spraylance stainless steel 900mm 15° angled R1/4"M, KEW quick- coupling				
900044	132 132	Spraylance stainless steel 900mm 15° angled KEW quick-coupling, nozzle protection red 1/4"F				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
533602	404 404	Squeeze Cap stst DN13 23,0x16,4mm L=25mm				
598900	189 189	Sticker EHRLE 137x35mm transparent				
591102	189 189	Sticker KD823 Premium royalplast FTC-Ultra, printed red, 70mm round				
303790	189 189	Sticker noise 83 dB 42x47mm				
205015	189 189	Sticker typeplate pump E1B1612 SSR Royalplast FTC-Ultra, red, 64x20,5mm				
590500	189 189	Sticker warning notice yellow 102x62mm red-black printed				
38919	110 110	Suction-injector G1/2"xG3/4" Ø5,7mm KD3x3 823				
3548	410 410	Supporting-Ring 22x27,2x1, for Hose- Reel				
204615	108 108	Switch On/Off 2 poles V2N A2-F25H-X-XG9				

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
578717	120	Switchbox seal BG90/100 KD3x3																																																																																									
	120	TPE-V black					601169	120	Terminal box cover KD3x3 Premium					120	ABS natural high polish red RAL3020			330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			204830	134	Tubular frame KD3x3					134	Stainless steel 1.4301 electrically polished			5334	404	Union nut brass					404	nickelplated DN20 R3/4"			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110
601169	120	Terminal box cover KD3x3 Premium																																																																																									
	120	ABS natural high polish red RAL3020					330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			204830	134	Tubular frame KD3x3					134	Stainless steel 1.4301 electrically polished			5334	404	Union nut brass					404	nickelplated DN20 R3/4"			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110	MS58 hex KD3x3										
330010	132	Trigger gun standard 280bar 30l/min																																																																																									
	132	150°C with quick- coupling red, M22x1,5					204830	134	Tubular frame KD3x3					134	Stainless steel 1.4301 electrically polished			5334	404	Union nut brass					404	nickelplated DN20 R3/4"			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110	MS58 hex KD3x3																					
204830	134	Tubular frame KD3x3																																																																																									
	134	Stainless steel 1.4301 electrically polished					5334	404	Union nut brass					404	nickelplated DN20 R3/4"			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110	MS58 hex KD3x3																																
5334	404	Union nut brass																																																																																									
	404	nickelplated DN20 R3/4"					38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110	MS58 hex KD3x3																																											
38781	410	Washer DIN 9021 DIN- EN-ISO 7093																																																																																									
	410	Ø1=5,3mm Ø2=15mm stainless steel					38781	410	Washer DIN 9021 DIN- EN-ISO 7093					410	Ø1=5,3mm Ø2=15mm stainless steel			27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110	MS58 hex KD3x3																																																						
38781	410	Washer DIN 9021 DIN- EN-ISO 7093																																																																																									
	410	Ø1=5,3mm Ø2=15mm stainless steel					27051	410	Washer type A DIN 125 DIN-EN-ISO 7089					410	Ø1=8,4mm Ø2=16mm stainless steel			35333	110	Water connection float valve					110	MS58 hex KD3x3																																																																	
27051	410	Washer type A DIN 125 DIN-EN-ISO 7089																																																																																									
	410	Ø1=8,4mm Ø2=16mm stainless steel					35333	110	Water connection float valve					110	MS58 hex KD3x3																																																																												
35333	110	Water connection float valve																																																																																									
	110	MS58 hex KD3x3																																																																																									

# Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
264405	134 134	Waterinlet filter G3/4"F				
373901	134 134	Wheel cap red Ø260mm				
3739	134 134	Wheel Ø260mm black				
5347	106 106	Wire-joint nut M20x1,5 grey				
5345	106 106	Wire-joint PERFECT M20*1,5				