

according to UK REACH Regulation

EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ehrle HD FoamProtection

UFI:

QYD0-M000-500G-Q1DS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

EHRLE GmbH | Industriestraße 3 | D-89165 Dietenheim | +49 7303 1600-0 | www.ehrle.com EHRLE Sp.z.o.0 | Warzymice 45 | 72-005 Przecław Polen | +48 91-514-5555 | www.ehrle.pl EHRLE Sustia GmbH | Technopatkir. 4 | 5310 Mondse | +43 022 200 035 702 | www.ehrle.austria.at EHRLE 55 SiAl Zetiljou leib 114 | Márugb, Máruges novads, IV-2167 Letitand | +371 67869100 | www.ehrle. HRLE Stowaka s.c. J. [Mynärast 1] ISK - 902 OF zerzins | +421 494 647788] www.ehrle-alustria.at EHRLE Ceská a.r.o. [Zemédělská 1991/30 | Hradec Králově | +420 495 641 +1830 | www.ehrle-alustria.ak EHRLE Ceská a.r.o. [Zemédělská 1991/30 | Hradec Králově | +420 495 641 +1830 | www.ehrle-alustria.ak EHRLE Králově | 11 Rue de la Gare | 676 10 La Wantzenau | +33 6 77 02 44 48 | www.ehrle-alustria.ex EHRLE Králově | 14 Rue de la Gare | 676 10 La Wantzenau | +33 6 77 02 44 85 | www.ehrle-1430 | 1017 - Kineté A- Newmarket I, 64, Bulding No.c. 21 1116 Budgaeet | +36 (1) 371-0760 | www.ehrle.hu EVANT Kr. – EHRLE-Hrungári | 1400 toka / 12100 toka | 547255 Sáncralu de Mureş | +40 36 732 302 | www.ehrle-romania.re

1.4. Emergency telephone number: see SECTION 1.3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:

Warning



Hazard statements H319

Causes serious eye irritation.



EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 2 of 9

H315

Causes skin irritation.

Precautionary statements

P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

amphoteric surfactants 5-15%, cationic surfactants <5%, maintenance substances, water-soluble solvents, solubilizers, dyes, fragrances (Amylcinnamal, Citronellol, Coumarin, Geraniol, Linalool, Hydroxycitronellal, Benzyl benzoat, Hexyl Cinnamal, Eugenol, Isoeugenol)

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
112-34-5	2-(2-Butoxyethoxy)ethanol			5 - < 10 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
66455-29-6	(C12-14)-Alkyldimethylbetaine			1 - < 5 %
	266-368-1		01-2119529251-48	
	Skin Corr. 1B, Eye Dam. 1, Aquatic Chronic 3; H314 H318 H412			
1474044-71-7	1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)			1 - < 5 %
	939-685-4		01-2119983493-26	
	Skin Irrit. 2, Eye Dam. 1, Aquatic C			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
9004-78-8	Tetraethylene glycolmonophenyl ether			1 - < 5 %
	500-013-6			
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
66455-29-6	266-368-1	(C12-14)-Alkyldimethylbetaine	1 - < 5 %
	,	l314: >= 30 - 100 Skin Irrit. 2; H315: >= 16 - < 30 Eye Dam. 1; H318: >= 16 - 2; H319: >= 1 - < 16	
9004-78-8	500-013-6	Tetraethylene glycolmonophenyl ether	1 - < 5 %
	oral: ATE = 50) mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures



according to UK REACH Regulation

EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 3 of 9

General information Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off with soap and water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Never return spills in original containers for re-use.



Ehrle GmbH

EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 4 of 9

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Not required

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

Protect from frost.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013 sd

Page 5 of 9

not applicable

not applicable

not determined

not determined

not applicable

not applicable not applicable

not determined

not determined

SECTION 9: Physical and chemical properties

<u>9.</u>

9.1. Information on basic physical and cher	mical properties		
Physical state:	liquid		
Colour:	orange		
Odour:	characteristic		
			Test method
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point and		>78 °C	
boiling range:			
Flammability			
Solid/liquid:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		>60 °C	
Auto-ignition temperature:		>200 °C	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		approx. 5,0	K-QP1012C
Viscosity / kinematic:		not determined	
Water solubility:		completely miscible	
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):			K-QP1012E
Relative vapour density:		not determined	
9.2. Other information			
Information with regard to physical haz	ard classes		
Explosive properties			
Not explosive			
Self-ignition temperature			

Solid: Gas: Oxidizing properties Not relevant

Other safety characteristics

Evaporation rate: Solid content: Sublimation point: Softening point: Pour point: Viscosity / dynamic: Flow time:

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.



-

EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 6 of 9

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route Dose Species Source Method						
9004-78-8	Tetraethylene glycolmonophenyl ether						
	oral	ATE 500 mg/kg					

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Cationic compounds are biodegradable only in high dilution. They are adequate diluted in sewage and become inactive through contact with other waste-water substances. Therefore solutions could be disposed of in the sewerage system.

12.3. Bioaccumulative potential



EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 7 of 9

Ehrle GmbH

This information is not available.

12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 831mg O2/g

The product is tested according to its influences in waste water and corresponds to ÖNORM B 5106 (Austrian standard).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

. .

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
Not required	
14.7. Maritime transport in bulk according	to IMO instruments

not applicable

Other applicable information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Ehrle GmbH

EHRLE HD FoamProtection

Revision date: 12.12.2022

Materialnummer: c2013_sd

Page 8 of 9

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 55, Entry 75

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

Highly flammable liquid and vapour.

H225



according to UK REACH Regulation

EHRLE HD FoamProtection

Materialnummer: c2013_sd Revision date: 12.12.2022 Page 9 of 9 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. Causes serious eye irritation. H319 H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)