

item number	item group discount group	description	sales price	PU	QR code	picture
413002	001 001	HD523-UK Standard EHRLE Hotwater High- Pressure-Cleaner				UK-Version 
202006	114 114	Assembly inside boiler with steel heating coil for heating coil unit HD- series / HDB / HDD		pcs.		
2005	114 114	Burner motor 110W 230V/50Hz 900mm wire				
26181	107 107	Cable 8m H07RN-F 3G1.5 black with English-Plug				
5347	106 106	Cable gland M20x1,5 grey RAL 9005 schwarz				
5346	106 106	Cable gland PERFECT M16x1,5 KV PA RAL9005 schwarz				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				
580200	106 106	Cable sleeve M16				
580200	106 106	Cable sleeve M16				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
580300	106 106	Cable sleeve M20				
261000	120 120	Cableclip red for connection cable H07RN-F 3x1,5 , 4x1,5				
263701	410 410	Cap no. 7 RAL9005 black				
100173	450 450	Chimney covering HP- series INOX, CA		pcs.		
3403	410 410	Clambling screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				
23162	108 108	Contacter KLIBO 7,5 24V/50-60Hz 3S/1HS				
35092	103 103	Controlboard etronic 2 24V AC				
2010	114 114	Coupling fuelpump K2 für Brennermotor Aaco				
2053	120 120	Cover bracket soft PA6 GF30 black				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2054	120 120	Cover bracket strong PA6 GF30 black				
3504	120 120	Cover HD-Etronic ABS natural high polish red RAL3020				
2071	114 114	Cover inside boiler, DC01, PC RAL 7016 Chimney side of heating coil for SW,SWP,HD,HDB,HDD		pcs.		
2072	114 114	Cover outside boiler, DC01, PC RAL 7016 Chimney side from heating coil		pcs.		
3551	410 410	Cross recessed pan head tapping screw F-H DIN 7981 DIN-EN-ISO 7049 M4,2x16 zinc plated				
2877	134 134	Disc for wheel 20mm without cap zinc plated				
460050	109 109	EASY-START KIT for Motor-pump-unit HJRS				
25100	121 121	Elbow coupling brass nickelplated conical 6/4-1/4" M.				
5787	120 120	Electric box 430x190x100mm PP Talkum red				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2009	114 114	Fan wheel Ø133x62mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2189	405 405	Fitting welded arc 90° black 21.3x2mm DIN2605-3S				
233800	405 405	Fitting-hose nipple brass hex 3/8" M 13mm				
133653	405 405	Fitting-nipple brass M22x1,5 R3/8"F				
53127	405 405	Fitting-plug brass hex SW20 3/8" M				
2191	405 405	Fitting-welded sleeve full black 3/8" DIN2986				
2100	114 114	Flame-tube 90x2x78mm				
384551	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M4x12 stainless steel				

Sales Pricelist

7/27/2023




























item number	item group discount group	description	sales price	PU	QR code	picture
2224	014 014	Flowswitch ST5 with reedcontact 3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m				
2692	114 114	Fuel pump 24V/Hz ASV 47D 1640 6P0260 with cable 610mm				
110006	114 114	Fuel pump unit 24V/50Hz HD523/623/640/823/940 /1140/1240				
200605	114 114	Fuel-nozzle 1.10gph 60° SF				
2425	114 114	Fuel-oil filter 1/4" complete V7045201PL				
206503	110 110	Fuel-oil pipe 10x3,25x230mm Steel 1.0308				
3723	106 106	Fuse 250V 2A slow- blowing				
38331	106 106	Fuse-holder ZSI 2,5				
373910	134 134	Guide roller with rubber wheel Ø125mm steel rim, roller bearing				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3503	120 120	Gun bracket short horizontal mounting PA6 red				
2059	114 114	Heatcoil steel HD/HSC/HDB/HDD		pcs.		
386308	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M8 stainless steel				
386207	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel				
386215	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x16 stainless steel				
386207	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel				
27061	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x16 steel				
3851	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x65 zinc plated				
3854	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M12x75 zinc plated				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
38505	410	Hexagon head screw with full thread																																																																																									
	410	DIN 933 DIN-EN-ISO 4017 M8x110 stainless steel					2339	410	Hexagon head screw with full thread 8.8					410	DIN 933 DIN-EN-ISO 4017 M6x40 zinc plated			3676	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated			36761	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel			576701	410	Hexagon lock nut with plastic ring					410	DIN 985 DIN-EN-ISO 10511 M3 stainless steel			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410
2339	410	Hexagon head screw with full thread 8.8																																																																																									
	410	DIN 933 DIN-EN-ISO 4017 M6x40 zinc plated					3676	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated			36761	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel			576701	410	Hexagon lock nut with plastic ring					410	DIN 985 DIN-EN-ISO 10511 M3 stainless steel			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated										
3676	410	Hexagon head tapping screw C																																																																																									
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated					36761	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel			576701	410	Hexagon lock nut with plastic ring					410	DIN 985 DIN-EN-ISO 10511 M3 stainless steel			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																					
36761	410	Hexagon head tapping screw C																																																																																									
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel					576701	410	Hexagon lock nut with plastic ring					410	DIN 985 DIN-EN-ISO 10511 M3 stainless steel			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																																
576701	410	Hexagon lock nut with plastic ring																																																																																									
	410	DIN 985 DIN-EN-ISO 10511 M3 stainless steel					2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																																											
2709	410	Hexagon nut																																																																																									
	410	DIN934 DIN-EN-ISO 4032 M6 zinc plated					2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																																																						
2712	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated					2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																																																																	
2709	410	Hexagon nut																																																																																									
	410	DIN934 DIN-EN-ISO 4032 M6 zinc plated					2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																																																																												
2712	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated																																																																																									

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2760	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M5 zinc plated				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2195	410 410	Hexagon pipe nut with pipe thread DIN 431 1/8" SW17x6mm zinc plated				
3856	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated				
3879	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M5x16 zinc plated				
517100	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x25 zinc plated				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2973	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M4x50 zinc plated				
3856	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated				
52742	410	Hexagon socket head cap screws 8.8				
	410	DIN 912 DIN-EN-ISO 4762 M6x30 zinc plated				
214511	108	Holder for overload- Protection				
	108					
2668	121	Hollow screw for screw- union				
	121	12 LR 3/8" zinc plated				
237401	410	Hose clamp stst 12- 20mm				
	410	9mm wide				
372401	410	Hose clamp stst 20- 32mm				
	410	12mm wide				
354100	120	Hose reel 150 side cover				
	120	PA6 Mg30% GF RED				
3541	120	Hose reel 300 side cover left				
	120	PA6 Mg30% GF black				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
3540	120	Hose reel 300 side cover right																																																																																									
	120	PA6 MG30% GF black					3534	110	Hose reel 300 spacer					110	Ø30/22x7 MS58			264100	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 os90° 900mm			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			296601	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs HSC M22x1,5/os90° os bend protection 15m			200302	114	Ignition Transformer 230V/50Hz					114	c/w. connection cable 800mm			110029	134	Inlet heatcoil-unit HD623/640/823/940					134				2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410
3534	110	Hose reel 300 spacer																																																																																									
	110	Ø30/22x7 MS58					264100	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 os90° 900mm			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			296601	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs HSC M22x1,5/os90° os bend protection 15m			200302	114	Ignition Transformer 230V/50Hz					114	c/w. connection cable 800mm			110029	134	Inlet heatcoil-unit HD623/640/823/940					134				2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated										
264100	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5 os90° 900mm					296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			296601	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs HSC M22x1,5/os90° os bend protection 15m			200302	114	Ignition Transformer 230V/50Hz					114	c/w. connection cable 800mm			110029	134	Inlet heatcoil-unit HD623/640/823/940					134				2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated																					
296552	402	HP-Hose rubber steel mesh red DN08																																																																																									
	402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm					296601	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs HSC M22x1,5/os90° os bend protection 15m			200302	114	Ignition Transformer 230V/50Hz					114	c/w. connection cable 800mm			110029	134	Inlet heatcoil-unit HD623/640/823/940					134				2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated																																
296601	402	HP-Hose rubber steel mesh red DN08 315bar																																																																																									
	402	150°C bs HSC M22x1,5/os90° os bend protection 15m					200302	114	Ignition Transformer 230V/50Hz					114	c/w. connection cable 800mm			110029	134	Inlet heatcoil-unit HD623/640/823/940					134				2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated																																											
200302	114	Ignition Transformer 230V/50Hz																																																																																									
	114	c/w. connection cable 800mm					110029	134	Inlet heatcoil-unit HD623/640/823/940					134				2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated																																																						
110029	134	Inlet heatcoil-unit HD623/640/823/940																																																																																									
	134						2068	114	Inside boiler, DC01, powder coated					114	heating coil		pcs.	591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated																																																																	
2068	114	Inside boiler, DC01, powder coated																																																																																									
	114	heating coil		pcs.			591723	410	JD-79 Chipboard screw, countersunk head Z					410	M4,5x40 zinc plated																																																																												
591723	410	JD-79 Chipboard screw, countersunk head Z																																																																																									
	410	M4,5x40 zinc plated																																																																																									

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
110078	134 134	Machine cover HD-series with labels, drilled				
204612	108 108	Main-switch B2N HG10-F35-X-XG9 On/Off 0-1-2 Heating HD				
281301	110 110	Manifold block for heatcoil inlet HD623,640,823,940, HSC823				
3877	110 110	Manifold block heatcoil inlet flow monitor				
576401	110 110	Manifold for Thermostat				
368001	406 406	Motor-pump-unit HJRS 10.12 SSL 10l/min 120bar 2800rpm 2,4kW				
2937	405 405	Nipple brass nickelplated conical 1/4" M.M.				
299800	110 110	Nipple for HP Outlet M22x1,5/M18x1,5M length 62mm, stainless steel 1.4305				
206405	120 120	Nozzleclip 045 POM green				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
206401	114	Nozzleholder long 47mm				
	114	Nozzle tube threaded R1/8"				
110005	114	Oilburner 230V/50Hz MV-AC24V 46kW@1,1gph-B				
	114	SS75/28 HD623/640				
5769	184	O-ring 350x3 NBR70				
	184					
2508	184	O-ring switch-covering 100x3N70B100N				
	184					
110027	110	Outlet heatcoil-unit HD- Series				
	110	HD-Serie/HSC				
214509	108	Overload-protection 1 pole 15,5A				
	108					
583707	184	Performance socket M12 black				
	184	8,0 / 11,0 / 8				
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm				
	403	-40°C/+100°C				
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm				
	403	-40°C/+100°C				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
300913	014 014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M connection back centric, PVC-case				
587105	014 014	Pressure-gauge 0-250bar gly. Ø40 1/8"M connection back centric, INOX-case				
207901	403 403	PVC-hose with fabric transparent 12,5x18,5mm 15bar BP45bar -20°C/+65°C				
5802	403 403	PVC-hose with fabric transparent 19x27mm-3/4" 11bar BP33bar -20°C/+65°C				
299002	120 120	Rotary button switch on-off ABS Terloran GP35 red				
2990	120 120	Rotary button thermostat 0-150°C ABS Terloran GP35 red				
2688	403 403	Rubber-hose black 13x21mm R1/2" 30bar -30°C/+100°C				
5740	151 151	Safety valve MG2000 1/4"M 1/4F 220bar 24l/min 90°C				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				

Sales Pricelist

7/27/2023





























































































item number	item group discount group	description	sales price	PU	QR code	picture
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
5387	410 410	Screw DIN 551 M6x30				
5387	410 410	Screw DIN 551 M6x30				
3845	410 410	Screw flat round with square set DIN 603 M8x16 zinc plated				
38891	410 410	Screw panhead DIN 966 DIN-EN-ISO 7047 M5x16 zinc plated				
38617	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x6 zinc plated				
518301	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x12 stainless steel				
5183	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated				
5183	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated				



















Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
3669	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated				
2359	121 121	Screw union 3/8" 12L				
20961	110 110	Screw union GE-12LR 3/8" 1.0038				
2066	121 121	Screw union straight brass nickelplated 6/4-1/8" F				
206601	121 121	Screw union straight brass nickelplated conical 6/4-1/8" M.				
206602	121 121	Screw union straight brass nickelplated conical 6/4"-1/4" M.				
2679	121 121	Screwed-hose Connection copper 1/2"x3/4"				
4007	184 184	Sealing profile				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2370	184	Sealing ring-copper 17x21x2,0 mm																																																																																									
	184	form A, crag					2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.			2799	410	Serrated lock washer type A DIN 6798					410	Ø1=8,4mm Ø2=15mm zinc plated			2799	410	Serrated lock washer type A DIN 6798					410	Ø1=8,4mm Ø2=15mm zinc plated			38701	410	Serrated lock washer type A DIN 6798					410	Ø1=12,5mm Ø2=20,5mm zinc plated			2151	184	Sleeve cable inlet ignition cable					184	Typ DA 80/100/20			900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25045 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109
2353	184	Sealing-ring copper 18x22x2,0mm																																																																																									
	184	form A, 1 Pack with 10 pcs.					2799	410	Serrated lock washer type A DIN 6798					410	Ø1=8,4mm Ø2=15mm zinc plated			2799	410	Serrated lock washer type A DIN 6798					410	Ø1=8,4mm Ø2=15mm zinc plated			38701	410	Serrated lock washer type A DIN 6798					410	Ø1=12,5mm Ø2=20,5mm zinc plated			2151	184	Sleeve cable inlet ignition cable					184	Typ DA 80/100/20			900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25045 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm										
2799	410	Serrated lock washer type A DIN 6798																																																																																									
	410	Ø1=8,4mm Ø2=15mm zinc plated					2799	410	Serrated lock washer type A DIN 6798					410	Ø1=8,4mm Ø2=15mm zinc plated			38701	410	Serrated lock washer type A DIN 6798					410	Ø1=12,5mm Ø2=20,5mm zinc plated			2151	184	Sleeve cable inlet ignition cable					184	Typ DA 80/100/20			900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25045 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm																					
2799	410	Serrated lock washer type A DIN 6798																																																																																									
	410	Ø1=8,4mm Ø2=15mm zinc plated					38701	410	Serrated lock washer type A DIN 6798					410	Ø1=12,5mm Ø2=20,5mm zinc plated			2151	184	Sleeve cable inlet ignition cable					184	Typ DA 80/100/20			900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25045 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm																																
38701	410	Serrated lock washer type A DIN 6798																																																																																									
	410	Ø1=12,5mm Ø2=20,5mm zinc plated					2151	184	Sleeve cable inlet ignition cable					184	Typ DA 80/100/20			900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25045 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm																																											
2151	184	Sleeve cable inlet ignition cable																																																																																									
	184	Typ DA 80/100/20					900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25045 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm																																																						
900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,																																																																																									
	132	nozzle protection red 1/4"F, nozzle 25045 1/4"M					900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm																																																																	
900044	132	Spraylance stainless steel 900mm 15° angled																																																																																									
	132	KEW quick-coupling, nozzle protection red 1/4"F					460051	109	Spring for pressure switch Motor-pump-unit HJRS					109	6x19x1mm																																																																												
460051	109	Spring for pressure switch Motor-pump-unit HJRS																																																																																									
	109	6x19x1mm																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
377201	134 134	Spring for wheel brake stainless steel 1.4310 90x6x19,50				
205201	134 134	Stargrippnut black/red PA6 with thread insert galvanized				
586802	134 134	Steel rope zinc plated Ø1mm, 65cm for cover				
590002	189 189	Sticker diesel 60x60mm				
335119	189 189	Sticker instruments HD523 373,5x153mm				
59040000000000	189 189	Sticker triangle heat yellow-black 50x43mm				
590500	189 189	Sticker warning notice yellow 102x62mm red-black printed				
25091	120 120	Switchcover o-off 1-hole 20,5mm PA6 GF30 black				
300010	120 120	Switchcover-unit				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
205912	012 012	Tank Fuel-oil 22l grey HD523				
20122	106 106	Thermostat adjustable 20-160°C				
2252	120 120	Thermostat covering PP TV10 black				
232001	106 106	Transformer prim.230VAC,sec.24VA C, 1,25A/30VA				
330010	132 132	Trigger gun standard 280bar 30l/min 150°C with quick- coupling red, M22x1,5				
204812	134 134	Tubular frame HD/HDE- series steel PC-RAL7016		pcs.		
38711	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=8,4mm Ø2=24mm stainless steel				
3918	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm zinc plated				
3878	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3918	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=6,4mm Ø2=18mm zinc plated				
3878	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
38784	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=10,5mm Ø2=30mm zinc plated				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2644	110 110	Waterinlet connection R3/4"M / R3/4"M				
264405	134 134	Waterinlet filter G3/4"F				
3739	134 134	Wheel black Ø260mm				
20480901	120 120	Wheel brake cap Ø260mm ABS red				
20480902	120 120	Wheel brake dowel PA6 GF30 black				
20480906	120 120	Wheel brake drum gear ring PA6 GF30 black				
20480905	120 120	Wheel brake pad PA6 GF30 black				
20480904	120 120	Wheel brake sliding PP black				
110034	134 134	Wheel break breakshoe- unit				

Sales Pricelist

7/27/2023



item number	item group discount group	description	sales price	PU	QR code	picture
20480903	120 120	Wheel break-pad chassis PP grey				