

item number	item group discount group	description	sales price	PU	QR code	picture
444001	001 001	HD923-UK Standard EHRLE Hotwater-High- Pressure-Cleaner				UK-Version 
202006	114 114	Assembly inside boiler with steel heating coil for heating coil unit HD- series / HDB / HDD		pcs.		
461024	151 151	Bolt-On Unloader VRF2- P 30l/min TST-25 bar M22x1,5M				
2005	114 114	Burner motor 110W 230V/50Hz 900mm wire				
26181	107 107	Cable 8m H07RN-F 3G1.5 black with English-Plug				
5347	106 106	Cable gland M20x1,5 grey RAL 9005 schwarz				
5347	106 106	Cable gland M20x1,5 grey RAL 9005 schwarz				
5346	106 106	Cable gland PERFECT M16x1,5 KV PA RAL9005 schwarz				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
5345	106	Cable gland PERFECT M20*1,5				
	106	KV PA mit Reduzierung RAL9005 schwarz				
580200	106	Cable sleeve M16				
	106					
580300	106	Cable sleeve M20				
	106					
261000	120	Cableclip red				
	120	for connection cable H07RN-F 3x1,5 , 4x1,5				
263701	410	Cap no. 7 RAL9005 black				
	410					
2014	134	Chemical metric valve 2- way ST66 red				
	134					
110077	134	Chemical metric valve HD823/923/940/1040/11 40/1240				
	134					
2056	134	Chemical suctionhose filter				
	134					
100173	450	Chimney covering HP- series				
	450	INOX, CA		pcs.		

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3403	410 410	Clamping screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				
2940	410 410	Clip Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
461023	151 151	Connection-KIT Bolt-On Unloader for HP-Pump E1B, E2B, E3B				
23162	108 108	Contacteur KLIBO 7,5 24V/50-60Hz 3S/1HS				
35092	103 103	Controlboard etronic 2 24V AC				
2267	180 180	Corner protection PVC with metal insert black 1,0x4,5mm				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2010	114 114	Coupling fuelpump K2 für Brennermotor Aaco				
2053	120 120	Cover bracket soft PA6 GF30 black				
2054	120 120	Cover bracket strong PA6 GF30 black				
363880	120 120	Cover float-tank EHRLE PP TV20 black				
3504	120 120	Cover HD-Etronic ABS natural high polish red RAL3020				
2071	114 114	Cover inside boiler, DC01, PC RAL 7016 Chimney side of heating coil for SW,SWP,HD,HDB,HDD		pcs.		
2072	114 114	Cover outside boiler, DC01, PC RAL 7016 Chimney side from heating coil		pcs.		
2877	134 134	Disc for wheel 20mm without cap zinc plated				
2677	134 134	Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
25100	121 121	Elbow coupling brass nickelplated conical 6/4-1/4" M.				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
348608	407 407	Electric-Motor AC240V 50Hz 2,2kW MEC100L 1500rpm B3/B14 hollowshaft Ø24mm				
2009	114 114	Fan wheel Ø133x62mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2189	405 405	Fitting welded arc 90° black 21.3x2mm DIN2605-3S				
2733	405 405	Fitting-hose nipple brass hex 1/8" M 6mm				
53127	405 405	Fitting-plug brass hex SW20 3/8" M				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2191	405 405	Fitting-welded sleeve full black 3/8" DIN2986				
2100	114 114	Flame-tube 90x2x78mm				
384551	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M4x12 stainless steel				
3689	184 184	Flat seal 33x25x3				
363800	120 120	Float-container lower part EHRLE PP TV20 black				
2224	014 014	Flowswitch ST5 with reedcontact 3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m				
2692	114 114	Fuel pump 24V/Hz ASV 47D 1640 6P0260 with cable 610mm				
110006	114 114	Fuel pump unit 24V/50Hz HD523/623/640/823/940 /1140/1240				
200601	114 114	Fuel-nozzle 1.35gph 60° SF				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2425	114	Fuel-oil filter 1/4" complete																																																																																									
	114	V7045201PL					206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			3723	106	Fuse 250V 2A slow- blowing					106				38331	106	Fuse-holder ZSI 2,5					106				3503	120	Gun bracket short horizontal mounting					120	PA6 red			2059	114	Heatcoil steel					114	HD/HSC/HDB/HDD		pcs.	386308	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M8 stainless steel			386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410
206503	110	Fuel-oil pipe 10x3,25x230mm																																																																																									
	110	Steel 1.0308					3723	106	Fuse 250V 2A slow- blowing					106				38331	106	Fuse-holder ZSI 2,5					106				3503	120	Gun bracket short horizontal mounting					120	PA6 red			2059	114	Heatcoil steel					114	HD/HSC/HDB/HDD		pcs.	386308	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M8 stainless steel			386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel										
3723	106	Fuse 250V 2A slow- blowing																																																																																									
	106						38331	106	Fuse-holder ZSI 2,5					106				3503	120	Gun bracket short horizontal mounting					120	PA6 red			2059	114	Heatcoil steel					114	HD/HSC/HDB/HDD		pcs.	386308	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M8 stainless steel			386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																					
38331	106	Fuse-holder ZSI 2,5																																																																																									
	106						3503	120	Gun bracket short horizontal mounting					120	PA6 red			2059	114	Heatcoil steel					114	HD/HSC/HDB/HDD		pcs.	386308	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M8 stainless steel			386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																
3503	120	Gun bracket short horizontal mounting																																																																																									
	120	PA6 red					2059	114	Heatcoil steel					114	HD/HSC/HDB/HDD		pcs.	386308	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M8 stainless steel			386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																											
2059	114	Heatcoil steel																																																																																									
	114	HD/HSC/HDB/HDD		pcs.			386308	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M8 stainless steel			386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																																						
386308	410	Hexagon flange nut serrated																																																																																									
	410	like DIN 6923 DIN-EN 1661 M8 stainless steel					386309	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M10 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																																																	
386309	410	Hexagon flange nut serrated																																																																																									
	410	like DIN 6923 DIN-EN 1661 M10 stainless steel					386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																																																												
386207	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M6x10 stainless steel																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
386222	410 410	Hexagon head screw serrated with flange like DIN 6921 M10x30 stainless steel				
27061	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x16 steel				
3851	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x65 zinc plated				
3854	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M12x75 zinc plated				
38505	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x110 stainless steel				
2339	410 410	Hexagon head screw with full thread 8.8 DIN 933 DIN-EN-ISO 4017 M6x40 zinc plated				
3676	410 410	Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated				
3676	410 410	Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated				
36761	410 410	Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
576701	410 410	Hexagon lock nut with plastic ring DIN 985 DIN-EN-ISO 10511 M3 stainless steel				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2712	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M8 zinc plated				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2712	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M8 zinc plated				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2760	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M5 zinc plated				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2195	410 410	Hexagon pipe nut with pipe thread DIN 431 1/8" SW17x6mm zinc plated				
384509	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x10 stainless steel				
3856	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated				
3879	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M5x16 zinc plated				
2973	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M4x50 zinc plated				
3856	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated				
52742	410 410	Hexagon socket head cap screws 8.8 DIN 912 DIN-EN-ISO 4762 M6x30 zinc plated				
214511	108 108	Holder for overload- Protection				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2668	121	Hollow screw for screw-union																																																																																									
	121	12 LR 3/8" zinc plated					237401	410	Hose clamp stst 12-20mm					410	9mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			296553	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C os HSC M22x1,5 90° /os M18x1,5 650mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406
237401	410	Hose clamp stst 12-20mm																																																																																									
	410	9mm wide					372401	410	Hose clamp stst 20-32mm					410	12mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			296553	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C os HSC M22x1,5 90° /os M18x1,5 650mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm										
372401	410	Hose clamp stst 20-32mm																																																																																									
	410	12mm wide					372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			296553	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C os HSC M22x1,5 90° /os M18x1,5 650mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm																					
372401	410	Hose clamp stst 20-32mm																																																																																									
	410	12mm wide					2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			296553	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C os HSC M22x1,5 90° /os M18x1,5 650mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm																																
2000	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs HSC M22x1,5 bs bend protection 10m					296553	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C os HSC M22x1,5 90° /os M18x1,5 650mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm																																											
296553	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C os HSC M22x1,5 90° /os M18x1,5 650mm					34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm																																																						
34711	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5/os90° 450mm					206155	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 400mm			361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm																																																																	
206155	402	HP-Hose rubber textile braid black DN02 400bar																																																																																									
	402	100°C bs CNOL 06L 400mm					361588	406	HP-Pump IP E2B2014 SSR Ø18					406	14l/min 200bar 1450rpm																																																																												
361588	406	HP-Pump IP E2B2014 SSR Ø18																																																																																									
	406	14l/min 200bar 1450rpm																																																																																									

Sales Pricelist

8/4/2023












































































item number	item group discount group	description	sales price	PU	QR code	picture
200302	114 114	Ignition Transformer 230V/50Hz c/w. connection cable 800mm				
110029	134 134	Inlet heatcoil-unit HD623/640/823/940				
2068	114 114	Inside boiler, DC01, powder coated heating coil		pcs.		
2661	014 014	Low-fuel Cut-off c/w Float-Switch				
2748	014 014	Low-Water Cut-Off c/w. nut 1,15m PVC cable and flow-switch				
110078	134 134	Machine cover HD- series with labels, drilled				
204612	108 108	Main-switch B2N HG10- F35-X-XG9 On/Off 0-1-2 Heating HD				
281301	110 110	Manifold block for heatcoil inlet HD623,640,823,940, HSC823				
3877	110 110	Manifold block heatcoil inlet flow monitor				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
576401	110 110	Manifold for Thermostat				
2937	405 405	Nipple brass nickelplated conical 1/4" M.M.				
2998	110 110	Nipple for HP Outlet M22x1,5/M18x1,5M length 47mm, stainless steel 1.4305				
206408	120 120	Nozzleclip 07 POM purple				
206401	114 114	Nozzleholder long 47mm Nozzle tube threaded R1/8"				
110012	114 114	Oilburner 230V/50Hz MV-AC24V 60kW@1,35gph-B SS75/28 Flamemonitor HD823/940/1140/1240				
275201	106 106	Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP				
5769	184 184	O-ring 350x3 NBR70				
2508	184 184	O-ring switch-covering 100x3N70B100N				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
110027	110	Outlet heatcoil-unit HD-Series																																																																																									
	110	HD-Serie/HSC					214509	108	Overload-protection 1 pole 15,5A					108				5837	184	Performance socket 39x50x57					184	DG M50 black unperforated			578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cable 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014
214509	108	Overload-protection 1 pole 15,5A																																																																																									
	108						5837	184	Performance socket 39x50x57					184	DG M50 black unperforated			578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cable 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case										
5837	184	Performance socket 39x50x57																																																																																									
	184	DG M50 black unperforated					578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cable 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case																					
578901	106	Photocell for Flamecontrol QRB4B-B070B70																																																																																									
	106	cable 700mm					538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case																																
538511	404	Pipe for water inlet in float cabinet																																																																																									
	404	Ø20x1,5x147,55mm, 1.4571					2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case																																											
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm																																																																																									
	403	-40°C/+100°C					2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C			300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case																																																						
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm																																																																																									
	403	-40°C/+100°C					300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M					014	connection back centric, PVC-case			201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case																																																																	
300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M																																																																																									
	014	connection back centric, PVC-case					201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M					014	connection back centric, INOX-case																																																																												
201305	014	Pressure-gauge 0-250bar gly. Ø50 1/4"M																																																																																									
	014	connection back centric, INOX-case																																																																																									

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
51613	106 108	Push-button without micro switch red				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
207901	403 403	PVC-hose with fabric transparent 12,5x18,5mm 15bar BP45bar -20°C/+ 65°C				
5802	403 403	PVC-hose with fabric transparent 19x27mm- 3/4" 11bar BP33bar -20°C/+ 65°C				
50565	108 108	Relay AC24V, 2 Changer, 8A LED, varisator and bracket				
299002	120 120	Rotary button switch on- off ABS Terloran GP35 red				
2990	120 120	Rotary button thermostat 0-150°C ABS Terloran GP35 red				
110122	403 403	Rubber-hose black 13x21mm R1/2" 540mm				
2688	403 403	Rubber-hose black 13x21mm R1/2" 30bar -30°C/+100°C				

item number	item group discount group	description	sales price	PU	QR code	picture
3667	403 403	Rubber-hose black 19x28mm R3/4" 30bar -30°C/+100°C				
5740	151 151	Safety valve MG2000 1/4"M 1/4F 220bar 24l/min 90°C				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
5387	410 410	Screw DIN 551 M6x30				
5387	410 410	Screw DIN 551 M6x30				
3845	410 410	Screw flat round with square set DIN 603 M8x16 zinc plated				
386209	410 410	Screw hexagon head, serrated with flange like DIN 6921 M6x16 stainless steel				
38891	410 410	Screw panhead DIN 966 DIN-EN-ISO 7047 M5x16 zinc plated				

Sales Pricelist

8/4/2023





















item number	item group discount group	description	sales price	PU	QR code	picture
38617	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x6 zinc plated				
518301	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x12 stainless steel				
5183	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated				
5183	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated				
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
3669	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated				
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
2359	121 121	Screw union 3/8" 12L				
2087	121 121	Screw union evW-12LV omd evW 12 LV omD				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
20961	110	Screw union GE-12LR 3/8"																																																																																									
	110	1.0038					2085	121	Screw union MAV- 6LRomd Pressure- Gauge					121	MAV-6LRomD mit Dichtkantenring			209112	121	Screw union straight 1/8"-6					121	without union nut and compression ring			2066	121	Screw union straight brass nickelplated					121	6/4-1/8" F			206601	121	Screw union straight brass nickelplated conical					121	6/4-1/8" M.			206602	121	Screw union straight brass nickelplated conical					121	6/4"-1/4" M.			5397	184	Seal 3/4" 24,0x17x2 mm					184	Klingersil C-4400			2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184
2085	121	Screw union MAV- 6LRomd Pressure- Gauge																																																																																									
	121	MAV-6LRomD mit Dichtkantenring					209112	121	Screw union straight 1/8"-6					121	without union nut and compression ring			2066	121	Screw union straight brass nickelplated					121	6/4-1/8" F			206601	121	Screw union straight brass nickelplated conical					121	6/4-1/8" M.			206602	121	Screw union straight brass nickelplated conical					121	6/4"-1/4" M.			5397	184	Seal 3/4" 24,0x17x2 mm					184	Klingersil C-4400			2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.										
209112	121	Screw union straight 1/8"-6																																																																																									
	121	without union nut and compression ring					2066	121	Screw union straight brass nickelplated					121	6/4-1/8" F			206601	121	Screw union straight brass nickelplated conical					121	6/4-1/8" M.			206602	121	Screw union straight brass nickelplated conical					121	6/4"-1/4" M.			5397	184	Seal 3/4" 24,0x17x2 mm					184	Klingersil C-4400			2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.																					
2066	121	Screw union straight brass nickelplated																																																																																									
	121	6/4-1/8" F					206601	121	Screw union straight brass nickelplated conical					121	6/4-1/8" M.			206602	121	Screw union straight brass nickelplated conical					121	6/4"-1/4" M.			5397	184	Seal 3/4" 24,0x17x2 mm					184	Klingersil C-4400			2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.																																
206601	121	Screw union straight brass nickelplated conical																																																																																									
	121	6/4-1/8" M.					206602	121	Screw union straight brass nickelplated conical					121	6/4"-1/4" M.			5397	184	Seal 3/4" 24,0x17x2 mm					184	Klingersil C-4400			2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.																																											
206602	121	Screw union straight brass nickelplated conical																																																																																									
	121	6/4"-1/4" M.					5397	184	Seal 3/4" 24,0x17x2 mm					184	Klingersil C-4400			2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.																																																						
5397	184	Seal 3/4" 24,0x17x2 mm																																																																																									
	184	Klingersil C-4400					2370	184	Sealing ring-copper 17x21x2,0 mm					184	form A, crag			2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.																																																																	
2370	184	Sealing ring-copper 17x21x2,0 mm																																																																																									
	184	form A, crag					2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.																																																																												
2353	184	Sealing-ring copper 18x22x2,0mm																																																																																									
	184	form A, 1 Pack with 10 pcs.																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
2799	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm zinc plated				
2799	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm zinc plated				
38701	410 410	Serrated lock washer type A DIN 6798 Ø1=12,5mm Ø2=20,5mm zinc plated				
2151	184 184	Sleeve cable inlet ignition cable Typ DA 80/100/20				
900048	132 132	Spraylance st.st. 900mm 15° angled, KEW QC, nozzle protection red 1/4"F, nozzle 25070 1/4"M				
900044	132 132	Spraylance stainless steel 900mm 15° angled KEW quick-coupling, nozzle protection red 1/4"F				
205201	134 134	Stargrippnut black/red PA6 with thread insert galvanized				
586802	134 134	Steel rope zinc plated Ø1mm, 65cm for cover				
590001	189 189	Sticker chemical A 60x60mm				

item number	item group discount group	description	sales price	PU	QR code	picture
590002	189 189	Sticker diesel 60x60mm				
303702	189 189	Sticker max. for tank dimensions: 44x50mm				
303703	189 189	Sticker min. for tank dimensions: 44x50mm				
335132	189 189	Sticker SET instruments HD823 + HD823UK + HD940				
5904000000000	189 189	Sticker triangle heat yellow-black 50x43mm				
590500	189 189	Sticker warning notice yellow 102x62mm red-black printed				
3514	134 134	Suction basket without Foot-Valve 1/2" AG				
3738	110 110	Suction connection R3/4" DN19 for float tank				
38916	134 134	Suction hose connection with chemical injector 1/2"M / 19mm Brass MS58				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
25091	120	Switchcover o-off 1-hole 20,5mm				
	120	PA6 GF30 black				
300010	120	Switchcover-unit				
	120					
2030	120	Tank cap EVO411 PE S8-02				
	120	PVC polish red with sealing				
205001	012	Tank chemical V 1-32 black 19l				
	012					
204901	012	Tank fuel-oil black V2-09 24l				
	012					
20122	106	Thermostat adjustable 20-160°C				
	106					
2252	120	Thermostat covering				
	120	PP TV10 black				
232001	106	Transformer prim.230VAC,sec.24VA C,				
	106	1,25A/30VA				
330010	132	Trigger gun standard 280bar 30l/min				
	132	150°C with quick- coupling red, M22x1,5				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
204812	134 134	Tubular frame HD/HDE-series steel PC-RAL7016		pcs.		
5334	404 404	Union nut brass nickelplated DN20 R3/4"				
361344	109 109	Valve plug R1/8"F for HP-pump E1B, E2B, E3B				
38711	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=8,4mm Ø2=24mm stainless steel				
3918	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm zinc plated				
3878	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
3878	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
38784	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=10,5mm Ø2=30mm zinc plated				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2644	110 110	Waterinlet connection R3/4"M / R3/4"M				
264405	134 134	Waterinlet filter G3/4"F				
3739	134 134	Wheel black Ø260mm				
20480901	120 120	Wheel brake cap Ø260mm ABS red				

Sales Pricelist

8/4/2023



item number	item group discount group	description	sales price	PU	QR code	picture
20480902	120 120	Wheel brake dowel PA6 GF30 black				
20480906	120 120	Wheel brake drum gear ring PA6 GF30 black				
20480904	120 120	Wheel brake sliding PP black				
110034	134 134	Wheel break breakshoe- unit				
373901	134 134	Wheel cap red Ø260mm				