

item number	item group discount group	description	sales price	PU	QR code	picture
533004	021 021	HSC1140-INOX FR 30kW EHRLE Hotwater-High- Pressure-Cleaner				
537903	405 405	Ball valve brass 3/4" M.M.				
593605	106 106	Cabel protection hose Ø 16mm				
5350	106 106	Cable gland M16x1,5 black				
5347	106 106	Cable gland M20x1,5 black				
5347	106 106	Cable gland M20x1,5 black				
5346	106 106	Cable gland PERFECT M16x1,5 black				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
5936010000000	106 106	Cable hose holder 16 mm Ø (20 pcs.)				
5936010000000	106 106	Cable hose holder 16 mm Ø (20 pcs.)				
580300	106 106	Cable sleeve M20				
583402	195 195	Catch owner				
201400	134 134	Chemical metric valve 2- way ST66 black without ball and spring				
2056	134 134	Chemical suctionhose filter				
3403	410 410	Clamping screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				
5103	410 410	Clamp stst 31-38mm M8/10 with EPDM-Inlet				
2940	410 410	Clip Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
579818	405 405	Conection nipple Strawa 3/4"x1/2" M.M.				
5376	106 106	Connector with LED red 230V AC, with varistor 4m cable and with seal GPRA, for magnetic valve				
5375	106 106	Connector with LED red 24V AC, with varistor 4m cable and with seal GPRA, for magnetic valve				
22051	108 108	Contactur LC1 D50AP7 AC230V 50/60Hz AC3 15/22kW-230/400V AC1-80A 3S 1C/1O				
5810	108 108	Contactur HDE/HSE 5,5/11kW 24V 50-60Hz LC1D25B7 from 96'				
23161	108 108	Contactur LC1 K1210 B7 AC24V 50/60Hz AC3 3/5,5kW-230/400V AC1-20A 3S/1S				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
300057	120 120	Control box with open bottom drilled for Vacuum Cleaner door				
2267	180 180	Corner protection PVC with metal insert black 1,0x4,5mm				
5141710	123 123	CPU1212C AC230V/DC24V/Relais 8DI/6DO/2AI				
5141740	123 123	CPU-SM1221-DI 8 24VDC				
5141708	123 123	CPU-SM1222- DA8xRelais 30VDC				
386201	410 410	Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel				
576412	110 110	Distance piece for water deficiency 92mm 2.0401				
380501	405 405	Elbow brass 3/4"M - 3/4"F				
2677	134 134	Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
5787	120	Electric box 430x190x100mm																																																																																									
	120	PP Talkum red					355601	407	Electric-Motor 3AC230/400V 50HZ 6.3kW MEC112					407	1500rpm B3/B14 shaft Ø28mm			2629	405	Fitting clamping screw brass hex SW36					405	3/4" 6mm			53111	405	Fitting-Double nipple brass					405	1" x 100 M.M.			5311	405	Fitting-Double nipple brass					405	1" x 40 M.M.			5057	405	Fitting-Double nipple brass hex SW29					405	3/4"x41 M.M.			53117	405	Fitting-Double nipple stst hex SW36					405	1"x46 M.M.			5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405
355601	407	Electric-Motor 3AC230/400V 50HZ 6.3kW MEC112																																																																																									
	407	1500rpm B3/B14 shaft Ø28mm					2629	405	Fitting clamping screw brass hex SW36					405	3/4" 6mm			53111	405	Fitting-Double nipple brass					405	1" x 100 M.M.			5311	405	Fitting-Double nipple brass					405	1" x 40 M.M.			5057	405	Fitting-Double nipple brass hex SW29					405	3/4"x41 M.M.			53117	405	Fitting-Double nipple stst hex SW36					405	1"x46 M.M.			5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.										
2629	405	Fitting clamping screw brass hex SW36																																																																																									
	405	3/4" 6mm					53111	405	Fitting-Double nipple brass					405	1" x 100 M.M.			5311	405	Fitting-Double nipple brass					405	1" x 40 M.M.			5057	405	Fitting-Double nipple brass hex SW29					405	3/4"x41 M.M.			53117	405	Fitting-Double nipple stst hex SW36					405	1"x46 M.M.			5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.																					
53111	405	Fitting-Double nipple brass																																																																																									
	405	1" x 100 M.M.					5311	405	Fitting-Double nipple brass					405	1" x 40 M.M.			5057	405	Fitting-Double nipple brass hex SW29					405	3/4"x41 M.M.			53117	405	Fitting-Double nipple stst hex SW36					405	1"x46 M.M.			5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.																																
5311	405	Fitting-Double nipple brass																																																																																									
	405	1" x 40 M.M.					5057	405	Fitting-Double nipple brass hex SW29					405	3/4"x41 M.M.			53117	405	Fitting-Double nipple stst hex SW36					405	1"x46 M.M.			5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.																																											
5057	405	Fitting-Double nipple brass hex SW29																																																																																									
	405	3/4"x41 M.M.					53117	405	Fitting-Double nipple stst hex SW36					405	1"x46 M.M.			5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.																																																						
53117	405	Fitting-Double nipple stst hex SW36																																																																																									
	405	1"x46 M.M.					5107	405	Fitting-Elbow 90° brass					405	1" F.M.			510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.																																																																	
5107	405	Fitting-Elbow 90° brass																																																																																									
	405	1" F.M.					510701	405	Fitting-Elbow 90° brass					405	1/2" F.M.																																																																												
510701	405	Fitting-Elbow 90° brass																																																																																									
	405	1/2" F.M.																																																																																									

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
5109	405 405	Fitting-Elbow 90° brass 3/4" M.F.				
510701	405 405	Fitting-Elbow 90° brass 1/2" F.M.				
2093	405 405	Fitting-hose nipple brass hex 1/4" M 6mm				
2093	405 405	Fitting-hose nipple brass hex 1/4" M 6mm				
2733	405 405	Fitting-hose nipple brass hex 1/8" M 6mm				
133653	405 405	Fitting-nipple brass M22x1,5 R3/8"F				
5098	405 405	Fitting-Reducer brass hex SW24 1/2"x1/4" M.F.				
5111	405 405	Fitting-Reducer brass hex SW37 1"x1/2" M.F.				
3759	405 405	Fitting-Reducing nipple brass hex SW28 3/4"x1/2" M.M. 38,3mm				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3759	405 405	Fitting-Reducing nipple brass hex SW28 3/4"x1/2" M.M. 38,3mm				
5842	405 405	Fitting-Screwed Joint brass 1" M.M. flat seal				
384552	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M6x10 stainless steel				
533201	404 404	Flat Nipple elbow 90° stst DN16 for union nut R3/4"				
5332	404 404	Flat Nipple elbow 90° stst DN20 for union nut R3/4"				
5332	404 404	Flat Nipple elbow 90° stst DN20 for union nut R3/4"				
5710	404 404	Flat Nipple elbow 90° stst DN20 for union nut R1"				
532802	404 404	Flat Nipple straight brass nickelplated DN13 for union nut R3/4"				
5329	404 404	Flat Nipple straight brass nickelplated DN20 for union nut R3/4"				


Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
5329	404 404	Flat Nipple straight brass nickelplated DN20 for union nut R3/4"				
5363	404 404	Flat Nipple straight brass nickelplated DN20 for union nut R1"				
392712	196 196	Float valve body valve DN10 0,3-10bar os 3/4"M as 3/4"AG strainer POM				
392711	120 120	Float valve handle PA 6 GF30 black				
3723	106 106	Fuse 250V 2A slow- blowing				
5154	106 106	Fuse-automatic cut out B10 S201				
3994	106 106	Fuse-automatic cut out B16 S201				
399403	106 106	Fuse-automatic cut out B6 S201				
54181	106 106	Fuse-automatic cut out K16 S271				

item number	item group discount group	description	sales price	PU	QR code	picture
38331	106 106	Fuse-holder ZSI 2,5				
39971	195 195	Handle with push button				
283707	106 106	Heating Anti-Freeze AC230V/50Hz 80W thermic convection with holder				
2140	134 134	Heating Element 1.4404 6000W-10 400V length 400mm				
386305	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M4 stainless steel				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M8 stainless steel				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
386307	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M8 stainless steel				
386309	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M10 stainless steel				
286212	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M5x10 stainless steel				
386205	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M5x12 stainless steel				
386207	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x10 stainless steel				
386211	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x12 stainless steel				
286212	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M5x10 stainless steel				
386207	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x10 stainless steel				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
386211	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x12 stainless steel				
386216	410 410	Hexagon head screw serrated with flange like DIN 6921 M8x20 stainless steel				
386222	410 410	Hexagon head screw serrated with flange like DIN 6921 M10x30 stainless steel				
386207	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel				
51821	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M4 stainless steel				
384506	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel				
384506	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel				
384509	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x10 stainless steel				
38581	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
399603	195 195	Hinge for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST				
399603	195 195	Hinge for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST				
237401	410 410	Hose clamp stst 12- 20mm 9mm wide				
372401	410 410	Hose clamp stst 20- 32mm 12mm wide				
372401	410 410	Hose clamp stst 20- 32mm 12mm wide				
3688	405 405	Hose nipple brass hex 3/4"M 20mm 3/4" AG 20mm				
2000	402 402	HP-Hose rubber steel mesh black DN08 315bar 150°C bs HSC M22x1,5 bs bend protection 10m				
210501	402 402	HP-Hose rubber steel mesh DN08 315bar 150°C bs CNOL M18x1,5/os90° 1,2m				
296556	402 402	HP-Hose rubber steel mesh red DN08 315bar 150°C es HV M22x1,5 90°/es M18x1,5 1,15m				

item number	item group discount group	description	sales price	PU	QR code	picture
3471	402 402	HP-Hose rubber steel mesh red DN08 315bar 150°C bs CNOL M18x1,5/os90° 320mm				
371002	406 406	HP-Pump AR JHK11.15 SSL HT 11l/min 150bar 950rpm / 15l/min 180bar 1450rpm				
2810	109 109	HP-Pump coupling IP elastic ZG 151				
2809	109 109	HP-Pump IP flange ZF 151				
536578	404 404	INOX-Hose DN20 3/4" os90° bsUN1" L=680mm 15bar -30°C until +110°C TÜV-SVGW				
620408	131 131	Lance container inox H.P-, SoftFoam Lance for cabinet mounting SW/SWP, HSC		pcs.		
403701	185 185	Lock-Cylinder Vacuum-Cleaner, HSC- ST				
583506	195 195	Locking rod above 465mm Vacuum Cleaner, HSC- ST				
583604	195 195	Locking rod below 584mm Vacuum-Cleaner, HSC- ST				

item number	item group discount group	description	sales price	PU	QR code	picture
53845	408	Low-Pressure Pump Medana CH1-L.2023- 1/E/E/10T				
	408	2,3-4,8 m³ / 1,8-0,8 bar 3AC400V 0,37kW max.90°C				
27481	014	Low-Water Cut-Off c/w. Float-Switch				
	014	M12x1				
537005	112	Magnetic-valve DN1,5 1/4" 0-200bar Rubin INOX				
	112	2/2 NC directacting AC24V/25W				
536904	112	Magnetic-valve DN12 1/2" 0,02bar EPDM INOX				
	112	2/2 NC directacting AC24V/15W				
537301	112	Magnetic-valve DN4 1/4" 0-2bar EPDM brass				
	112	2/2 NC directacting AC230V / 8W				
300023	112	Magnetic-valve Unit HSC				
	112	DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W				
24372	106	Maximum Thermostat 95°C				
	106	with mechanical On- delay				
4004	195	Metal-Bar Lock				
	195					
2998	110	Nipple for HP Outlet M22x1,5/M18x1,5M				
	110	length 47mm, stainless steel 1.4305				

item number	item group discount group	description	sales price	PU	QR code	picture
275201	106 106	Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP				
5769	184 184	O-ring 350x3 NBR70				
5189	108 108	Overload-Protection 1,8- 2,6A				
2581	108 108	Overload-Protection 9- 13A				
5837	184 184	Performance socket 39x50x57 DG M50 black unperforated				
5837	184 184	Performance socket 39x50x57 DG M50 black unperforated				
583703	184 184	Performance socket 9,5x13,5x4,0 f. HSC *Durchführungstülle 9,5x13,5x4,0 HSC*				
593500	134 134	Plunger Pump CEME 508/LA EPDM, 230V, 50Hz, 25W				
300022	134 134	Plunger Pump Unit Chemical HSC				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2352	403 403	Polyamide-hose natural 12PH DIN73378 4x6mm -40°C/+100°C				
573601	413 413	Pressfitting connector F stainless steel with union nut brass Ø22mm x 3/4"				
547002	413 413	Pressfitting elbow 90° F/M stainless steel Ø22mm				
1263202	134 134	Pressure switch brass 1/4"M 25bar 250V 15A 90°C 3,0m cable				
1263202	134 134	Pressure switch brass 1/4"M 25bar 250V 15A 90°C 3,0m cable				
509702	014 014	Pressure-Gauge 0- 10bar gly. Ø50mm 1/4"AG connection back centirc, INOX-case				
201305	014 014	Pressure-gauge 0- 250bar gly. Ø50 1/4"M connection back centric, INOX-case				
51612	120 120	Push button cover PVC				
516104	108 108	Push-button white incl. LED double 12VDC for Moduline				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
130017	403 403	PVC-hose transparent 6x9mm 750mm 7,0bar -20°C/+65°C		pcs.		
5802	403 403	PVC-hose with fabric transparent 19x27mm- 3/4" 11bar BP33bar -20°C/+ 65°C				
2781	405 405	Reducer brass nickelplated conical Mod. 2530 3/8"-1/4" M/F				
50565	108 108	Relay AC24V, 2 Changer, 8A LED, varisator and bracket				
527514	410 410	Retaining wahser for shafts DIN 6799 Ø1=4mm Ø2=9,3mm zinc plated				
4008	106 106	Row-clamp ZDU2,5/3AN				
2688	403 403	Rubber-hose black 13x21mm R1/2" 30bar -30°C/+100°C				
3667	403 403	Rubber-hose black 19x28mm R3/4" 30bar -30°C/+100°C				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3667	403	Rubber-hose black 19x28mm R3/4"				
	403	30bar -30°C/+100°C				
59871	410	Screw countersunk head				
	410	like KN 6039 STS plus M4x10 stainless steel				
38613	410	Screw cross recessed head 4.8				
	410	DIN 7985 DIN-EN-ISO 7045 M4x10 stainless steel				
518305	410	Screw cross recessed head 4.8				
	410	DIN 7985 DIN-EN-ISO 7045 M5x6 zinc plated				
2637	410	Screw panhead C-H				
	410	DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
3669	410	Screw panhead C-H				
	410	DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated				
2359	121	Screw union 3/8" 12L				
	121					
2359	121	Screw union 3/8" 12L				
	121					
20961	110	Screw union GE-12LR 3/8"				
	110	1.0038				

Sales Pricelist

8/10/2023





















item number	item group discount group	description	sales price	PU	QR code	picture
206602	121 121	Screw union straight brass nickelplated conical 6/4"-1/4" M.				
2157	121 121	Screw union XGE-12LR B3/8"				
2234	121 121	Screw-in fitting EVGE12LR 1/4"				
2086	121 121	Screw-union XEVL-12L- V A3C				
2358	121 121	Screw-union XGE12LRB 1/2				
5399	184 184	Seal 1 1/4" 38,0x27x2mm Klingersil C-4400				
5398	184 184	Seal 1" 30,0x21x2 Klingersil C-4400				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
27991	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm stainless steel				
518501	110 110	Spacer stainless steel Ø 56x34				
5063	404 404	Special distributor for antifreezingfeed DN25 pump 4VA-2				
5336	404 404	Squeeze Cap stst DN20 29,0x20,7mm L=30mm				
546307	601 601	stainless steel Ø22 x 1,5 6m long 1,4301				
205201	134 134	Stargrippnut black/red PA6 with thread insert galvanized				
586803	134 134	Steel rope zinc plated Ø1mm, 20cm eye Ø5mm, for M3				
59011000000000	189 189	Sticker EHRLE CarWash for control box royalplast FTC Ultra, printet, 80mm round				
5296	133 133	Suction basket with Foot -Valve 1" 190D				

item number	item group discount group	description	sales price	PU	QR code	picture
578714	120	Switchbox underpart				
	120	closed with top PP TV20 black cap, seal and quarterturns				
25091	120	Switchcover o-off 1-hole				
	120	20,5mm PA6 GF30 black				
3938	012	Tank 40l				
	012	for Selfservice CarWash/HSC/JW				
2249	014	Thermostat 0-120°C				
	014	fixed stop 80°C				
2252	120	Thermostat covering				
	120	PP TV10 black				
576402	110	Thermostat screw G1/2"				
	110	Brass 2.0402				
353801	106	Thermostat universal 0-				
	106	40° FTR				
394010	131	Trigger gun anti-freeze				
	131	green low pressure with spraylance 600mm, nozzle protection red 1/4"F				
5334	404	Union nut brass				
	404	nickelplated DN20 R3/4"				

item number	item group discount group	description	sales price	PU	QR code	picture
5334	404 404	Union nut brass nickelplated DN20 R3/4"				
5362	404 404	Union nut brass nickelplated DN25 R1"				
362611	151 151	Unloader-Unit VRT3 Standard HSC1140 electric / gas				
352604	151 151	Unloader-Valve VRT3 3/8" standard 250bar/40l/min c/w. hand-wheel KD/KDB/KDD/HD- Etronic1				
39181	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel				
38711	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=8,4mm Ø2=24mm stainless steel				
38781	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm stainless steel				
39181	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel				
52421	013 013	Waterfilter R1" PVC 310mm with filter cartridge 150µ				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
52427	013 013	Waterfilter R3/4" PVC 193mm with filter cartridge 150µ				
5365	404 404	Water-Hose stst- reinforced DN20 R3/4" 20x28mm R3/4" 10bar -30°C to + 110°C TÜV/SVGW				
399102	107 107	Wire H07V-K 1x1,5² GN/YE				
5348	106 106	Wire-joint nut M25x1,5 grey				
5349	106 106	Wire-joint nut M32x1,5 grey				
5312	106 106	Wire-joint PERFECT M25x1,5				
5340	106 106	Wire-joint PERFECT M32*1,5 4x8				
508103	106 106	Wiring duct 60x25mm LK4, grey				
508102	106 106	Wiring duct 60x40mm				