

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 52801 | 025 025 | HSC1240 Oil EHRLE Hotwater-High- Pressure-Cleaner | | |  |  |
| 3746 | 405 405 | Angle nickel-plated Mod. 2020 1/8" IG/AG | | |  |  |
| 461020 | 151 151 | Bolt-On Unloader VRF2- P 30l/min TST-45 bar M22x1,5M | | |  |  |
| 2005 | 114 114 | Burner motor 110W 230V/50Hz 900mm wire | | |  |  |
| 593605 | 106 106 | Cabel protection hose Ø 16mm | | |  |  |
| 5347 | 106 106 | Cable gland M20x1,5 black | | |  |  |
| 5347 | 106 106 | Cable gland M20x1,5 black | | |  |  |
| 5346 | 106 106 | Cable gland PERFECT M16x1,5 black | | |  |  |
| 5345 | 106 106 | Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz | | |  |  |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|--|-------------|----|---------|---------|---------------|-----|--|--|--|--|--|-----|-------------------------|--|--|---------------|-----|--|--|--|--|--|-----|-------------------------|--|--|--------|-----|--|--|--|--|--|-----|-------------------------|--|--|--------|-----|--|--|--|--|--|-----|-------------------------|--|--|--------|-----|--|--|--|--|--|-----|-------------------------|--|--|--------|-----|--|--|--|--|--|-----|-------------------------|--|--|--------|-----|-----------------------------------|--|--|--|--|-----|--|--|--|--------|-----|-----------------------------------|--|--|--|--|-----|
| 5345 | 106 | Cable gland PERFECT M20*1,5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | KV PA mit Reduzierung RAL9005 schwarz | | | | | 5936010000000 | 106 | Cable hose holder 16 mm Ø | | | | | 106 | (20 pcs.) | | | 5936010000000 | 106 | Cable hose holder 16 mm Ø | | | | | 106 | (20 pcs.) | | | 580300 | 106 | Cable sleeve M20 | | | | | 106 | | | | 265201 | 250 | Canister 60l, 3 handles, nature | | | | | 250 | incl. lock black | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | 134 | without ball and spring | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 |
| 5936010000000 | 106 | Cable hose holder 16 mm Ø | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | (20 pcs.) | | | | | 5936010000000 | 106 | Cable hose holder 16 mm Ø | | | | | 106 | (20 pcs.) | | | 580300 | 106 | Cable sleeve M20 | | | | | 106 | | | | 265201 | 250 | Canister 60l, 3 handles, nature | | | | | 250 | incl. lock black | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | 134 | without ball and spring | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | |
| 5936010000000 | 106 | Cable hose holder 16 mm Ø | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | (20 pcs.) | | | | | 580300 | 106 | Cable sleeve M20 | | | | | 106 | | | | 265201 | 250 | Canister 60l, 3 handles, nature | | | | | 250 | incl. lock black | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | 134 | without ball and spring | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | | | | | | | | | | | | |
| 580300 | 106 | Cable sleeve M20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | | | | | | 265201 | 250 | Canister 60l, 3 handles, nature | | | | | 250 | incl. lock black | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | 134 | without ball and spring | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 265201 | 250 | Canister 60l, 3 handles, nature | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 250 | incl. lock black | | | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | 134 | without ball and spring | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 583402 | 195 | Catch owner | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | | | | | | 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | 134 | without ball and spring | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 201400 | 134 | Chemical metric valve 2- way ST66 black | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 134 | without ball and spring | | | | | 2056 | 134 | Chemical suctionhose filter | | | | | 134 | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2056 | 134 | Chemical suctionhose filter | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 134 | | | | | | 800193 | 134 | Chimney adapter HSC oil/square | | | | | 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 800193 | 134 | Chimney adapter HSC oil/square | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 3403 | 410 | Clamping screw M18x1.5 15-32/L 12A3C | | | | |
| | 410 | GM 12L/10 A3C | | | | |
| 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | |
| | 410 | clamping-area: 8-9,5mm Stainless steel | | | | |
| 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | |
| | 410 | clamping-area: 8-9,5mm Stainless steel | | | | |
| 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | |
| | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | |
| 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | |
| | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | |
| 289801 | 410 | Clip Hose 1-Ear 11,8mm | | | | |
| | 410 | Stainless steel | | | | |
| 576502 | 106 | Connection cable 400V etronic | | | | |
| | 106 | H07RN-F 5G1,5mm² 7,5m | | | | |
| 461023 | 151 | Connection-KIT Bolt-On Unloader | | | | |
| | 151 | for HP-Pump E1B, E2B, E3B | | | | |
| 5376 | 106 | Connector with LED red 230V AC, with varistor | | | | |
| | 106 | 4m cable and with seal GPRA, for magnetic valve | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|------|---------|---------|
| 2010 | 114 114 | Coupling fuelpump K2 für Brennermotor Aaco | | | | |
| 363880 | 120 120 | Cover float-tank EHRLE PP TV20 black | | | | |
| 2072 | 114 114 | Cover outside boiler, DC01, PC RAL 7016 Chimney side from heating coil | | pcs. | | |
| 386201 | 410 410 | Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel | | | | |
| 2677 | 134 134 | Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic | | | | |
| 2677 | 134 134 | Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic | | | | |
| 5787 | 120 120 | Electric box 430x190x100mm PP Talkum red | | | | |
| 5787 | 120 120 | Electric box 430x190x100mm PP Talkum red | | | | |
| 355601 | 407 407 | Electric-Motor 3AC230/400V 50HZ 6.3kW MEC112 1500rpm B3/B14 shaft Ø28mm | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 2009 | 114 114 | Fan wheel Ø133x62mm | | | | |
| 2629 | 405 405 | Fitting clamping screw brass hex SW36 3/4" 6mm | | | | |
| 2629 | 405 405 | Fitting clamping screw brass hex SW36 3/4" 6mm | | | | |
| 2189 | 405 405 | Fitting welded arc 90° black 21.3x2mm DIN2605-3S | | | | |
| 2093 | 405 405 | Fitting-hose nipple brass hex 1/4" M 6mm | | | | |
| 2733 | 405 405 | Fitting-hose nipple brass hex 1/8" M 6mm | | | | |
| 2093 | 405 405 | Fitting-hose nipple brass hex 1/4" M 6mm | | | | |
| 2733 | 405 405 | Fitting-hose nipple brass hex 1/8" M 6mm | | | | |
| 53127 | 405 405 | Fitting-plug brass hex SW20 3/8" M | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 2191 | 405 405 | Fitting-welded sleeve full black 3/8" DIN2986 | | | | |
| 2100 | 114 114 | Flame-tube 90x2x78mm | | | | |
| 384552 | 410 410 | Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | |
| 384552 | 410 410 | Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | |
| 3689 | 184 184 | Flat seal 33x25x3 | | | | |
| 363800 | 120 120 | Float-container lower part EHRLE PP TV20 black | | | | |
| 222404 | 014 014 | Flowswitch ST5 with reedcontact 3/8"F 250VAC 1A drilling 6,0mm, cable 1,2m | | | | |
| 2224 | 014 014 | Flowswitch ST5 with reedcontact 3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m | | | | |
| 2692 | 114 114 | Fuel pump 24V/Hz ASV 47D 1640 6P0260 with cable 610mm | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|------|---------|---------|
| 200601 | 114 114 | Fuel-nozzle 1.35gph 60° SF | | | | |
| 2425 | 114 114 | Fuel-oil filter 1/4" complete V7045201PL | | | | |
| 206503 | 110 110 | Fuel-oil pipe 10x3,25x230mm Steel 1.0308 | | | | |
| 110007 | 114 114 | Fuelpump-Unit 24V/50Hz HSC | | | | |
| 3751 | 184 184 | Gasket for Hollow Screw 15/3-071/RF 12 A3C | | | | |
| 39971 | 195 195 | Handle with push button | | | | |
| 2059 | 114 114 | Heatcoil steel HD/HSC/HDB/HDD | | pcs. | | |
| 283707 | 106 106 | Heating Anti-Freeze AC230V/50Hz 80W thermic convection with holder | | | | |
| 386305 | 410 410 | Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M4 stainless steel | | | | |

Sales Pricelist

8/10/2023




| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 386306 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M5 stainless steel | | | | |
| 386307 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M6 stainless steel | | | | |
| 386306 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M5 stainless steel | | | | |
| 386307 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M6 stainless steel | | | | |
| 386308 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M8 stainless steel | | | | |
| 386309 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M10 stainless steel | | | | |
| 386307 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M6 stainless steel | | | | |
| 386308 | 410 | Hexagon flange nut serrated | | | | |
| | 410 | like DIN 6923 DIN-EN 1661 M8 stainless steel | | | | |
| 286212 | 410 | Hexagon head screw serrated with flange | | | | |
| | 410 | like DIN 6921 M5x10 stainless steel | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 386207 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel | | | | |
| 386211 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M6x12 stainless steel | | | | |
| 286212 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M5x10 stainless steel | | | | |
| 386222 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M10x30 stainless steel | | | | |
| 386207 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel | | | | |
| 27061 | 410 410 | Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x16 steel | | | | |
| 3851 | 410 410 | Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x65 zinc plated | | | | |
| 3854 | 410 410 | Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M12x75 zinc plated | | | | |
| 36761 | 410 410 | Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 3676 | 410 | Hexagon head tapping screw C | | |  |  |
| | 410 | DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated | | | | |
| 36761 | 410 | Hexagon head tapping screw C | | |  |  |
| | 410 | DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel | | | | |
| 51821 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN 934 DIN-EN-ISO 4032 M4 stainless steel | | | | |
| 2712 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN 934 DIN-EN-ISO 4032 M8 zinc plated | | | | |
| 2713 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0 | | | | |
| 2709 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN934 DIN-EN-ISO 4032 M6 zinc plated | | | | |
| 2712 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN 934 DIN-EN-ISO 4032 M8 zinc plated | | | | |
| 2713 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0 | | | | |
| 2709 | 410 | Hexagon nut | | |  |  |
| | 410 | DIN934 DIN-EN-ISO 4032 M6 zinc plated | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 2713 | 410 410 | Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0 | | | | |
| 2713 | 410 410 | Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0 | | | | |
| 2195 | 410 410 | Hexagon pipe nut with pipe thread DIN 431 1/8" SW17x6mm zinc plated | | | | |
| 384506 | 410 410 | Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel | | | | |
| 384506 | 410 410 | Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel | | | | |
| 384509 | 410 410 | Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x10 stainless steel | | | | |
| 384509 | 410 410 | Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x10 stainless steel | | | | |
| 38581 | 410 410 | Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel | | | | |
| 3879 | 410 410 | Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M5x16 zinc plated | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 2973 | 410 | Hexagon socket head cap screw | | | | |
| | 410 | DIN 912 DIN-EN-ISO 4762 M4x50 zinc plated | | | | |
| 3856 | 410 | Hexagon socket head cap screw | | | | |
| | 410 | DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated | | | | |
| 399603 | 195 | Hinge | | | | |
| | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | | |
| 399603 | 195 | Hinge | | | | |
| | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | | |
| 2668 | 121 | Hollow screw for screw- union | | | | |
| | 121 | 12 LR 3/8" zinc plated | | | | |
| 375001 | 110 | Hollow Screw for swing fixture | | | | |
| | 110 | for SWV 1/2" 15/3- 071/RF A3C zina plated | | | | |
| 237401 | 410 | Hose clamp stst 12- 20mm | | | | |
| | 410 | 9mm wide | | | | |
| 372401 | 410 | Hose clamp stst 20- 32mm | | | | |
| | 410 | 12mm wide | | | | |
| 372401 | 410 | Hose clamp stst 20- 32mm | | | | |
| | 410 | 12mm wide | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|------|---------|---------|
| 2000 | 402 | HP-Hose rubber steel mesh black DN08 315bar | | | | |
| | 402 | 150°C bs HSC M22x1,5 bs bend protection 10m | | | | |
| 210501 | 402 | HP-Hose rubber steel mesh DN08 315bar | | | | |
| | 402 | 150°C bs CNOL M18x1,5/os90° 1,2m | | | | |
| 296552 | 402 | HP-Hose rubber steel mesh red DN08 | | | | |
| | 402 | 315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm | | | | |
| 2810 | 109 | HP-Pump coupling IP elastic ZG 151 | | | | |
| | 109 | | | | | |
| 361341 | 406 | HP-Pump IP E3B2118 SSL Ø22 | | | | |
| | 406 | 18l/min 210bar 1450rpm | | | | |
| 2809 | 109 | HP-Pump IP flange ZF 151 | | | | |
| | 109 | | | | | |
| 200302 | 114 | Ignition Transformer 230V/50Hz | | | | |
| | 114 | c/w. connection cable 800mm | | | | |
| 2068 | 114 | Inside boiler, DC01, powder coated | | | | |
| | 114 | heating coil | | pcs. | | |
| 3926 | 133 | Light bulb for self- service Carwash | | | | |
| | 133 | 24V 1,2W BA9S 28mm | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 403701 | 185 185 | Lock-Cylinder Vacuum-Cleaner, HSC- ST | | | | |
| 583506 | 195 195 | Locking rod above 465mm Vacuum Cleaner, HSC- ST | | | | |
| 583604 | 195 195 | Locking rod below 584mm Vacuum-Cleaner, HSC- ST | | | | |
| 2748 | 014 014 | Low-Water Cut-Off c/w. nut 1,15m PVC cable and flow-switch | | | | |
| 537301 | 112 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass 2/2 NC directacting AC230V / 8W | | | | |
| 300023 | 112 112 | Magnetic-valve Unit HSC DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W | | | | |
| 204602 | 108 108 | Main Switch B2N A1- F35-X-XG9 on-off 0-1 | | | | |
| 3877 | 110 110 | Manifold block heatcoil inlet flow monitor | | | | |
| 800367 | 110 110 | Manifold block suction HSC | | | | |


















Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 576401 | 110 110 | Manifold for Thermostat | | | | |
| 2813 | 110 110 | Manifold-block for heatcoil-inlet | | | | |
| 23731 | 106 106 | Maximum Thermostat 300°C with mechanical ON- delay | | | | |
| 4004 | 195 195 | Metal-Bar Lock | | | | |
| 2937 | 405 405 | Nipple brass nickelplated conical 1/4" M.M. | | | | |
| 2998 | 110 110 | Nipple for HP Outlet M22x1,5/M18x1,5M length 47mm, stainless steel 1.4305 | | | | |
| 206408 | 120 120 | Nozzleclip 07 POM purple | | | | |
| 206401 | 114 114 | Nozzleholder long 47mm Nozzle tube threaded R1/8" | | | | |
| 110020 | 114 114 | Oilburner 230V/50Hz MV-AC24V 60kW@1,35gph-B SS75/28 Flamemonitor HSC | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 275201 | 106 106 | Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP | | |  |  |
| 346601 | 184 184 | O-ring 21,0x1,50 NBR für Hohlschraube 1/2" | | |  |  |
| 5769 | 184 184 | O-ring 350x3 NBR70 | | |  |  |
| 5769 | 184 184 | O-ring 350x3 NBR70 | | |  |  |
| 110027 | 110 110 | Outlet heatcoil-unit HD- Series HD-Serie/HSC | | |  |  |
| 5837 | 184 184 | Performance socket 39x50x57 DG M50 black unperforated | | |  |  |
| 5837 | 184 184 | Performance socket 39x50x57 DG M50 black unperforated | | |  |  |
| 583703 | 184 184 | Performance socket 9,5x13,5x4,0 f. HSC *Durchführungsstülle 9,5x13,5x4,0 HSC* | | |  |  |
| 578901 | 106 106 | Photocell for Flamecontrol QRB4B- B070B70 cable 700mm | | |  |  |

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 538511 | 404 404 | Pipe for water inlet in float cabinet Ø20x1,5x147,55mm, 1.4571 | | |  |  |
| 593500 | 134 134 | Plunger Pump CEME 508/LA EPDM, 230V, 50Hz, 25W | | |  |  |
| 300022 | 134 134 | Plunger Pump Unit Chemical HSC | | |  |  |
| 2352 | 403 403 | Polyamide-hose natural 12PH DIN73378 4x6mm -40°C/+100°C | | |  |  |
| 2352 | 403 403 | Polyamide-hose natural 12PH DIN73378 4x6mm -40°C/+100°C | | |  |  |
| 300913 | 014 014 | Pressure-gauge 0-16bar gly. Ø40mm 1/8"M connection back centric, PVC-case | | |  |  |
| 587105 | 014 014 | Pressure-gauge 0-250bar gly. Ø40 1/8"M connection back centric, INOX-case | | |  |  |
| 51612 | 120 120 | Push button cover PVC | | |  |  |
| 516105 | 108 108 | Push-button red incl. LED double 12VDC for Moduline | | |  |  |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 2057011 | 403 403 | PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C | | | | |
| 2057011 | 403 403 | PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C | | | | |
| 5802 | 403 403 | PVC-hose with fabric transparent 19x27mm- 3/4" 11bar BP33bar -20°C/+ 65°C | | | | |
| 527514 | 410 410 | Retaining wahser for shafts DIN 6799 Ø1=4mm Ø2=9,3mm zinc plated | | | | |
| 299002 | 120 120 | Rotary button switch on- off ABS Terloran GP35 red | | | | |
| 2990 | 120 120 | Rotary button thermostat 0-150°C ABS Terloran GP35 red | | | | |
| 2688 | 403 403 | Rubber-hose black 13x21mm R1/2" 30bar -30°C/+100°C | | | | |
| 3667 | 403 403 | Rubber-hose black 19x28mm R3/4" 30bar -30°C/+100°C | | | | |
| 14135 | 151 151 | Safety valve brass MG3000 3/8"F/1/4"F 280bar 40l/min 90°C | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 59871 | 410 410 | Screw countersunk head like KN 6039 STS plus M4x10 stainless steel | | | | |
| 59871 | 410 410 | Screw countersunk head like KN 6039 STS plus M4x10 stainless steel | | | | |
| 5387 | 410 410 | Screw DIN 551 M6x30 | | | | |
| 5387 | 410 410 | Screw DIN 551 M6x30 | | | | |
| 3845 | 410 410 | Screw flat round with square set DIN 603 M8x16 zinc plated | | | | |
| 38617 | 410 410 | Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x6 zinc plated | | | | |
| 2637 | 410 410 | Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated | | | | |
| 3669 | 410 410 | Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated | | | | |
| 2637 | 410 410 | Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 2359 | 121 121 | Screw union 3/8" 12L | | | | |
| 20961 | 110 110 | Screw union GE-12LR 3/8" 1.0038 | | | | |
| 2066 | 121 121 | Screw union straight brass nickelplated 6/4"-1/8" F | | | | |
| 206602 | 121 121 | Screw union straight brass nickelplated conical 6/4"-1/4" M. | | | | |
| 206601 | 121 121 | Screw union straight brass nickelplated conical 6/4"-1/8" M. | | | | |
| 206602 | 121 121 | Screw union straight brass nickelplated conical 6/4"-1/4" M. | | | | |
| 5397 | 184 184 | Seal 3/4" 24,0x17x2 mm Klingersil C-4400 | | | | |
| 2370 | 184 184 | Sealing ring-copper 17x21x2,0 mm form A, crag | | | | |
| 2353 | 184 184 | Sealing-ring copper 18x22x2,0mm form A, 1 Pack with 10 pcs. | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|---|-------------|----|---|---|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|
| 3691 | 184 | Sealing-ring copper 24x29x2,0mm | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 184 | DIN 7603 Preis/Pack (1 Pack=10 Stck.) | | | | | 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | 27991 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm stainless steel | | | 38707 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm stainless steel | | | 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | 38701 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm zinc plated | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 |
| 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | | | 27991 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm stainless steel | | | 38707 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm stainless steel | | | 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | 38701 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm zinc plated | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | |
| 27991 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | Ø1=8,4mm Ø2=15mm stainless steel | | | | | 38707 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm stainless steel | | | 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | 38701 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm zinc plated | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | |
| 38707 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | Ø1=12,5mm Ø2=20,5mm stainless steel | | | | | 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | 38701 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm zinc plated | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2799 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | Ø1=8,4mm Ø2=15mm zinc plated | | | | | 38701 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | 410 | Ø1=12,5mm Ø2=20,5mm zinc plated | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38701 | 410 | Serrated lock washer type A DIN 6798 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | Ø1=12,5mm Ø2=20,5mm zinc plated | | | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 184 | Typ DA 80/100/20 | | | | | 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | 184 | Typ DA 80/100/20 | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2151 | 184 | Sleeve cable inlet ignition cable | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 184 | Typ DA 80/100/20 | | | | | 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 900048 | 132 | Spraylance st.st. 900mm 15° angled, KEW QC, | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 132 | nozzle protection red 1/4"F, nozzle 25070 1/4"M | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|---------------|------------------------------|---|-------------|----|---------|---------|
| 900044 | 132 | Spraylance stainless steel 900mm 15° angled | | | | |
| | 132 | KEW quick-coupling, nozzle protection red 1/4"F | | | | |
| 205201 | 134 | Stargrippnut black/red PA6 | | | | |
| | 134 | with thread insert galvanized | | | | |
| 586803 | 134 | Steel rope zinc plated Ø1mm, 20cm | | | | |
| | 134 | eye Ø5mm, for M3 | | | | |
| 303708 | 189 | Sticker thermostat | | | | |
| | 189 | format: 90x105mm with rounded angles | | | | |
| 5904000000000 | 189 | Sticker triangle heat yellow-black | | | | |
| | 189 | 50x43mm | | | | |
| 205022 | 189 | Sticker typeplate pump E3B2118 SSL | | | | |
| | 189 | Royalplast FTC-Ultra, red, 64x20,5mm | | | | |
| 3725 | 134 | Strainer waterinlet 3/4" | | | | |
| | 134 | | | | | |
| 3514 | 134 | Suction basket without Foot-Valve 1/2" | | | | |
| | 134 | AG | | | | |
| 3738 | 110 | Suction connection R3/4" DN19 | | | | |
| | 110 | for float tank | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 3753 | 110 110 | Suction connection-Unit HSC drilling 16mm | | | | |
| 25091 | 120 120 | Switchcover o-off 1-hole 20,5mm PA6 GF30 black | | | | |
| 20122 | 106 106 | Thermostat adjustable 20-160°C | | | | |
| 2252 | 120 120 | Thermostat covering PP TV10 black | | | | |
| 576403 | 110 110 | thermostatlug M12 brass for burntgas 2.0402 | | | | |
| 330020 | 132 132 | Trigger gun Premium Soft Touch 360bar 40l/min 150°C with quick- coupling red, M22x1,5 | | | | |
| 5334 | 404 404 | Union nut brass nickelplated DN20 R3/4" | | | | |
| 39181 | 410 410 | Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel | | | | |
| 38781 | 410 410 | Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm stainless steel | | | | |

Sales Pricelist

8/10/2023





| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 3878 | 410 410 | Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated | | | | |
| 3878 | 410 410 | Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated | | | | |
| 38784 | 410 410 | Washer DIN 9021 DIN-EN-ISO 7093 Ø1=10,5mm Ø2=30mm zinc plated | | | | |
| 2705 | 410 410 | Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated | | | | |
| 2707 | 410 410 | Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated | | | | |
| 3866 | 410 410 | Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated | | | | |
| 2707 | 410 410 | Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated | | | | |
| 2705 | 410 410 | Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated | | | | |
| 3866 | 410 410 | Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 2644 | 110 110 | Waterinlet connection R3/4"M / R3/4"M | | |  |  |