

item number	item group discount group	description	sales price	PU	QR code	picture
52601	025 025	HSC823 Oil EHRLE Hotwater-High- Pressure-Cleaner				
461024	151 151	Bolt-On Unloader VRF2- P 30l/min TST-25 bar M22x1,5M				
2005	114 114	Burner motor 110W 230V/50Hz 900mm wire				
25871	107 107	Cable 8m H07RN-F 3G1,5 black EU				
5347	106 106	Cable gland M20x1,5 black				
5347	106 106	Cable gland M20x1,5 black				
5346	106 106	Cable gland PERFECT M16x1,5 black				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				

item number	item group discount group	description	sales price	PU	QR code	picture
5936010000000	106 106	Cable hose holder 16 mm Ø (20 pcs.)				
5936010000000	106 106	Cable hose holder 16 mm Ø (20 pcs.)				
580300	106 106	Cable sleeve M20				
265201	250 250	Canister 60l, 3 handles, nature incl. lock black				
583402	195 195	Catch owner				
201400	134 134	Chemical metric valve 2- way ST66 black without ball and spring				
2056	134 134	Chemical suctionhose filter				
800193	134 134	Chimney adapter HSC oil/square				
3403	410 410	Clamping screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2940	410 410	Clip Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
461023	151 151	Connection-KIT Bolt-On Unloader for HP-Pump E1B, E2B, E3B				
5376	106 106	Connector with LED red 230V AC, with varistor 4m cable and with seal GPRA, for magnetic valve				
2010	114 114	Coupling fuelpump K2 für Brennermotor Aaco				
363880	120 120	Cover float-tank EHRLE PP TV20 black				
2072	114 114	Cover outside boiler, DC01, PC RAL 7016 Chimney side from heating coil		pcs.		

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
386201	410 410	Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel				
2677	134 134	Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
348609	407 407	Electric-Motor AC230V 50 Hz 2,6kW MEC100 1500rpm B3/B14 hollowshaft Ø24mm				
2009	114 114	Fan wheel Ø133x62mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2189	405 405	Fitting welded arc 90° black 21.3x2mm DIN2605-3S				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2093	405	Fitting-hose nipple brass hex																																																																																									
	405	1/4" M 6mm					2733	405	Fitting-hose nipple brass hex					405	1/8" M 6mm			53127	405	Fitting-plug brass hex SW20					405	3/8" M			2191	405	Fitting-welded sleeve full black					405	3/8" DIN2986			2100	114	Flame-tube 90x2x78mm					114				384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120
2733	405	Fitting-hose nipple brass hex																																																																																									
	405	1/8" M 6mm					53127	405	Fitting-plug brass hex SW20					405	3/8" M			2191	405	Fitting-welded sleeve full black					405	3/8" DIN2986			2100	114	Flame-tube 90x2x78mm					114				384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black										
53127	405	Fitting-plug brass hex SW20																																																																																									
	405	3/8" M					2191	405	Fitting-welded sleeve full black					405	3/8" DIN2986			2100	114	Flame-tube 90x2x78mm					114				384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black																					
2191	405	Fitting-welded sleeve full black																																																																																									
	405	3/8" DIN2986					2100	114	Flame-tube 90x2x78mm					114				384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black																																
2100	114	Flame-tube 90x2x78mm																																																																																									
	114						384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black																																											
384552	410	Flange button head screw with inside hexagon																																																																																									
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel					384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black																																																						
384552	410	Flange button head screw with inside hexagon																																																																																									
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel					3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black																																																																	
3689	184	Flat seal 33x25x3																																																																																									
	184						363800	120	Float-container lower part EHRLE					120	PP TV20 black																																																																												
363800	120	Float-container lower part EHRLE																																																																																									
	120	PP TV20 black																																																																																									

Sales Pricelist

8/8/2023





















item number	item group discount group	description	sales price	PU	QR code	picture
2224	014 014	Flowswitch ST5 with reedcontact 3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m				
2692	114 114	Fuel pump 24V/Hz ASV 47D 1640 6P0260 with cable 610mm				
200601	114 114	Fuel-nozzle 1.35gph 60° SF				
2425	114 114	Fuel-oil filter 1/4" complete V7045201PL				
206503	110 110	Fuel-oil pipe 10x3,25x230mm Steel 1.0308				
110007	114 114	Fuelpump-Unit 24V/50Hz HSC				
39971	195 195	Handle with push button				
2059	114 114	Heatcoil steel HD/HSC/HDB/HDD		pcs.		
283707	106 106	Heating Anti-Freeze AC230V/50Hz 80W thermic convection with holder				

item number	item group discount group	description	sales price	PU	QR code	picture
386305	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M4 stainless steel				
386306	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel				
386306	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M8 stainless steel				
386309	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M10 stainless steel				
386307	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M8 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
286212	410 410	Hexagon head screw serrated with flange like DIN 6921 M5x10 stainless steel				
386207	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel				
386211	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x12 stainless steel				
286212	410 410	Hexagon head screw serrated with flange like DIN 6921 M5x10 stainless steel				
386222	410 410	Hexagon head screw serrated with flange like DIN 6921 M10x30 stainless steel				
386207	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel				
27061	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x16 steel				
3851	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x65 zinc plated				
3854	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M12x75 zinc plated				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
36761	410	Hexagon head tapping screw C																																																																																									
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel					3676	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated			36761	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel			51821	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M4 stainless steel			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410
3676	410	Hexagon head tapping screw C																																																																																									
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated					36761	410	Hexagon head tapping screw C					410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel			51821	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M4 stainless steel			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0										
36761	410	Hexagon head tapping screw C																																																																																									
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel					51821	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M4 stainless steel			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																					
51821	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M4 stainless steel					2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																																
2712	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated					2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0			2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																																											
2713	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0					2709	410	Hexagon nut					410	DIN934 DIN-EN-ISO 4032 M6 zinc plated			2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																																																						
2709	410	Hexagon nut																																																																																									
	410	DIN934 DIN-EN-ISO 4032 M6 zinc plated					2712	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated			2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																																																																	
2712	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M8 zinc plated					2713	410	Hexagon nut					410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																																																																												
2713	410	Hexagon nut																																																																																									
	410	DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0																																																																																									





item number	item group discount group	description	sales price	PU	QR code	picture
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2195	410 410	Hexagon pipe nut with pipe thread DIN 431 1/8" SW17x6mm zinc plated				
384506	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel				
384506	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel				
384509	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x10 stainless steel				
384509	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x10 stainless steel				
38581	410 410	Hexagon socket head cap screw DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3879	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M5x16 zinc plated				
2973	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M4x50 zinc plated				
3856	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated				
399603	195	Hinge				
	195	for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST				
399603	195	Hinge				
	195	for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST				
2668	121	Hollow screw for screw- union				
	121	12 LR 3/8" zinc plated				
237401	410	Hose clamp stst 12- 20mm				
	410	9mm wide				
372401	410	Hose clamp stst 20- 32mm				
	410	12mm wide				
372401	410	Hose clamp stst 20- 32mm				
	410	12mm wide				

item number	item group discount group	description	sales price	PU	QR code	picture
2000	402	HP-Hose rubber steel mesh black DN08 315bar				
	402	150°C bs HSC M22x1,5 bs bend protection 10m				
210501	402	HP-Hose rubber steel mesh DN08 315bar				
	402	150°C bs CNOL M18x1,5/os90° 1,2m				
296552	402	HP-Hose rubber steel mesh red DN08				
	402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm				
361479	406	HP-Pump IP E1B1612 SSL Ø18				
	406	12l/min 160bar 1450rpm				
200302	114	Ignition Transformer 230V/50Hz				
	114	c/w. connection cable 800mm				
2068	114	Inside boiler, DC01, powder coated				
	114	heating coil		pcs.		
3926	133	Light bulb for self- service Carwash				
	133	24V 1,2W BA9S 28mm				
403701	185	Lock-Cylinder				
	185	Vacuum-Cleaner, HSC- ST				
583506	195	Locking rod above 465mm				
	195	Vacuum Cleaner, HSC- ST				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
583604	195	Locking rod below 584mm																																																																																									
	195	Vacuum-Cleaner, HSC- ST					2748	014	Low-Water Cut-Off c/w. nut					014	1,15m PVC cable and flow-switch			537301	112	Magnetic-valve DN4 1/4" 0-2bar EPDM brass					112	2/2 NC directacting AC230V / 8W			300023	112	Magnetic-valve Unit HSC					112	DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W			204602	108	Main Switch B2N A1- F35-X-XG9					108	on-off 0-1			281301	110	Manifold block for heatcoil inlet					110	HD623,640,823,940, HSC823			3877	110	Manifold block heatcoil inlet					110	flow monitor			576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106
2748	014	Low-Water Cut-Off c/w. nut																																																																																									
	014	1,15m PVC cable and flow-switch					537301	112	Magnetic-valve DN4 1/4" 0-2bar EPDM brass					112	2/2 NC directacting AC230V / 8W			300023	112	Magnetic-valve Unit HSC					112	DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W			204602	108	Main Switch B2N A1- F35-X-XG9					108	on-off 0-1			281301	110	Manifold block for heatcoil inlet					110	HD623,640,823,940, HSC823			3877	110	Manifold block heatcoil inlet					110	flow monitor			576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay										
537301	112	Magnetic-valve DN4 1/4" 0-2bar EPDM brass																																																																																									
	112	2/2 NC directacting AC230V / 8W					300023	112	Magnetic-valve Unit HSC					112	DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W			204602	108	Main Switch B2N A1- F35-X-XG9					108	on-off 0-1			281301	110	Manifold block for heatcoil inlet					110	HD623,640,823,940, HSC823			3877	110	Manifold block heatcoil inlet					110	flow monitor			576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay																					
300023	112	Magnetic-valve Unit HSC																																																																																									
	112	DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W					204602	108	Main Switch B2N A1- F35-X-XG9					108	on-off 0-1			281301	110	Manifold block for heatcoil inlet					110	HD623,640,823,940, HSC823			3877	110	Manifold block heatcoil inlet					110	flow monitor			576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay																																
204602	108	Main Switch B2N A1- F35-X-XG9																																																																																									
	108	on-off 0-1					281301	110	Manifold block for heatcoil inlet					110	HD623,640,823,940, HSC823			3877	110	Manifold block heatcoil inlet					110	flow monitor			576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay																																											
281301	110	Manifold block for heatcoil inlet																																																																																									
	110	HD623,640,823,940, HSC823					3877	110	Manifold block heatcoil inlet					110	flow monitor			576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay																																																						
3877	110	Manifold block heatcoil inlet																																																																																									
	110	flow monitor					576401	110	Manifold for Thermostat					110				23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay																																																																	
576401	110	Manifold for Thermostat																																																																																									
	110						23731	106	Maximum Thermostat 300°C					106	with mechanical ON- delay																																																																												
23731	106	Maximum Thermostat 300°C																																																																																									
	106	with mechanical ON- delay																																																																																									

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
4004	195 195	Metal-Bar Lock				
2937	405 405	Nipple brass nickelplated conical 1/4" M.M.				
2998	110 110	Nipple for HP Outlet M22x1,5/M18x1,5M length 47mm, stainless steel 1.4305				
206405	120 120	Nozzleclip 045 POM green				
206401	114 114	Nozzleholder long 47mm Nozzle tube threaded R1/8"				
110020	114 114	Oilburner 230V/50Hz MV-AC24V 60kW@1,35gph-B SS75/28 Flamemonitor HSC				
275201	106 106	Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP				
5769	184 184	O-ring 350x3 NBR70				
5769	184 184	O-ring 350x3 NBR70				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
110027	110	Outlet heatcoil-unit HD-Series																																																																																									
	110	HD-Serie/HSC					5837	184	Performance socket 39x50x57					184	DG M50 black unperforated			5837	184	Performance socket 39x50x57					184	DG M50 black unperforated			583703	184	Performance socket 9,5x13,5x4,0 f. HSC					184	*Durchführungstülle 9,5x13,5x4,0 HSC*			578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cabl 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			593500	134	Plunger Pump CEME 508/LA					134	EPDM, 230V, 50Hz, 25W			300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403
5837	184	Performance socket 39x50x57																																																																																									
	184	DG M50 black unperforated					5837	184	Performance socket 39x50x57					184	DG M50 black unperforated			583703	184	Performance socket 9,5x13,5x4,0 f. HSC					184	*Durchführungstülle 9,5x13,5x4,0 HSC*			578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cabl 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			593500	134	Plunger Pump CEME 508/LA					134	EPDM, 230V, 50Hz, 25W			300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C										
5837	184	Performance socket 39x50x57																																																																																									
	184	DG M50 black unperforated					583703	184	Performance socket 9,5x13,5x4,0 f. HSC					184	*Durchführungstülle 9,5x13,5x4,0 HSC*			578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cabl 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			593500	134	Plunger Pump CEME 508/LA					134	EPDM, 230V, 50Hz, 25W			300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C																					
583703	184	Performance socket 9,5x13,5x4,0 f. HSC																																																																																									
	184	*Durchführungstülle 9,5x13,5x4,0 HSC*					578901	106	Photocell for Flamecontrol QRB4B-B070B70					106	cabl 700mm			538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			593500	134	Plunger Pump CEME 508/LA					134	EPDM, 230V, 50Hz, 25W			300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C																																
578901	106	Photocell for Flamecontrol QRB4B-B070B70																																																																																									
	106	cabl 700mm					538511	404	Pipe for water inlet in float cabinet					404	Ø20x1,5x147,55mm, 1.4571			593500	134	Plunger Pump CEME 508/LA					134	EPDM, 230V, 50Hz, 25W			300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C																																											
538511	404	Pipe for water inlet in float cabinet																																																																																									
	404	Ø20x1,5x147,55mm, 1.4571					593500	134	Plunger Pump CEME 508/LA					134	EPDM, 230V, 50Hz, 25W			300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C																																																						
593500	134	Plunger Pump CEME 508/LA																																																																																									
	134	EPDM, 230V, 50Hz, 25W					300022	134	Plunger Pump Unit Chemical					134	HSC			2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C																																																																	
300022	134	Plunger Pump Unit Chemical																																																																																									
	134	HSC					2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm					403	-40°C/+100°C																																																																												
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm																																																																																									
	403	-40°C/+100°C																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
300913	014 014	Pressure-gauge 0-16bar gly. Ø40mm 1/8"M connection back centric, PVC-case				
587105	014 014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M connection back centric, INOX-case				
51612	120 120	Push button cover PVC				
516105	108 108	Push-button red incl. LED double 12VDC for Moduline				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
207901	403 403	PVC-hose with fabric transparent 12,5x18,5mm 15bar BP45bar -20°C/+ 65°C				
5802	403 403	PVC-hose with fabric transparent 19x27mm- 3/4" 11bar BP33bar -20°C/+ 65°C				
527514	410 410	Retaining wahser for shafts DIN 6799 Ø1=4mm Ø2=9,3mm zinc plated				
299002	120 120	Rotary button switch on- off ABS Terloran GP35 red				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2990	120	Rotary button thermostat 0-150°C																																																																																									
	120	ABS Terloran GP35 red					2688	403	Rubber-hose black 13x21mm R1/2"					403	30bar -30°C/+100°C			3667	403	Rubber-hose black 19x28mm R3/4"					403	30bar -30°C/+100°C			5740	151	Safety valve MG2000					151	1/4"M 1/4F 220bar 24l/min 90°C			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			5387	410	Screw DIN 551 M6x30					410				5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410
2688	403	Rubber-hose black 13x21mm R1/2"																																																																																									
	403	30bar -30°C/+100°C					3667	403	Rubber-hose black 19x28mm R3/4"					403	30bar -30°C/+100°C			5740	151	Safety valve MG2000					151	1/4"M 1/4F 220bar 24l/min 90°C			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			5387	410	Screw DIN 551 M6x30					410				5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated										
3667	403	Rubber-hose black 19x28mm R3/4"																																																																																									
	403	30bar -30°C/+100°C					5740	151	Safety valve MG2000					151	1/4"M 1/4F 220bar 24l/min 90°C			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			5387	410	Screw DIN 551 M6x30					410				5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated																					
5740	151	Safety valve MG2000																																																																																									
	151	1/4"M 1/4F 220bar 24l/min 90°C					59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			5387	410	Screw DIN 551 M6x30					410				5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated																																
59871	410	Screw countersunk head like KN 6039 STS plus																																																																																									
	410	M4x10 stainless steel					59871	410	Screw countersunk head like KN 6039 STS plus					410	M4x10 stainless steel			5387	410	Screw DIN 551 M6x30					410				5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated																																											
59871	410	Screw countersunk head like KN 6039 STS plus																																																																																									
	410	M4x10 stainless steel					5387	410	Screw DIN 551 M6x30					410				5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated																																																						
5387	410	Screw DIN 551 M6x30																																																																																									
	410						5387	410	Screw DIN 551 M6x30					410				3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated																																																																	
5387	410	Screw DIN 551 M6x30																																																																																									
	410						3845	410	Screw flat round with square set					410	DIN 603 M8x16 zinc plated																																																																												
3845	410	Screw flat round with square set																																																																																									
	410	DIN 603 M8x16 zinc plated																																																																																									

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
386209	410 410	Screw hexagon head, serrated with flange like DIN 6921 M6x16 stainless steel				
38617	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x6 zinc plated				
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
3669	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated				
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
2359	121 121	Screw union 3/8" 12L				
20961	110 110	Screw union GE-12LR 3/8" 1.0038				
2066	121 121	Screw union straight brass nickelplated 6/4"-1/8" F				
206602	121 121	Screw union straight brass nickelplated conical 6/4"-1/4" M.				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
206601	121 121	Screw union straight brass nickelplated conical 6/4-1/8" M.				
206602	121 121	Screw union straight brass nickelplated conical 6/4"-1/4" M.				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
2370	184 184	Sealing ring-copper 17x21x2,0 mm form A, crag				
2353	184 184	Sealing-ring copper 18x22x2,0mm form A, 1 Pack with 10 pcs.				
2799	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm zinc plated				
38707	410 410	Serrated lock washer type A DIN 6798 Ø1=12,5mm Ø2=20,5mm stainless steel				
2799	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm zinc plated				
38701	410 410	Serrated lock washer type A DIN 6798 Ø1=12,5mm Ø2=20,5mm zinc plated				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2151	184	Sleeve cable inlet ignition cable				
	184	Typ DA 80/100/20				
2151	184	Sleeve cable inlet ignition cable				
	184	Typ DA 80/100/20				
900045	132	Spraylance st.st. 900mm 15° angled, KEW QC,				
	132	nozzle protection red 1/4"F, nozzle 25045 1/4"M				
900044	132	Spraylance stainless steel 900mm 15° angled				
	132	KEW quick-coupling, nozzle protection red 1/4"F				
205201	134	Stargrippnut black/red PA6				
	134	with thread insert galvanized				
586803	134	Steel rope zinc plated Ø1mm, 20cm				
	134	eye Ø5mm, for M3				
303708	189	Sticker thermostat				
	189	format: 90x105mm with rounded angles				
5904000000000	189	Sticker triangle heat yellow-black				
	189	50x43mm				
3725	134	Strainer waterinlet 3/4"				

item number	item group discount group	description	sales price	PU	QR code	picture
3514	134 134	Suction basket without Foot-Valve 1/2" AG				
3738	110 110	Suction connection R3/4" DN19 for float tank				
38916	134 134	Suction hose connection with chemical injector 1/2"M / 19mm Brass MS58				
25091	120 120	Switchcover o-off 1-hole 20,5mm PA6 GF30 black				
20122	106 106	Thermostat adjustable 20-160°C				
2252	120 120	Thermostat covering PP TV10 black				
576403	110 110	thermostatlug M12 brass for burntgas 2.0402				
330010	132 132	Trigger gun standard 280bar 30l/min 150°C with quick- coupling red, M22x1,5				
5334	404 404	Union nut brass nickelplated DN20 R3/4"				

Sales Pricelist

8/8/2023



item number	item group discount group	description	sales price	PU	QR code	picture
39181	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel				
38781	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm stainless steel				
3878	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
3878	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
38784	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=10,5mm Ø2=30mm zinc plated				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				

item number	item group discount group	description	sales price	PU	QR code	picture
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2644	110 110	Waterinlet connection R3/4"M / R3/4"M				
518401	107 107	Wire Classic 110 Y-JZ 9x1,0 ²				