

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|--|
| 531 | 021 021 | HSC840-INOX 24kW EHRLE Hotwater-High- Pressure-Cleaner | | |  |  |
| 3746 | 405 405 | Angle nickel-plated Mod. 2020 1/8" IG/AG | | |  |  |
| 5084 | 405 405 | Ball Valve KFE brass nickel plated Simplex PN 16 1/2"M | | |  |  |
| 593605 | 106 106 | Cabel protection hose Ø 16mm | | |  |  |
| 5350 | 106 106 | Cable gland M16x1,5 black | | |  |  |
| 5347 | 106 106 | Cable gland M20x1,5 black | | |  |  |
| 5347 | 106 106 | Cable gland M20x1,5 black | | |  |  |
| 5346 | 106 106 | Cable gland PERFECT M16x1,5 black | | |  |  |
| 5345 | 106 106 | Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz | | |  |  |

Sales Pricelist

8/10/2023












































| item number | item group discount group | description | sales price | PU | QR code | picture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|------------------------------|---|-------------|----|---------|---------|---------------|-----|--------------------------|--|--|--|--|-----|---|--|--|---------------|-----|--------------------------|--|--|--|--|-----|---|--|--|--------|-----|--------------------------|--|--|--|--|-----|---|--|--|--------|-----|--------------------------|--|--|--|--|-----|---|--|--|------|-----|------------------------|--|--|--|--|-----|---|--|--|------|-----|------------------------|--|--|--|--|-----|---|--|--|------|-----|------------------------|--|--|--|--|-----|---|--|--|------|-----|------------------------|--|--|--|--|-----|
| 5345 | 106 | Cable gland PERFECT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | KV PA mit Reduzierung RAL9005 schwarz | | | | | 5936010000000 | 106 | Cable hose holder 16 | | | | | 106 | mm Ø (20 pcs.) | | | 5936010000000 | 106 | Cable hose holder 16 | | | | | 106 | mm Ø (20 pcs.) | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- | | | | | 134 | way ST66 black without ball and spring | | | 2056 | 134 | Chemical suctionhose | | | | | 134 | filter | | | 3403 | 410 | Clamping screw | | | | | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 |
| 5936010000000 | 106 | Cable hose holder 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | mm Ø (20 pcs.) | | | | | 5936010000000 | 106 | Cable hose holder 16 | | | | | 106 | mm Ø (20 pcs.) | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- | | | | | 134 | way ST66 black without ball and spring | | | 2056 | 134 | Chemical suctionhose | | | | | 134 | filter | | | 3403 | 410 | Clamping screw | | | | | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | |
| 5936010000000 | 106 | Cable hose holder 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 106 | mm Ø (20 pcs.) | | | | | 583402 | 195 | Catch owner | | | | | 195 | | | | 201400 | 134 | Chemical metric valve 2- | | | | | 134 | way ST66 black without ball and spring | | | 2056 | 134 | Chemical suctionhose | | | | | 134 | filter | | | 3403 | 410 | Clamping screw | | | | | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | |
| 583402 | 195 | Catch owner | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | | | | | | 201400 | 134 | Chemical metric valve 2- | | | | | 134 | way ST66 black without ball and spring | | | 2056 | 134 | Chemical suctionhose | | | | | 134 | filter | | | 3403 | 410 | Clamping screw | | | | | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 201400 | 134 | Chemical metric valve 2- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 134 | way ST66 black without ball and spring | | | | | 2056 | 134 | Chemical suctionhose | | | | | 134 | filter | | | 3403 | 410 | Clamping screw | | | | | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2056 | 134 | Chemical suctionhose | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 134 | filter | | | | | 3403 | 410 | Clamping screw | | | | | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3403 | 410 | Clamping screw | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | M18x1.5 15-32/L 12A3C GM 12L/10 A3C | | | | | 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | 410 | clamping-area: 8-9,5mm Stainless steel | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2940 | 410 | Clip Hose 1-Ear 10,0mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | clamping-area: 8-9,5mm Stainless steel | | | | | 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2381 | 410 | Clip Hose 1-Ear 11,0mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | clamping area: 8,8- 10,5mm Stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 2381 | 410 410 | Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel | | | | |
| 289801 | 410 410 | Clip Hose 1-Ear 11,8mm Stainless steel | | | | |
| 5376 | 106 106 | Connector with LED red 230V AC, with varistor 4m cable and with seal GPRA, for magnetic valve | | | | |
| 300059 | 120 120 | Control box with open bottom drilled for Vacuum Cleaner door | | | | |
| 386201 | 410 410 | Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel | | | | |
| 576412 | 110 110 | Distance piece for water deficiency 92mm 2.0401 | | | | |
| 380501 | 405 405 | Elbow brass 3/4"M - 3/4"F | | | | |
| 2677 | 134 134 | Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic | | | | |
| 2677 | 134 134 | Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|---|-------------|----|---|---|--------|-----|--|--|--|---|---|-----|---|--|--|--------|-----|--|--|--|---|---|-----|--|--|--|--------|-----|--|--|--|---|---|-----|--|--|--|--------|-----|--|--|--|---|---|-----|--|--|--|--------|-----|--|--|--|---|---|-----|--|--|--|--------|-----|--|--|--|---|---|-----|--|--|--|--------|-----|--|--|--|---|---|-----|--|--|--|--------|-----|--|--|--|---|---|-----|
| 5787 | 120 | Electric box 430x190x100mm | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 120 | PP Talkum red | | | | | 348702 | 407 | Electric-Motor 3AC230/400V 50Hz 4,0kW MEC100 | | |  |  | 407 | 1500rpm B3/B14 hollowshaft Ø24mm flange 90/75 | | | 2629 | 405 | Fitting clamping screw brass hex SW36 | | |  |  | 405 | 3/4" 6mm | | | 5311 | 405 | Fitting-Double nipple brass | | |  |  | 405 | 1" x 40 M.M. | | | 2093 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/4" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 |
| 348702 | 407 | Electric-Motor 3AC230/400V 50Hz 4,0kW MEC100 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 407 | 1500rpm B3/B14 hollowshaft Ø24mm flange 90/75 | | | | | 2629 | 405 | Fitting clamping screw brass hex SW36 | | |  |  | 405 | 3/4" 6mm | | | 5311 | 405 | Fitting-Double nipple brass | | |  |  | 405 | 1" x 40 M.M. | | | 2093 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/4" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | |
| 2629 | 405 | Fitting clamping screw brass hex SW36 | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 405 | 3/4" 6mm | | | | | 5311 | 405 | Fitting-Double nipple brass | | |  |  | 405 | 1" x 40 M.M. | | | 2093 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/4" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | |
| 5311 | 405 | Fitting-Double nipple brass | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 405 | 1" x 40 M.M. | | | | | 2093 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/4" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2093 | 405 | Fitting-hose nipple brass hex | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 405 | 1/4" M 6mm | | | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 405 | 1/8" M 6mm | | | | | 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | 405 | 1/8" M 6mm | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2733 | 405 | Fitting-hose nipple brass hex | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 405 | 1/8" M 6mm | | | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 384552 | 410 | Flange button head screw with inside hexagon | | |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | DIN-EN-ISO 7380-2 M6x10 stainless steel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 5710 | 404 404 | Flat Nipple elbow 90° stst DN20 for union nut R1" | | | | |
| 392712 | 196 196 | Float valve body valve DN10 0,3-10bar os 3/4"M as 3/4"AG strainer POM | | | | |
| 392711 | 120 120 | Float valve handle PA 6 GF30 black | | | | |
| 3751 | 184 184 | Gasket for Hollow Screw 15/3-071/RF 12 A3C | | | | |
| 39971 | 195 195 | Handle with push button | | | | |
| 283707 | 106 106 | Heating Anti-Freeze AC230V/50Hz 80W thermic convection with holder | | | | |
| 2140 | 134 134 | Heating Element 1.4404 6000W-10 400V length 400mm | | | | |
| 386305 | 410 410 | Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M4 stainless steel | | | | |
| 386306 | 410 410 | Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 386307 | 410 | Hexagon flange nut serrated | | |  |  |
| | 410 | like DIN 6923 DIN-EN 1661 M6 stainless steel | | | | |
| 386308 | 410 | Hexagon flange nut serrated | | |  |  |
| | 410 | like DIN 6923 DIN-EN 1661 M8 stainless steel | | | | |
| 386306 | 410 | Hexagon flange nut serrated | | |  |  |
| | 410 | like DIN 6923 DIN-EN 1661 M5 stainless steel | | | | |
| 386307 | 410 | Hexagon flange nut serrated | | |  |  |
| | 410 | like DIN 6923 DIN-EN 1661 M6 stainless steel | | | | |
| 386308 | 410 | Hexagon flange nut serrated | | |  |  |
| | 410 | like DIN 6923 DIN-EN 1661 M8 stainless steel | | | | |
| 386309 | 410 | Hexagon flange nut serrated | | |  |  |
| | 410 | like DIN 6923 DIN-EN 1661 M10 stainless steel | | | | |
| 286212 | 410 | Hexagon head screw serrated with flange | | |  |  |
| | 410 | like DIN 6921 M5x10 stainless steel | | | | |
| 386207 | 410 | Hexagon head screw serrated with flange | | |  |  |
| | 410 | like DIN 6921 M6x10 stainless steel | | | | |
| 386211 | 410 | Hexagon head screw serrated with flange | | |  |  |
| | 410 | like DIN 6921 M6x12 stainless steel | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---|---|
| 386215 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M8x16 stainless steel | | |  |  |
| 286212 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M5x10 stainless steel | | |  |  |
| 386207 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel | | |  |  |
| 386211 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M6x12 stainless steel | | |  |  |
| 386222 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M10x30 stainless steel | | |  |  |
| 386207 | 410 410 | Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel | | |  |  |
| 51821 | 410 410 | Hexagon nut DIN 934 DIN-EN-ISO 4032 M4 stainless steel | | |  |  |
| 384506 | 410 410 | Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel | | |  |  |
| 384506 | 410 410 | Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel | | |  |  |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|---|-------------|----|---------|---------|--------|-----|-----------------------------------|--|--|--|--|-----|---|--|--|--------|-----|-----------------------------------|--|--|--|--|-----|---|--|--|--------|-----|-----------------------------------|--|--|--|--|-----|---|--|--|--------|-----|-----------------------------------|--|--|--|--|-----|--|--|--|--------|-----|-----------------------------|--|--|--|--|-----|-----------------------------|--|--|--------|-----|-----------------------------|--|--|--|--|-----|-----------------------------|--|--|--------|-----|-----------------------------|--|--|--|--|-----|-----------------------------|--|--|------|-----|-----------------------|--|--|--|--|-----|
| 384509 | 410 | Hexagon socket button head screw | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | DIN-EN-ISO 7380-2 M4x10 stainless steel | | | | | 38581 | 410 | Hexagon socket head cap screw | | | | | 410 | DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel | | | 399603 | 195 | Hinge | | | | | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | 399603 | 195 | Hinge | | | | | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | 375001 | 110 | Hollow Screw for swing fixture | | | | | 110 | for SWV 1/2" 15/3- 071/RF A3C zina plated | | | 237401 | 410 | Hose clamp stst 12- 20mm | | | | | 410 | 9mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 |
| 38581 | 410 | Hexagon socket head cap screw | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel | | | | | 399603 | 195 | Hinge | | | | | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | 399603 | 195 | Hinge | | | | | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | 375001 | 110 | Hollow Screw for swing fixture | | | | | 110 | for SWV 1/2" 15/3- 071/RF A3C zina plated | | | 237401 | 410 | Hose clamp stst 12- 20mm | | | | | 410 | 9mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | |
| 399603 | 195 | Hinge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | | | 399603 | 195 | Hinge | | | | | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | 375001 | 110 | Hollow Screw for swing fixture | | | | | 110 | for SWV 1/2" 15/3- 071/RF A3C zina plated | | | 237401 | 410 | Hose clamp stst 12- 20mm | | | | | 410 | 9mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | |
| 399603 | 195 | Hinge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST | | | | | 375001 | 110 | Hollow Screw for swing fixture | | | | | 110 | for SWV 1/2" 15/3- 071/RF A3C zina plated | | | 237401 | 410 | Hose clamp stst 12- 20mm | | | | | 410 | 9mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 375001 | 110 | Hollow Screw for swing fixture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 110 | for SWV 1/2" 15/3- 071/RF A3C zina plated | | | | | 237401 | 410 | Hose clamp stst 12- 20mm | | | | | 410 | 9mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 237401 | 410 | Hose clamp stst 12- 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | 9mm wide | | | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 372401 | 410 | Hose clamp stst 20- 32mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | 12mm wide | | | | | 372401 | 410 | Hose clamp stst 20- 32mm | | | | | 410 | 12mm wide | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 372401 | 410 | Hose clamp stst 20- 32mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 410 | 12mm wide | | | | | 3688 | 405 | Hose nipple brass hex | | | | | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3688 | 405 | Hose nipple brass hex | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 405 | 3/4" M 20mm 3/4" AG 20mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|------------------------------|---|-------------|----|---------|---------|--------|-----|---|--|--|--|--|-----|--|--|--|--------|-----|--|--|--|--|--|-----|--|--|--|--------|-----|--|--|--|--|--|-----|--|--|--|--------|-----|--|--|--|--|--|-----|------------------------------------|--|--|--------|-----|--|--|--|--|--|-----|------------------------------------|--|--|--------|-----|--|--|--|--|--|-----|------------------------------------|--|--|--------|-----|--|--|--|--|--|-----|------------------------------------|--|--|--------|-----|--|--|--|--|--|-----|
| 2000 | 402 | HP-Hose rubber steel mesh black DN08 315bar | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 402 | 150°C bs HSC M22x1,5 bs bend protection 10m | | | | | 210502 | 402 | HP-Hose rubber steel mesh black DN08 315bar | | | | | 402 | 150°C bs CNOL M18x1,5/os90° 1,7m | | | 3471 | 402 | HP-Hose rubber steel mesh red DN08 315bar | | | | | 402 | 150°C bs CNOL M18x1,5/os90° 320mm | | | 361381 | 406 | HP-Pump IP E2B2012 SSL HT Ø18 | | | | | 406 | 12l/min 200bar 1450rpm Teflon-seals | | | 403701 | 185 | Lock-Cylinder | | | | | 185 | Vacuum-Cleaner, HSC- ST | | | 583506 | 195 | Locking rod above 465mm | | | | | 195 | Vacuum Cleaner, HSC- ST | | | 583604 | 195 | Locking rod below 584mm | | | | | 195 | Vacuum-Cleaner, HSC- ST | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 |
| 210502 | 402 | HP-Hose rubber steel mesh black DN08 315bar | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 402 | 150°C bs CNOL M18x1,5/os90° 1,7m | | | | | 3471 | 402 | HP-Hose rubber steel mesh red DN08 315bar | | | | | 402 | 150°C bs CNOL M18x1,5/os90° 320mm | | | 361381 | 406 | HP-Pump IP E2B2012 SSL HT Ø18 | | | | | 406 | 12l/min 200bar 1450rpm Teflon-seals | | | 403701 | 185 | Lock-Cylinder | | | | | 185 | Vacuum-Cleaner, HSC- ST | | | 583506 | 195 | Locking rod above 465mm | | | | | 195 | Vacuum Cleaner, HSC- ST | | | 583604 | 195 | Locking rod below 584mm | | | | | 195 | Vacuum-Cleaner, HSC- ST | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | |
| 3471 | 402 | HP-Hose rubber steel mesh red DN08 315bar | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 402 | 150°C bs CNOL M18x1,5/os90° 320mm | | | | | 361381 | 406 | HP-Pump IP E2B2012 SSL HT Ø18 | | | | | 406 | 12l/min 200bar 1450rpm Teflon-seals | | | 403701 | 185 | Lock-Cylinder | | | | | 185 | Vacuum-Cleaner, HSC- ST | | | 583506 | 195 | Locking rod above 465mm | | | | | 195 | Vacuum Cleaner, HSC- ST | | | 583604 | 195 | Locking rod below 584mm | | | | | 195 | Vacuum-Cleaner, HSC- ST | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | |
| 361381 | 406 | HP-Pump IP E2B2012 SSL HT Ø18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 406 | 12l/min 200bar 1450rpm Teflon-seals | | | | | 403701 | 185 | Lock-Cylinder | | | | | 185 | Vacuum-Cleaner, HSC- ST | | | 583506 | 195 | Locking rod above 465mm | | | | | 195 | Vacuum Cleaner, HSC- ST | | | 583604 | 195 | Locking rod below 584mm | | | | | 195 | Vacuum-Cleaner, HSC- ST | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 403701 | 185 | Lock-Cylinder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 185 | Vacuum-Cleaner, HSC- ST | | | | | 583506 | 195 | Locking rod above 465mm | | | | | 195 | Vacuum Cleaner, HSC- ST | | | 583604 | 195 | Locking rod below 584mm | | | | | 195 | Vacuum-Cleaner, HSC- ST | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 583506 | 195 | Locking rod above 465mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | Vacuum Cleaner, HSC- ST | | | | | 583604 | 195 | Locking rod below 584mm | | | | | 195 | Vacuum-Cleaner, HSC- ST | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 583604 | 195 | Locking rod below 584mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | Vacuum-Cleaner, HSC- ST | | | | | 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | 014 | M12x1 | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27481 | 014 | Low-Water Cut-Off c/w. Float-Switch | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 014 | M12x1 | | | | | 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 537301 | 112 | Magnetic-valve DN4 1/4" 0-2bar EPDM brass | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 112 | 2/2 NC directacting AC230V / 8W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 300023 | 112 | Magnetic-valve Unit HSC | | | | |
| | 112 | DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W | | | | |
| 204602 | 108 | Main Switch B2N A1- F35-X-XG9 | | | | |
| | 108 | on-off 0-1 | | | | |
| 800367 | 110 | Manifold block suction HSC | | | | |
| | 110 | | | | | |
| 24372 | 106 | Maximum Thermostat 95°C | | | | |
| | 106 | with mechanical On- delay | | | | |
| 4004 | 195 | Metal-Bar Lock | | | | |
| | 195 | | | | | |
| 2998 | 110 | Nipple for HP Outlet M22x1,5/M18x1,5M | | | | |
| | 110 | length 47mm, stainless steel 1.4305 | | | | |
| 206405 | 120 | Nozzleclip 045 | | | | |
| | 120 | POM green | | | | |
| 275201 | 106 | Operating hours counter electrical 24V/50Hz | | | | |
| | 106 | HMR AC/DC PM NA BP | | | | |
| 346601 | 184 | O-ring 21,0x1,50 NBR | | | | |
| | 184 | für Hohlschraube 1/2" | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 5769 | 184 184 | O-ring 350x3 NBR70 | | | | |
| 5837 | 184 184 | Performance socket 39x50x57 DG M50 black unperforated | | | | |
| 5837 | 184 184 | Performance socket 39x50x57 DG M50 black unperforated | | | | |
| 583703 | 184 184 | Performance socket 9,5x13,5x4,0 f. HSC *Durchführungstülle 9,5x13,5x4,0 HSC* | | | | |
| 593500 | 134 134 | Plunger Pump CEME 508/LA EPDM, 230V, 50Hz, 25W | | | | |
| 300022 | 134 134 | Plunger Pump Unit Chemical HSC | | | | |
| 573601 | 413 413 | Pressfitting connector F stainless steel with union nut brass Ø22mm x 3/4" | | | | |
| 547002 | 413 413 | Pressfitting elbow 90° F/M stainless steel Ø22mm | | | | |
| 1263202 | 134 134 | Pressure switch brass 1/4"M 25bar 250V 15A 90°C 3,0m cable | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 1263202 | 134 | Pressure switch brass 1/4"M 25bar | | | | |
| | 134 | 250V 15A 90°C 3,0m cable | | | | |
| 587105 | 014 | Pressure-gauge 0- 250bar gly. Ø40 1/8"M | | | | |
| | 014 | connection back centric, INOX-case | | | | |
| 2057011 | 403 | PVC-hose transparent 6x9mm | | | | |
| | 403 | 7,0bar -20°C/+65°C | | | | |
| 5802 | 403 | PVC-hose with fabric transparent 19x27mm- 3/4" | | | | |
| | 403 | 11bar BP33bar -20°C/+ 65°C | | | | |
| 2781 | 405 | Reducer brass nickelplated conical | | | | |
| | 405 | Mod. 2530 3/8"-1/4" M/F | | | | |
| 527514 | 410 | Retaining wahser for shafts DIN 6799 | | | | |
| | 410 | Ø1=4mm Ø2=9,3mm zinc plated | | | | |
| 299002 | 120 | Rotary button switch on- off | | | | |
| | 120 | ABS Terloran GP35 red | | | | |
| 2688 | 403 | Rubber-hose black 13x21mm R1/2" | | | | |
| | 403 | 30bar -30°C/+100°C | | | | |
| 3667 | 403 | Rubber-hose black 19x28mm R3/4" | | | | |
| | 403 | 30bar -30°C/+100°C | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 59871 | 410 410 | Screw countersunk head like KN 6039 STS plus M4x10 stainless steel | | | | |
| 59871 | 410 410 | Screw countersunk head like KN 6039 STS plus M4x10 stainless steel | | | | |
| 38613 | 410 410 | Screw cross recessed head 4.8 DIN 7985 DIN-EN-ISO 7045 M4x10 stainless steel | | | | |
| 386209 | 410 410 | Screw hexagon head, serrated with flange like DIN 6921 M6x16 stainless steel | | | | |
| 2637 | 410 410 | Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated | | | | |
| 3669 | 410 410 | Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated | | | | |
| 2359 | 121 121 | Screw union 3/8" 12L | | | | |
| 20961 | 110 110 | Screw union GE-12LR 3/8" 1.0038 | | | | |
| 2157 | 121 121 | Screw union XGE-12LR B3/8" | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|---|-------------|----|---------|---------|
| 2099 | 121 121 | Screw union XWE-12LR 3/8" | | | | |
| 2086 | 121 121 | Screw-union XEVL-12L- V A3C | | | | |
| 2161 | 121 121 | Screw-union Pressure- gauge M18x1,5IG / 1/4"IG with O-Ring and seal cone | | | | |
| 2358 | 121 121 | Screw-union XGE12LRB 1/2 | | | | |
| 5398 | 184 184 | Seal 1" 30,0x21x2 Klingersil C-4400 | | | | |
| 5397 | 184 184 | Seal 3/4" 24,0x17x2 mm Klingersil C-4400 | | | | |
| 3691 | 184 184 | Sealing-ring copper 24x29x2,0mm DIN 7603 Preis/Pack (1 Pack=10 Stck.) | | | | |
| 900045 | 132 132 | Spraylance st.st. 900mm 15° angled, KEW QC, nozzle protection red 1/4"F, nozzle 25045 1/4"M | | | | |
| 900044 | 132 132 | Spraylance stainless steel 900mm 15° angled KEW quick-coupling, nozzle protection red 1/4"F | | | | |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|----------------|------------------------------|--|-------------|----|---------|---------|
| 5336 | 404 404 | Squeeze Cap stst DN20 29,0x20,7mm L=30mm | | | | |
| 546307 | 601 601 | stainless steel Ø22 x 1,5 6m long 1,4301 | | | | |
| 205201 | 134 134 | Stargrippnut black/red PA6 with thread insert galvanized | | | | |
| 586803 | 134 134 | Steel rope zinc plated Ø1mm, 20cm eye Ø5mm, for M3 | | | | |
| 59011000000000 | 189 189 | Sticker EHRLE CarWash for control box royalplast FTC Ultra, printet, 80mm round | | | | |
| 3725 | 134 134 | Strainer waterinlet 3/4" | | | | |
| 3753 | 110 110 | Suction connection-Unit HSC drilling 16mm | | | | |
| 578714 | 120 120 | Switchbox underpart closed with top PP TV20 black cap, seal and quarterturns | | | | |
| 25091 | 120 120 | Switchcover o-off 1-hole 20,5mm PA6 GF30 black | | | | |

| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---|---|
| 2249 | 014 014 | Thermostat 0-120°C fixed stop 80°C | | |  |  |
| 2249 | 014 014 | Thermostat 0-120°C fixed stop 80°C | | |  |  |
| 2252 | 120 120 | Thermostat covering PP TV10 black | | |  |  |
| 576402 | 110 110 | Thermostat screw G1/2" Brass 2.0402 | | |  |  |
| 330010 | 132 132 | Trigger gun standard 280bar 30l/min 150°C with quick- coupling red, M22x1,5 | | |  |  |
| 5362 | 404 404 | Union nut brass nickelplated DN25 R1" | | |  |  |
| 382613 | 151 151 | Unloader-Unit VRT3 Standard INOX HSC840 electric | | |  |  |
| 38711 | 410 410 | Washer DIN 9021 DIN- EN-ISO 7093 Ø1=8,4mm Ø2=24mm stainless steel | | |  |  |
| 39181 | 410 410 | Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel | | |  |  |

Sales Pricelist

8/10/2023



| item number | item group discount group | description | sales price | PU | QR code | picture |
|-------------|------------------------------|--|-------------|----|---------|---------|
| 38781 | 410 410 | Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm stainless steel | | | | |
| 39181 | 410 410 | Washer DIN 9021 DIN- EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel | | | | |
| 2644 | 110 110 | Waterinlet connection R3/4"M / R3/4"M | | | | |
| 5348 | 106 106 | Wire-joint nut M25x1,5 grey | | | | |
| 5349 | 106 106 | Wire-joint nut M32x1,5 grey | | | | |
| 5312 | 106 106 | Wire-joint PERFECT M25x1,5 | | | | |
| 5340 | 106 106 | Wire-joint PERFECT M32*1,5 4x8 | | | | |