

item number	item group discount group	description	sales price	PU	QR code	picture
534001	025 025	HSC923-UK Oil EHRLE Hotwater-High- Pressure-Cleaner				
3746	405 405	Angle nickel-plated Mod. 2020 1/8" IG/AG				
461024	151 151	Bolt-On Unloader VRF2- P 30l/min TST-25 bar M22x1,5M				
2005	114 114	Burner motor 110W 230V/50Hz 900mm wire				
593605	106 106	Cabel protection hose Ø 16mm				
26181	107 107	Cable 8m H07RN-F 3G1.5 black with English-Plug				
5347	106 106	Cable gland M20x1,5 black				
5347	106 106	Cable gland M20x1,5 black				
5346	106 106	Cable gland PERFECT M16x1,5 black				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
5345	106	Cable gland PERFECT																																																																																									
	106	KV PA mit Reduzierung RAL9005 schwarz					5345	106	Cable gland PERFECT					106	KV PA mit Reduzierung RAL9005 schwarz			5936010000000	106	Cable hose holder 16					106	mm Ø (20 pcs.)			5936010000000	106	Cable hose holder 16					106	mm Ø (20 pcs.)			580300	106	Cable sleeve M20					106				265201	250	Canister 60l, 3 handles,					250	nature incl. lock black			583402	195	Catch owner					195				201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134
5345	106	Cable gland PERFECT																																																																																									
	106	KV PA mit Reduzierung RAL9005 schwarz					5936010000000	106	Cable hose holder 16					106	mm Ø (20 pcs.)			5936010000000	106	Cable hose holder 16					106	mm Ø (20 pcs.)			580300	106	Cable sleeve M20					106				265201	250	Canister 60l, 3 handles,					250	nature incl. lock black			583402	195	Catch owner					195				201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134	filter										
5936010000000	106	Cable hose holder 16																																																																																									
	106	mm Ø (20 pcs.)					5936010000000	106	Cable hose holder 16					106	mm Ø (20 pcs.)			580300	106	Cable sleeve M20					106				265201	250	Canister 60l, 3 handles,					250	nature incl. lock black			583402	195	Catch owner					195				201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134	filter																					
5936010000000	106	Cable hose holder 16																																																																																									
	106	mm Ø (20 pcs.)					580300	106	Cable sleeve M20					106				265201	250	Canister 60l, 3 handles,					250	nature incl. lock black			583402	195	Catch owner					195				201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134	filter																																
580300	106	Cable sleeve M20																																																																																									
	106						265201	250	Canister 60l, 3 handles,					250	nature incl. lock black			583402	195	Catch owner					195				201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134	filter																																											
265201	250	Canister 60l, 3 handles,																																																																																									
	250	nature incl. lock black					583402	195	Catch owner					195				201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134	filter																																																						
583402	195	Catch owner																																																																																									
	195						201400	134	Chemical metric valve 2-					134	way ST66 black without ball and spring			2056	134	Chemical suctionhose					134	filter																																																																	
201400	134	Chemical metric valve 2-																																																																																									
	134	way ST66 black without ball and spring					2056	134	Chemical suctionhose					134	filter																																																																												
2056	134	Chemical suctionhose																																																																																									
	134	filter																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
800193	134 134	Chimney adapter HSC oil/square				
3403	410 410	Clamping screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				
2940	410 410	Clip Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
461023	151 151	Connection-KIT Bolt-On Unloader for HP-Pump E1B, E2B, E3B				
5376	106 106	Connector with LED red 230V AC, with varistor 4m cable and with seal GPRA, for magnetic valve				
2010	114 114	Coupling fuelpump K2 für Brennermotor Aaco				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
363880	120 120	Cover float-tank EHRLE PP TV20 black				
2072	114 114	Cover outside boiler, DC01, PC RAL 7016 Chimney side from heating coil		pcs.		
386201	410 410	Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel				
2677	134 134	Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
348608	407 407	Electric-Motor AC240V 50Hz 2,2kW MEC100L 1500rpm B3/B14 hollowshaft Ø24mm				
2009	114 114	Fan wheel Ø133x62mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2189	405 405	Fitting welded arc 90° black 21.3x2mm DIN2605-3S				
2093	405 405	Fitting-hose nipple brass hex 1/4" M 6mm				
2733	405 405	Fitting-hose nipple brass hex 1/8" M 6mm				
2733	405 405	Fitting-hose nipple brass hex 1/8" M 6mm				
53127	405 405	Fitting-plug brass hex SW20 3/8" M				
2191	405 405	Fitting-welded sleeve full black 3/8" DIN2986				
2100	114 114	Flame-tube 90x2x78mm				
384552	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M6x10 stainless steel				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
384552	410	Flange button head screw with inside hexagon																																																																																									
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel					3689	184	Flat seal 33x25x3					184				363800	120	Float-container lower part EHRLE					120	PP TV20 black			2224	014	Flowswitch ST5 with reedcontact					014	3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m			2692	114	Fuel pump 24V/Hz					114	ASV 47D 1640 6P0260 with cable 610mm			200601	114	Fuel-nozzle 1.35gph 60° SF					114				2425	114	Fuel-oil filter 1/4" complete					114	V7045201PL			206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114
3689	184	Flat seal 33x25x3																																																																																									
	184						363800	120	Float-container lower part EHRLE					120	PP TV20 black			2224	014	Flowswitch ST5 with reedcontact					014	3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m			2692	114	Fuel pump 24V/Hz					114	ASV 47D 1640 6P0260 with cable 610mm			200601	114	Fuel-nozzle 1.35gph 60° SF					114				2425	114	Fuel-oil filter 1/4" complete					114	V7045201PL			206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114	HSC										
363800	120	Float-container lower part EHRLE																																																																																									
	120	PP TV20 black					2224	014	Flowswitch ST5 with reedcontact					014	3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m			2692	114	Fuel pump 24V/Hz					114	ASV 47D 1640 6P0260 with cable 610mm			200601	114	Fuel-nozzle 1.35gph 60° SF					114				2425	114	Fuel-oil filter 1/4" complete					114	V7045201PL			206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114	HSC																					
2224	014	Flowswitch ST5 with reedcontact																																																																																									
	014	3/8"F 250VAC 1A drilling 3,5mm, cable 1,2m					2692	114	Fuel pump 24V/Hz					114	ASV 47D 1640 6P0260 with cable 610mm			200601	114	Fuel-nozzle 1.35gph 60° SF					114				2425	114	Fuel-oil filter 1/4" complete					114	V7045201PL			206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114	HSC																																
2692	114	Fuel pump 24V/Hz																																																																																									
	114	ASV 47D 1640 6P0260 with cable 610mm					200601	114	Fuel-nozzle 1.35gph 60° SF					114				2425	114	Fuel-oil filter 1/4" complete					114	V7045201PL			206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114	HSC																																											
200601	114	Fuel-nozzle 1.35gph 60° SF																																																																																									
	114						2425	114	Fuel-oil filter 1/4" complete					114	V7045201PL			206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114	HSC																																																						
2425	114	Fuel-oil filter 1/4" complete																																																																																									
	114	V7045201PL					206503	110	Fuel-oil pipe 10x3,25x230mm					110	Steel 1.0308			110007	114	Fuelpump-Unit 24V/50Hz					114	HSC																																																																	
206503	110	Fuel-oil pipe 10x3,25x230mm																																																																																									
	110	Steel 1.0308					110007	114	Fuelpump-Unit 24V/50Hz					114	HSC																																																																												
110007	114	Fuelpump-Unit 24V/50Hz																																																																																									
	114	HSC																																																																																									

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3751	184 184	Gasket for Hollow Screw 15/3-071/RF 12 A3C				
39971	195 195	Handle with push button				
2059	114 114	Heatcoil steel HD/HSC/HDB/HDD		pcs.		
283707	106 106	Heating Anti-Freeze AC230V/50Hz 80W thermic convection with holder				
386305	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M4 stainless steel				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M6 stainless steel				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M6 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
386308	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M8 stainless steel				
386309	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M10 stainless steel				
386307	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M8 stainless steel				
286212	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M5x10 stainless steel				
386207	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x10 stainless steel				
386211	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x12 stainless steel				
286212	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M5x10 stainless steel				
386222	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M10x30 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
386207	410 410	Hexagon head screw serrated with flange like DIN 6921 M6x10 stainless steel				
27061	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x16 steel				
3851	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M8x65 zinc plated				
3854	410 410	Hexagon head screw with full thread DIN 933 DIN-EN-ISO 4017 M12x75 zinc plated				
36761	410 410	Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel				
3676	410 410	Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated				
36761	410 410	Hexagon head tapping screw C DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel				
51821	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M4 stainless steel				
2712	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M8 zinc plated				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2712	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M8 zinc plated				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2709	410 410	Hexagon nut DIN934 DIN-EN-ISO 4032 M6 zinc plated				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2713	410 410	Hexagon nut DIN 934 DIN-EN-ISO 4032 M12 zinc plated 8.0				
2195	410 410	Hexagon pipe nut with pipe thread DIN 431 1/8" SW17x6mm zinc plated				
384506	410 410	Hexagon socket button head screw DIN-EN-ISO 7380-2 M4x6 stainless steel				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
384506	410	Hexagon socket button head screw				
	410	DIN-EN-ISO 7380-2 M4x6 stainless steel				
384509	410	Hexagon socket button head screw				
	410	DIN-EN-ISO 7380-2 M4x10 stainless steel				
384509	410	Hexagon socket button head screw				
	410	DIN-EN-ISO 7380-2 M4x10 stainless steel				
38581	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel				
3879	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M5x16 zinc plated				
2973	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M4x50 zinc plated				
3856	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M5x12 zinc plated				
399603	195	Hinge				
	195	for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST				
399603	195	Hinge				
	195	for SafeTerminal, Vacuum Cleaner, LCE, HSC-ST				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2668	121	Hollow screw for screw-union																																																																																									
	121	12 LR 3/8" zinc plated					375001	110	Hollow Screw for swing fixture					110	for SWV 1/2" 15/3-071/RF A3C zina plated			237401	410	Hose clamp stst 12-20mm					410	9mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			210501	402	HP-Hose rubber steel mesh DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 1,2m			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406
375001	110	Hollow Screw for swing fixture																																																																																									
	110	for SWV 1/2" 15/3-071/RF A3C zina plated					237401	410	Hose clamp stst 12-20mm					410	9mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			210501	402	HP-Hose rubber steel mesh DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 1,2m			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm										
237401	410	Hose clamp stst 12-20mm																																																																																									
	410	9mm wide					372401	410	Hose clamp stst 20-32mm					410	12mm wide			372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			210501	402	HP-Hose rubber steel mesh DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 1,2m			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm																					
372401	410	Hose clamp stst 20-32mm																																																																																									
	410	12mm wide					372401	410	Hose clamp stst 20-32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			210501	402	HP-Hose rubber steel mesh DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 1,2m			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm																																
372401	410	Hose clamp stst 20-32mm																																																																																									
	410	12mm wide					2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			210501	402	HP-Hose rubber steel mesh DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 1,2m			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm																																											
2000	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs HSC M22x1,5 bs bend protection 10m					210501	402	HP-Hose rubber steel mesh DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 1,2m			296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm																																																						
210501	402	HP-Hose rubber steel mesh DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5/os90° 1,2m					296552	402	HP-Hose rubber steel mesh red DN08					402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm			361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm																																																																	
296552	402	HP-Hose rubber steel mesh red DN08																																																																																									
	402	315bar 150°C es HV M22x1,5/es M18x1,5 90° 600mm					361589	406	HP-Pump IP E2B2014 SSL Ø18					406	14l/min 200bar 1450rpm																																																																												
361589	406	HP-Pump IP E2B2014 SSL Ø18																																																																																									
	406	14l/min 200bar 1450rpm																																																																																									

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
200302	114 114	Ignition Transformer 230V/50Hz c/w. connection cable 800mm				
2068	114 114	Inside boiler, DC01, powder coated heating coil		pcs.		
3926	133 133	Light bulb for self- service Carwash 24V 1,2W BA9S 28mm				
403701	185 185	Lock-Cylinder Vacuum-Cleaner, HSC- ST				
583506	195 195	Locking rod above 465mm Vacuum Cleaner, HSC- ST				
583604	195 195	Locking rod below 584mm Vacuum-Cleaner, HSC- ST				
2748	014 014	Low-Water Cut-Off c/w. nut 1,15m PVC cable and flow-switch				
537301	112 112	Magnetic-valve DN4 1/4" 0-2bar EPDM brass 2/2 NC directacting AC230V / 8W				
300023	112 112	Magnetic-valve Unit HSC DN4 1/4" 0-2bar EPDM MS NC direct AC230V/8W				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
204602	108 108	Main Switch B2N A1- F35-X-XG9 on-off 0-1				
281301	110 110	Manifold block for heatcoil inlet HD623,640,823,940, HSC823				
3877	110 110	Manifold block heatcoil inlet flow monitor				
800367	110 110	Manifold block suction HSC				
576401	110 110	Manifold for Thermostat				
23731	106 106	Maximum Thermostat 300°C with mechanical ON- delay				
4004	195 195	Metal-Bar Lock				
2937	405 405	Nipple brass nickelplated conical 1/4" M.M.				
2998	110 110	Nipple for HP Outlet M22x1,5/M18x1,5M length 47mm, stainless steel 1.4305				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
206408	120 120	Nozzleclip 07 POM purple				
206401	114 114	Nozzleholder long 47mm Nozzle tube threaded R1/8"				
110020	114 114	Oilburner 230V/50Hz MV-AC24V 60kW@1,35gph-B SS75/28 Flamemonitor HSC				
275201	106 106	Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP				
346601	184 184	O-ring 21,0x1,50 NBR für Hohlschraube 1/2"				
5769	184 184	O-ring 350x3 NBR70				
5769	184 184	O-ring 350x3 NBR70				
110027	110 110	Outlet heatcoil-unit HD- Series HD-Serie/HSC				
5837	184 184	Performance socket 39x50x57 DG M50 black unperforated				

item number	item group discount group	description	sales price	PU	QR code	picture
5837	184	Performance socket 39x50x57				
	184	DG M50 black unperforated				
583703	184	Performance socket 9,5x13,5x4,0 f. HSC				
	184	*Durchführungstülle 9,5x13,5x4,0 HSC*				
578901	106	Photocell for Flamecontrol QRB4B- B070B70				
	106	cable 700mm				
538511	404	Pipe for water inlet in float cabinet				
	404	Ø20x1,5x147,55mm, 1.4571				
593500	134	Plunger Pump CEME 508/LA				
	134	EPDM, 230V, 50Hz, 25W				
300022	134	Plunger Pump Unit Chemical				
	134	HSC				
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm				
	403	-40°C/+100°C				
2352	403	Polyamide-hose natural 12PH DIN73378 4x6mm				
	403	-40°C/+100°C				
300913	014	Pressure-gauge 0-16bar gly. Ø40mm 1/8" M				
	014	connection back centric, PVC-case				

item number	item group discount group	description	sales price	PU	QR code	picture
587105	014 014	Pressure-gauge 0-250bar gly. Ø40 1/8"M connection back centric, INOX-case				
51612	120 120	Push button cover PVC				
516105	108 108	Push-button red incl. LED double 12VDC for Moduline				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
207901	403 403	PVC-hose with fabric transparent 12,5x18,5mm 15bar BP45bar -20°C/+ 65°C				
5802	403 403	PVC-hose with fabric transparent 19x27mm- 3/4" 11bar BP33bar -20°C/+ 65°C				
527514	410 410	Retaining wahser for shafts DIN 6799 Ø1=4mm Ø2=9,3mm zinc plated				
299002	120 120	Rotary button switch on- off ABS Terloran GP35 red				
2990	120 120	Rotary button thermostat 0-150°C ABS Terloran GP35 red				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2688	403 403	Rubber-hose black 13x21mm R1/2" 30bar -30°C/+100°C				
3667	403 403	Rubber-hose black 19x28mm R3/4" 30bar -30°C/+100°C				
5740	151 151	Safety valve MG2000 1/4\"M 1/4F 220bar 24l/min 90°C				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				
5387	410 410	Screw DIN 551 M6x30				
5387	410 410	Screw DIN 551 M6x30				
3845	410 410	Screw flat round with square set DIN 603 M8x16 zinc plated				
386209	410 410	Screw hexagon head, serrated with flange like DIN 6921 M6x16 stainless steel				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
38617	410 410	Screw panhead 4.8 DIN 7985 DIN-EN-ISO 7045 M3x6 zinc plated				
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
3669	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated				
2637	410 410	Screw panhead C-H DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
2359	121 121	Screw union 3/8" 12L				
20961	110 110	Screw union GE-12LR 3/8" 1.0038				
2066	121 121	Screw union straight brass nickelplated 6/4-1/8" F				
206602	121 121	Screw union straight brass nickelplated conical 6/4"-1/4" M.				
206601	121 121	Screw union straight brass nickelplated conical 6/4-1/8" M.				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
206602	121 121	Screw union straight brass nickelplated conical 6/4"-1/4" M.				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
2370	184 184	Sealing ring-copper 17x21x2,0 mm form A, crag				
2353	184 184	Sealing-ring copper 18x22x2,0mm form A, 1 Pack with 10 pcs.				
3691	184 184	Sealing-ring copper 24x29x2,0mm DIN 7603 Preis/Pack (1 Pack=10 Stck.)				
2799	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm zinc plated				
38707	410 410	Serrated lock washer type A DIN 6798 Ø1=12,5mm Ø2=20,5mm stainless steel				
2799	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm zinc plated				
38701	410 410	Serrated lock washer type A DIN 6798 Ø1=12,5mm Ø2=20,5mm zinc plated				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2151	184	Sleeve cable inlet ignition cable				
	184	Typ DA 80/100/20				
2151	184	Sleeve cable inlet ignition cable				
	184	Typ DA 80/100/20				
900048	132	Spraylance st.st. 900mm 15° angled, KEW QC,				
	132	nozzle protection red 1/4"F, nozzle 25070 1/4"M				
900044	132	Spraylance stainless steel 900mm 15° angled				
	132	KEW quick-coupling, nozzle protection red 1/4"F				
205201	134	Stargrippnut black/red PA6				
	134	with thread insert galvanized				
586803	134	Steel rope zinc plated Ø1mm, 20cm				
	134	eye Ø5mm, for M3				
303708	189	Sticker thermostat				
	189	format: 90x105mm with rounded angles				
59040000000000	189	Sticker triangle heat yellow-black				
	189	50x43mm				
3725	134	Strainer waterinlet				
	134	3/4"				

item number	item group discount group	description	sales price	PU	QR code	picture
3514	134 134	Suction basket without Foot-Valve 1/2" AG				
3738	110 110	Suction connection R3/4" DN19 for float tank				
3753	110 110	Suction connection-Unit HSC drilling 16mm				
25091	120 120	Switchcover o-off 1-hole 20,5mm PA6 GF30 black				
20122	106 106	Thermostat adjustable 20-160°C				
2252	120 120	Thermostat covering PP TV10 black				
576403	110 110	thermostatlug M12 brass for burntgas 2.0402				
330010	132 132	Trigger gun standard 280bar 30l/min 150°C with quick- coupling red, M22x1,5				
5334	404 404	Union nut brass nickelplated DN20 R3/4"				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
39181	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel				
38781	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm stainless steel				
3878	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
3878	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=5,3mm Ø2=15mm zinc plated				
38784	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=10,5mm Ø2=30mm zinc plated				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2707	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=6,4mm Ø2=12mm zinc plated				

Sales Pricelist

8/10/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
3866	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm zinc plated				
2644	110 110	Waterinlet connection R3/4"M / R3/4"M				