

Sales Pricelist



























































































5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
559003	016 016	KD523-UK Standard 2x2 EHRLE Coldwater-High- Pressure-Cleaner				UK-Version
598200	107 107	Cable 5m H07RN- F3G1.5 black KD3x3 UK				
5350	106 106	Cable joint nut M16x1,5 grey				
5346	106 106	Cable joint PERFECT M16x1,5				
261000	120 120	Cableclip red for connection cable H07RN-F 3x1,5 , 4x1,5				
236042	449 449	Capacitor 45µF 400/450V Ø50x94mm for Motor-Pump-Unit HJRS				
600935	134 134	Carriage KD2x2, INOX welded		pcs.		
601280	012 012	Chassis Rotation- moulded KD2x2 DAP Compound grey RAL7016				
2056	134 134	Chemical suctionhose filter				

item number	item group discount group	description	sales price	PU	QR code	picture
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
289801	410 410	Clip Hose 1-Ear 11,8mm Stainless steel				
3651	110 110	Connection HP M22x1.5 R3/8" AG for Hose-Reel				
21481	108 108	Contactor LC1 K1210 P7 AC230V 50/60Hz AC3 3/5,5kW-230/400V AC1-20A 3S/1s				
35093	103 103	Controlboard Etronic 3 230 V				
59871	410 410	Countersunk head screw like KN 6039 STS plus M4x10 stainless steel				
601283	120 120	Cover KD2x2 ABS natural high polish red RAL3020				
600944	134 134	Covering Stainless steel 1.4301 for Chassis KD523		pcs.		
5315	410 410	Cross recessed pan head tapping screw C-H DIN 7981 DIN-EN-ISO 7049 M4,8x25 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
531501	410	Cross recessed pan head tapping screw C-H				
	410	DIN 7981 DIN-EN-ISO 7049 M3,5x16 stainless steel				
366912	410	Cross recessed pan head tapping screw Torx				
	410	DIN 7981 DIN-EN-ISO 7049 4,2x22 stainless steel				
366912	410	Cross recessed pan head tapping screw Torx				
	410	DIN 7981 DIN-EN-ISO 7049 4,2x22 stainless steel				
2877	134	Disc for wheel 20mm without cap				
	134	zinc plated				
460050	109	EASY-START KIT for Motor-pump-unit HJRS				
	109					
602281	120	Electric box KD2x2 for capacitor 45mF				
	120	PP grey consisting of an upper and lower part				
36391	405	Fitting-Reducing nipple brass hex				
	405	3/4"x3/8" M.M.				
384552	410	Flange button head screw with inside hexagon				
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel				
386214	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M8x12 stainless steel				



















item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
384508	410	Hexagon socket button head screw																																																																																									
	410	DIN-EN-ISO 7380-2 M6x12 stainless steel					38581	410	Hexagon socket head cap screw					410	DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel			200505	402	HP-Hose rubber steel mesh DN06 250bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			290108	216	Injector Ø1,7					216	for HP-pump KD523			368002	406	Motor-Pump-Unit HJRS 10.12 SSR					406	10l/min 120bar 2800rpm 2,4kW			206411	120	Nozzleclip 043					120	POM white			214509	108	Overload-Protection 1 pole 15,5A					108				587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403
38581	410	Hexagon socket head cap screw																																																																																									
	410	DIN 912 DIN-EN-ISO 4762 M6x12 stainless steel					200505	402	HP-Hose rubber steel mesh DN06 250bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			290108	216	Injector Ø1,7					216	for HP-pump KD523			368002	406	Motor-Pump-Unit HJRS 10.12 SSR					406	10l/min 120bar 2800rpm 2,4kW			206411	120	Nozzleclip 043					120	POM white			214509	108	Overload-Protection 1 pole 15,5A					108				587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C										
200505	402	HP-Hose rubber steel mesh DN06 250bar																																																																																									
	402	150°C bs HSC M22x1,5 bs bend protection 10m					290108	216	Injector Ø1,7					216	for HP-pump KD523			368002	406	Motor-Pump-Unit HJRS 10.12 SSR					406	10l/min 120bar 2800rpm 2,4kW			206411	120	Nozzleclip 043					120	POM white			214509	108	Overload-Protection 1 pole 15,5A					108				587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C																					
290108	216	Injector Ø1,7																																																																																									
	216	for HP-pump KD523					368002	406	Motor-Pump-Unit HJRS 10.12 SSR					406	10l/min 120bar 2800rpm 2,4kW			206411	120	Nozzleclip 043					120	POM white			214509	108	Overload-Protection 1 pole 15,5A					108				587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C																																
368002	406	Motor-Pump-Unit HJRS 10.12 SSR																																																																																									
	406	10l/min 120bar 2800rpm 2,4kW					206411	120	Nozzleclip 043					120	POM white			214509	108	Overload-Protection 1 pole 15,5A					108				587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C																																											
206411	120	Nozzleclip 043																																																																																									
	120	POM white					214509	108	Overload-Protection 1 pole 15,5A					108				587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C																																																						
214509	108	Overload-Protection 1 pole 15,5A																																																																																									
	108						587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M					014	connection back centric, INOX-case			2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C																																																																	
587105	014	Pressure-gauge 0- 250bar gly. Ø40 1/8"M																																																																																									
	014	connection back centric, INOX-case					2057011	403	PVC-hose transparent 6x9mm					403	7,0bar -20°C/+65°C																																																																												
2057011	403	PVC-hose transparent 6x9mm																																																																																									
	403	7,0bar -20°C/+65°C																																																																																									

Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
130004	403 403	PVC-hose transparent 6x9mm 440mm 7,0bar -20°C/+65°C		pcs.		
608815	120 120	Rotary handle for Unloader KD523/HD523 PA6 red				
299002	120 120	Rotating knob switch on- off ABS Terloran GP35 red				
578713	120 120	Rubber feet for chassis TPE-V black				
366910	410 410	Sealing screw M4,5x25 stainless steel				
38691	410 410	Serrated lock washer type A DIN 6798 Ø1=6,4mm Ø2=11mm stainless steel				
601291	120 120	Spray lance holder Set KD2x2 PA6 Mg30% GF schwarz				
900033	132 132	Spraylance INOX 700mm 15° angled KEW quick-coupling, adjustable nozzle red 1/4"F				
900034	132 132	Spraylance INOX 700mm 15° angled, KEW QC, adjustable nozzle red 1/4"F, nozzle 25043 1/4"M				

item number	item group discount group	description	sales price	PU	QR code	picture
598900	189 189	Sticker EHRLE 137x35mm transparent				
601285	189 189	Sticker KD523 Standard royalplast FTC-Ultra, printed red, 50mm round				
303790	189 189	Sticker noise 83 dB 42x47mm				
590500	189 189	Sticker warning notice yellow 102x62mm red-black printed				
204615	108 108	Switch On/Off 2 poles V2N A2-F25H-X-XG9				
601282	120 120	Switchbox seal KD2x2 TPE-V black				
601286	120 120	Terminal box cover KD2x2 ABS high polish red RAL3020				
330010	132 132	Trigger gun standard 280bar 30l/min 150°C with quick- coupling red, M22x1,5				
38781	410 410	Washer DIN 9021 DIN- EN-ISO 7093 Ø1=5,3mm Ø2=15mm stainless steel				

Sales Pricelist

5/15/2023



item number	item group discount group	description	sales price	PU	QR code	picture
264405	134 134	Waterinlet filter G3/4"F				
373904	134 134	Wheel Ø210mm black mit roter Kunststoffkappe				