




item number	item group discount group	description	sales price	PU	QR code	picture
155	050 050	KS1140 EHRLE Coldwater-High- Pressure-Cleaner stationary				
400407	195 195	Actuation 3mm chrome- plated for Terminal Box				
3746	405 405	Angle nickel-plated Mod. 2020 1/8" IG/AG				
5350	106 106	Cable gland M16x1,5 black				
5347	106 106	Cable gland M20x1,5 black				
5346	106 106	Cable gland PERFECT M16x1,5 black				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				
580300	106 106	Cable sleeve M20				
263701	410 410	Cap no. 7 RAL9005 black				

item number	item group discount group	description	sales price	PU	QR code	picture
2014	134 134	Chemical metric valve 2-way ST66 red				
2056	134 134	Chemical suctionhose filter				
3403	410 410	Clamping screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				
2940	410 410	Clip Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
23162	108 108	Contacter KLIBO 7,5 24V/50-60Hz 3S/1HS				
35092	103 103	Controlboard etronic 2 24V AC				
363880	120 120	Cover float-tank EHRLE PP TV20 black				

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
386201	410 410	Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel				
3744	110 110	Dischargeblock Injector				
57641	110 110	Distance piece for thermostat maximum STB/83 2.0401				
2677	134 134	Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
355601	407 407	Electric-Motor 3AC230/400V 50HZ 6.3kW MEC112 1500rpm B3/B14 shaft Ø28mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2733	405 405	Fitting-hose nipple brass hex 1/8" M 6mm				

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2093	405 405	Fitting-Hose nipple brass hex 1/4" M 6mm				
53155	667	Fitting-Plug stst hex 1/2"AG, 1/8"IG				
384551	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M4x12 stainless steel				
384552	410 410	Flange button head screw with inside hexagon DIN-EN-ISO 7380-2 M6x10 stainless steel				
400408	195 195	Flat seal for Terminal Box				
3689	184 184	Flat seal 33x25x3				
392712	196 196	Float valve body valve DN10 0,3-10bar os 3/4"M as 3/4"AG strainer POM				
392711	120 120	Float valve handle PA 6 GF30 black				
363800	120 120	Float-container lower part EHRLE PP TV20 black				

item number	item group discount group	description	sales price	PU	QR code	picture
204616	108 108	front shield yellow 72x72mm for front plate plate marking: 0-1, with Ehrle-logo				
3723	106 106	Fuse 250V 2A slow- blowing				
38331	106 106	Fuse-holder ZSI 2,5				
3751	184 184	Gasket for Hollow Screw 15/3-071/RF 12 A3C				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M8 stainless steel				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M6 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
386307	410	Hexagon flange nut serrated				
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel				
386211	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x12 stainless steel				
386214	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M8x12 stainless steel				
386222	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M10x30 stainless steel				
386211	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x12 stainless steel				
386207	410	Hexagon head screw serrated with flange				
	410	like DIN 6921 M6x10 stainless steel				
38601	410	Hexagon head screw with full thread				
	410	DIN 933 DIN-EN-ISO 4017 M6x20 stainless steel				
3676	410	Hexagon head tapping screw C				
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 zinc plated				
5207	410	Hexagon nut				
	410	DIN 934 DIN-EN-ISO 4032 M10 zinc plated				

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
50541	410	Hexagon socket head cap screw																																																																																									
	410	DIN 912 DIN-EN-ISO 4762 M5x20 stainless steel					2668	121	Hollow screw for screw- union					121	12 LR 3/8" zinc plated			375001	110	Hollow Screw for swing fixture					110	for SWV 1/2" 15/3- 071/RF A3C zina plated			237401	410	Hose clamp stst 12- 20mm					410	9mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402
2668	121	Hollow screw for screw- union																																																																																									
	121	12 LR 3/8" zinc plated					375001	110	Hollow Screw for swing fixture					110	for SWV 1/2" 15/3- 071/RF A3C zina plated			237401	410	Hose clamp stst 12- 20mm					410	9mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm										
375001	110	Hollow Screw for swing fixture																																																																																									
	110	for SWV 1/2" 15/3- 071/RF A3C zina plated					237401	410	Hose clamp stst 12- 20mm					410	9mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm																					
237401	410	Hose clamp stst 12- 20mm																																																																																									
	410	9mm wide					372401	410	Hose clamp stst 20- 32mm					410	12mm wide			372401	410	Hose clamp stst 20- 32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm																																
372401	410	Hose clamp stst 20- 32mm																																																																																									
	410	12mm wide					372401	410	Hose clamp stst 20- 32mm					410	12mm wide			2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm																																											
372401	410	Hose clamp stst 20- 32mm																																																																																									
	410	12mm wide					2000	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs HSC M22x1,5 bs bend protection 10m			2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm																																																						
2000	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs HSC M22x1,5 bs bend protection 10m					2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm																																																																	
2947	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5 290mm					34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm																																																																												
34711	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5/os90° 450mm																																																																																									

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
3471	402 402	HP-Hose rubber steel mesh red DN08 315bar 150°C bs CNOL M18x1,5/os90° 320mm				
528600	402 402	HP-Hose rubber textile braid black DN02 400bar 100°C bs CNOL 06L 470mm one-sid 90°				
371000	406 406	HP-Pump AR JHK11.15 SSR HT 11l/min 150bar 950rpm / 15l/min 180bar 1450rpm				
400406	195 195	Key catch for Terminal Box				
384201	195 195	Key for terminal box 5mm plastic				
37560	132 132	Manifold block KS1140 HP Pump Outout				
3472	110 110	Manifold block for Heatcoil outlet				
24372	106 106	Maximum Thermostat 95°C with mechanical On- delay				
2290	120 120	Micropowderdosing handle 150mm PA black				

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2998	110 110	Nipple for HP Outlet M22x1,5/M18x1,5M length 47mm, stainless steel 1.4305				
206489	120 120	Nozzleclip 055 POM dark-blue				
275201	106 106	Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP				
346601	184 184	O-ring 21,0x1,50 NBR für Hohlschraube 1/2"				
5769	184 184	O-ring 350x3 NBR70				
2508	184 184	O-ring switch-covering 100x3N70B100N				
538511	404 404	Pipe for water inlet in float cabinet Ø20x1,5x147,55mm, 1.4571				
5750	134 134	Pressure switch MICRO brass 1/4"M 25bar 250V 15A 90°C 1,15m cable				
5741	134 134	Pressure switch MICRO brass 3/8"M 25bar 250V 15A 90°C 1,25m cable				

Sales Pricelist

8/7/2023












item number	item group discount group	description	sales price	PU	QR code	picture
201305	014 014	Pressure-gauge 0-250bar gly. Ø50 1/4"M connection back centric, INOX-case				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
130006	403 403	PVC-hose transparent 6x9mm 1,20m 7,0bar -20°C/+65°C		pcs.		
400410	195 195	Rod lock for Terminal Box				
299002	120 120	Rotary button switch on- off ABS Terloran GP35 red				
2688	403 403	Rubber-hose black 13x21mm R1/2" 30bar -30°C/+100°C				
3667	403 403	Rubber-hose black 19x28mm R3/4" 30bar -30°C/+100°C				
110117	403 403	Rubber-Hose, black, 13x21mm, 1/2" 900mm		pcs.		
59871	410 410	Screw countersunk head like KN 6039 STS plus M4x10 stainless steel				



















Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
38613	410	Screw cross recessed head 4.8																																																																																									
	410	DIN 7985 DIN-EN-ISO 7045 M4x10 stainless steel					5183	410	Screw panhead 4.8					410	DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated			2637	410	Screw panhead C-H					410	DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated			3669	410	Screw panhead C-H					410	DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated			2085	121	Screw union MAV-6LRomd Pressure-Gauge					121	MAV-6LRomD mit Dichtkantenring			2157	121	Screw union XGE-12LR B3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121
5183	410	Screw panhead 4.8																																																																																									
	410	DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated					2637	410	Screw panhead C-H					410	DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated			3669	410	Screw panhead C-H					410	DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated			2085	121	Screw union MAV-6LRomd Pressure-Gauge					121	MAV-6LRomD mit Dichtkantenring			2157	121	Screw union XGE-12LR B3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121	1/2"x3/4"										
2637	410	Screw panhead C-H																																																																																									
	410	DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated					3669	410	Screw panhead C-H					410	DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated			2085	121	Screw union MAV-6LRomd Pressure-Gauge					121	MAV-6LRomD mit Dichtkantenring			2157	121	Screw union XGE-12LR B3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121	1/2"x3/4"																					
3669	410	Screw panhead C-H																																																																																									
	410	DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated					2085	121	Screw union MAV-6LRomd Pressure-Gauge					121	MAV-6LRomD mit Dichtkantenring			2157	121	Screw union XGE-12LR B3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121	1/2"x3/4"																																
2085	121	Screw union MAV-6LRomd Pressure-Gauge																																																																																									
	121	MAV-6LRomD mit Dichtkantenring					2157	121	Screw union XGE-12LR B3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121	1/2"x3/4"																																											
2157	121	Screw union XGE-12LR B3/8"																																																																																									
	121						2099	121	Screw union XWE-12LR 3/8"					121				2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121	1/2"x3/4"																																																						
2099	121	Screw union XWE-12LR 3/8"																																																																																									
	121						2099	121	Screw union XWE-12LR 3/8"					121				2679	121	Screwed-hose Connection copper					121	1/2"x3/4"																																																																	
2099	121	Screw union XWE-12LR 3/8"																																																																																									
	121						2679	121	Screwed-hose Connection copper					121	1/2"x3/4"																																																																												
2679	121	Screwed-hose Connection copper																																																																																									
	121	1/2"x3/4"																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
2086	121 121	Screw-union XEVL-12L- V A3C				
2161	121 121	Screw-union Pressure- gauge M18x1,5IG / 1/4"IG with O-Ring and seal cone				
2090	121 121	Screw-union XGE 6LR 1/4" AG				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
4007	184 184	Sealing profile				
2370	184 184	Sealing ring-copper 17x21x2,0 mm form A, crag				
2353	184 184	Sealing-ring copper 18x22x2,0mm form A, 1 Pack with 10 pcs.				
3691	184 184	Sealing-ring copper 24x29x2,0mm DIN 7603 Preis/Pack (1 Pack=10 Stck.)				
27991	410 410	Serrated lock washer type A DIN 6798 Ø1=8,4mm Ø2=15mm stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture
371011	109 109	Set HP-Pump flange and coupling AR F28				
235001	405 405	Socket-reduction zinc plated 1/4"F 25mm 400bar				
910010	132 132	Spraylance st.st. 900mm 15° angled, KEW QC, nozzle protection red 1/4"F, nozzle 25055 1/4"M				
900044	132 132	Spraylance stainless steel 900mm 15° angled KEW quick-coupling, nozzle protection red 1/4"F				
586804	134 134	Steel rope zinc plated Ø1mm, 20cm eye Ø7mm, for M5				
3725	134 134	Strainer waterinlet 3/4"				
3514	134 134	Suction basket without Foot-Valve 1/2" AG				
3738	110 110	Suction connection R3/4" DN19 for float tank				
37559	132 132	Suction connection unit KS1140				

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
300204	108	Switch 3phase 15A ON/OFF Rotary-Switch				
	108	FM/HS-F35-BE-RG/E.P.				
25091	120	Switchcover o-off 1-hole 20,5mm				
	120	PA6 GF30 black				
2252	120	Thermostat covering				
	120	PP TV10 black				
232001	106	Transformer prim.230VAC,sec.24VA C,				
	106	1,25A/30VA				
330020	132	Trigger gun Premium Soft Touch 360bar 40l/min				
	132	150°C with quick- coupling red, M22x1,5				
5334	404	Union nut brass nickelplated DN20 R3/4"				
	404					
110064	151	Unloader-Unit VRT3 panel mounting INOX				
	151	KS823/1140-B				
362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar				
	151	INOX / Keramik				
39181	410	Washer DIN 9021 DIN- EN-ISO 7093				
	410	Ø1=6,4mm Ø2=18mm stainless steel				

Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
38661	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm stainless steel				
2705	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=8,4mm Ø2=16mm zinc plated				
2644	110 110	Waterinlet connection R3/4"M / R3/4"M				
5415	107 107	Wire H07RN-F 5x1,5 ² BK				
5348	106 106	Wire-joint nut M25x1,5 grey				
5312	106 106	Wire-joint PERFECT M25x1,5				