



















item number	item group discount group	description	sales price	PU	QR code	picture
157	050 050	KS823 EHRLE Coldwater-High- Pressure-Cleaner stationary				
400407	195 195	Actuation 3mm chrome- plated for Terminal Box				
3746	405 405	Angle nickel-plated Mod. 2020 1/8" IG/AG				
25871	107 107	Cable 8m H07RN-F 3G1,5 black EU				
5350	106 106	Cable gland M16x1,5 black				
5347	106 106	Cable gland M20x1,5 black				
5346	106 106	Cable gland PERFECT M16x1,5 black				
5345	106 106	Cable gland PERFECT M20*1,5 KV PA mit Reduzierung RAL9005 schwarz				
580300	106 106	Cable sleeve M20				

item number	item group discount group	description	sales price	PU	QR code	picture
263701	410 410	Cap no. 7 RAL9005 black				
2014	134 134	Chemical metric valve 2- way ST66 red				
2056	134 134	Chemical suctionhose filter				
3403	410 410	Clamping screw M18x1.5 15-32/L 12A3C GM 12L/10 A3C				
2940	410 410	Clip Hose 1-Ear 10,0mm clamping-area: 8-9,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
2381	410 410	Clip Hose 1-Ear 11,0mm clamping area: 8,8- 10,5mm Stainless steel				
23162	108 108	Contacter KLIBO 7,5 24V/50-60Hz 3S/1HS				
35092	103 103	Controlboard etronic 2 24V AC				

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
363880	120 120	Cover float-tank EHRLE PP TV20 black				
386201	410 410	Cross recessed countersunk head screw DIN 965 DIN-EN-ISO 7046 M6x16 stainless steel				
3744	110 110	Dischargeblock Injector				
57641	110 110	Distance piece for thermostat maximum STB/83 2.0401				
2677	134 134	Elbow coupling 90° 2- pcs. 1/2"x3/4" Plastic				
5787	120 120	Electric box 430x190x100mm PP Talkum red				
348609	407 407	Electric-Motor AC230V 50 Hz 2,6kW MEC100 1500rpm B3/B14 hollowshaft Ø24mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				
2629	405 405	Fitting clamping screw brass hex SW36 3/4" 6mm				

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																														
2733	405	Fitting-hose nipple brass hex																																																																																		
	405	1/8" M 6mm					2093	405	Fitting-Hose nipple brass hex					405	1/4" M 6mm			53155	667	Fitting-Plug stst hex 1/2"AG, 1/8"IG					384551	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M4x12 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			348988	449	Flange Ø61 for Electric- Motor					400408	195	Flat seal					195	for Terminal Box			3689	184	Flat seal 33x25x3					184				392712	196	Float valve body valve DN10 0,3-10bar						196
2093	405	Fitting-Hose nipple brass hex																																																																																		
	405	1/4" M 6mm					53155	667	Fitting-Plug stst hex 1/2"AG, 1/8"IG					384551	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M4x12 stainless steel			384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			348988	449	Flange Ø61 for Electric- Motor					400408	195	Flat seal					195	for Terminal Box			3689	184	Flat seal 33x25x3					184				392712	196	Float valve body valve DN10 0,3-10bar						196	os 3/4"M as 3/4"AG strainer POM										
53155	667	Fitting-Plug stst hex 1/2"AG, 1/8"IG																																																																																		
384551	410	Flange button head screw with inside hexagon																																																																																		
	410	DIN-EN-ISO 7380-2 M4x12 stainless steel					384552	410	Flange button head screw with inside hexagon					410	DIN-EN-ISO 7380-2 M6x10 stainless steel			348988	449	Flange Ø61 for Electric- Motor					400408	195	Flat seal					195	for Terminal Box			3689	184	Flat seal 33x25x3					184				392712	196	Float valve body valve DN10 0,3-10bar						196	os 3/4"M as 3/4"AG strainer POM																												
384552	410	Flange button head screw with inside hexagon																																																																																		
	410	DIN-EN-ISO 7380-2 M6x10 stainless steel					348988	449	Flange Ø61 for Electric- Motor					400408	195	Flat seal					195	for Terminal Box			3689	184	Flat seal 33x25x3					184				392712	196	Float valve body valve DN10 0,3-10bar						196	os 3/4"M as 3/4"AG strainer POM																																							
348988	449	Flange Ø61 for Electric- Motor																																																																																		
400408	195	Flat seal																																																																																		
	195	for Terminal Box					3689	184	Flat seal 33x25x3					184				392712	196	Float valve body valve DN10 0,3-10bar						196	os 3/4"M as 3/4"AG strainer POM																																																									
3689	184	Flat seal 33x25x3																																																																																		
	184						392712	196	Float valve body valve DN10 0,3-10bar						196	os 3/4"M as 3/4"AG strainer POM																																																																				
392712	196	Float valve body valve DN10 0,3-10bar																																																																																		
	196	os 3/4"M as 3/4"AG strainer POM																																																																																		

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
392711	120 120	Float valve handle PA 6 GF30 black				
363800	120 120	Float-container lower part EHRLE PP TV20 black				
204616	108 108	front shield yellow 72x72mm for front plate plate marking: 0-1, with Ehrle-logo				
3723	106 106	Fuse 250V 2A slow- blowing				
38331	106 106	Fuse-holder ZSI 2,5				
3751	184 184	Gasket for Hollow Screw 15/3-071/RF 12 A3C				
386306	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M5 stainless steel				
386307	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M6 stainless steel				
386308	410 410	Hexagon flange nut serrated like DIN 6923 DIN-EN 1661 M8 stainless steel				

item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
386306	410	Hexagon flange nut serrated																																																																																									
	410	like DIN 6923 DIN-EN 1661 M5 stainless steel					386307	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M6 stainless steel			386307	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M6 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386214	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x12 stainless steel			386222	410	Hexagon head screw serrated with flange					410	like DIN 6921 M10x30 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410
386307	410	Hexagon flange nut serrated																																																																																									
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel					386307	410	Hexagon flange nut serrated					410	like DIN 6923 DIN-EN 1661 M6 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386214	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x12 stainless steel			386222	410	Hexagon head screw serrated with flange					410	like DIN 6921 M10x30 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel										
386307	410	Hexagon flange nut serrated																																																																																									
	410	like DIN 6923 DIN-EN 1661 M6 stainless steel					386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386214	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x12 stainless steel			386222	410	Hexagon head screw serrated with flange					410	like DIN 6921 M10x30 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																					
386211	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M6x12 stainless steel					386214	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x12 stainless steel			386222	410	Hexagon head screw serrated with flange					410	like DIN 6921 M10x30 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																
386214	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M8x12 stainless steel					386222	410	Hexagon head screw serrated with flange					410	like DIN 6921 M10x30 stainless steel			386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																											
386222	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M10x30 stainless steel					386211	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x12 stainless steel			386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																																						
386211	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M6x12 stainless steel					386217	410	Hexagon head screw serrated with flange					410	like DIN 6921 M8x25 stainless steel			386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																																																	
386217	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M8x25 stainless steel					386207	410	Hexagon head screw serrated with flange					410	like DIN 6921 M6x10 stainless steel																																																																												
386207	410	Hexagon head screw serrated with flange																																																																																									
	410	like DIN 6921 M6x10 stainless steel																																																																																									

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
38601	410	Hexagon head screw with full thread				
	410	DIN 933 DIN-EN-ISO 4017 M6x20 stainless steel				
36761	410	Hexagon head tapping screw C				
	410	DIN 7976 DIN-EN-ISO 1479 M4,8x13 stainless steel				
5207	410	Hexagon nut				
	410	DIN 934 DIN-EN-ISO 4032 M10 zinc plated				
50541	410	Hexagon socket head cap screw				
	410	DIN 912 DIN-EN-ISO 4762 M5x20 stainless steel				
2668	121	Hollow screw for screw- union				
	121	12 LR 3/8" zinc plated				
375001	110	Hollow Screw for swing fixture				
	110	for SWV 1/2" 15/3- 071/RF A3C zina plated				
237401	410	Hose clamp stst 12- 20mm				
	410	9mm wide				
372401	410	Hose clamp stst 20- 32mm				
	410	12mm wide				
372401	410	Hose clamp stst 20- 32mm				
	410	12mm wide				

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2000	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs HSC M22x1,5 bs bend protection 10m					2947	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5 290mm			34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			3471	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 320mm			528600	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 470mm one-sid 90°			371001	406	HP-Pump AR JHK12.15 SSR HT					406	12l/min 150bar 1450rpm			400406	195	Key catch					195	for Terminal Box			384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132
2947	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5 290mm					34711	402	HP-Hose rubber steel mesh black DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 450mm			3471	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 320mm			528600	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 470mm one-sid 90°			371001	406	HP-Pump AR JHK12.15 SSR HT					406	12l/min 150bar 1450rpm			400406	195	Key catch					195	for Terminal Box			384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132	HP Pump Outout										
34711	402	HP-Hose rubber steel mesh black DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5/os90° 450mm					3471	402	HP-Hose rubber steel mesh red DN08 315bar					402	150°C bs CNOL M18x1,5/os90° 320mm			528600	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 470mm one-sid 90°			371001	406	HP-Pump AR JHK12.15 SSR HT					406	12l/min 150bar 1450rpm			400406	195	Key catch					195	for Terminal Box			384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132	HP Pump Outout																					
3471	402	HP-Hose rubber steel mesh red DN08 315bar																																																																																									
	402	150°C bs CNOL M18x1,5/os90° 320mm					528600	402	HP-Hose rubber textile braid black DN02 400bar					402	100°C bs CNOL 06L 470mm one-sid 90°			371001	406	HP-Pump AR JHK12.15 SSR HT					406	12l/min 150bar 1450rpm			400406	195	Key catch					195	for Terminal Box			384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132	HP Pump Outout																																
528600	402	HP-Hose rubber textile braid black DN02 400bar																																																																																									
	402	100°C bs CNOL 06L 470mm one-sid 90°					371001	406	HP-Pump AR JHK12.15 SSR HT					406	12l/min 150bar 1450rpm			400406	195	Key catch					195	for Terminal Box			384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132	HP Pump Outout																																											
371001	406	HP-Pump AR JHK12.15 SSR HT																																																																																									
	406	12l/min 150bar 1450rpm					400406	195	Key catch					195	for Terminal Box			384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132	HP Pump Outout																																																						
400406	195	Key catch																																																																																									
	195	for Terminal Box					384201	195	Key for terminal box 5mm					195	plastic			37560	132	Manifold block KS1140					132	HP Pump Outout																																																																	
384201	195	Key for terminal box 5mm																																																																																									
	195	plastic					37560	132	Manifold block KS1140					132	HP Pump Outout																																																																												
37560	132	Manifold block KS1140																																																																																									
	132	HP Pump Outout																																																																																									



item number	item group discount group	description	sales price	PU	QR code	picture
3472	110 110	Manifold block for Heatcoil outlet				
24372	106 106	Maximum Thermostat 95°C with mechanical On- delay				
2290	120 120	Micropowderdosing handle 150mm PA black				
2998	110 110	Nipple for HP Outlet M22x1,5/M18x1,5M length 47mm, stainless steel 1.4305				
206403	120 120	Nozzleclip 05 POM light-blue				
275201	106 106	Operating hours counter electrical 24V/50Hz HMR AC/DC PM NA BP				
346601	184 184	O-ring 21,0x1,50 NBR für Hohlschraube 1/2"				
5769	184 184	O-ring 350x3 NBR70				
2508	184 184	O-ring switch-covering 100x3N70B100N				

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
538511	404 404	Pipe for water inlet in float cabinet Ø20x1,5x147,55mm, 1.4571				
5750	134 134	Pressure switch MICRO brass 1/4"M 25bar 250V 15A 90°C 1,15m cable				
5741	134 134	Pressure switch MICRO brass 3/8"M 25bar 250V 15A 90°C 1,25m cable				
201305	014 014	Pressure-gauge 0-250bar gly. Ø50 1/4"M connection back centric, INOX-case				
2057011	403 403	PVC-hose transparent 6x9mm 7,0bar -20°C/+65°C				
130006	403 403	PVC-hose transparent 6x9mm 1,20m 7,0bar -20°C/+65°C		pcs.		
400410	195 195	Rod lock for Terminal Box				
299002	120 120	Rotary button switch on-off ABS Terloran GP35 red				
5050	106 106	Row-clamp ZDU2,5/3AN				

# Sales Pricelist

8/7/2023





























































































item number	item group discount group	description	sales price	PU	QR code	picture
2688	403	Rubber-hose black 13x21mm R1/2"				
	403	30bar -30°C/+100°C				
3667	403	Rubber-hose black 19x28mm R3/4"				
	403	30bar -30°C/+100°C				
110117	403	Rubber-Hose, black, 13x21mm, 1/2"				
	403	900mm		pcs.		
59871	410	Screw countersunk head				
	410	like KN 6039 STS plus M4x10 stainless steel				
38613	410	Screw cross recessed head 4.8				
	410	DIN 7985 DIN-EN-ISO 7045 M4x10 stainless steel				
5183	410	Screw panhead 4.8				
	410	DIN 7985 DIN-EN-ISO 7045 M4x6 zinc plated				
2637	410	Screw panhead C-H				
	410	DIN 7981 DIN-EN-ISO 7049 M3,9x9,5 zinc plated				
3669	410	Screw panhead C-H				
	410	DIN 7981 DIN-EN-ISO 7049 M2,9x9,5 zinc plated				
2085	121	Screw union MAV- 6LRomd Pressure- Gauge				
	121	MAV-6LRomD mit Dichtkantenring				

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture
2157	121 121	Screw union XGE-12LR B3/8"				
2099	121 121	Screw union XWE-12LR 3/8"				
2099	121 121	Screw union XWE-12LR 3/8"				
2679	121 121	Screwed-hose Connection copper 1/2"x3/4"				
2086	121 121	Screw-union XEVL-12L- V A3C				
2161	121 121	Screw-union Pressure- gauge M18x1,5IG / 1/4"IG with O-Ring and seal cone				
2090	121 121	Screw-union XGE 6LR 1/4" AG				
5397	184 184	Seal 3/4" 24,0x17x2 mm Klingersil C-4400				
4007	184 184	Sealing profile				






item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
2370	184	Sealing ring-copper 17x21x2,0 mm																																																																																									
	184	form A, crag					2353	184	Sealing-ring copper 18x22x2,0mm					184	form A, 1 Pack with 10 pcs.			3691	184	Sealing-ring copper 24x29x2,0mm					184	DIN 7603 Preis/Pack (1 Pack=10 Stck.)			235001	405	Socket-reduction zinc plated					405	1/4"F 25mm 400bar			900046	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25050 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			586804	134	Steel rope zinc plated Ø1mm, 20cm					134	eye Ø7mm, for M5			3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134
2353	184	Sealing-ring copper 18x22x2,0mm																																																																																									
	184	form A, 1 Pack with 10 pcs.					3691	184	Sealing-ring copper 24x29x2,0mm					184	DIN 7603 Preis/Pack (1 Pack=10 Stck.)			235001	405	Socket-reduction zinc plated					405	1/4"F 25mm 400bar			900046	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25050 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			586804	134	Steel rope zinc plated Ø1mm, 20cm					134	eye Ø7mm, for M5			3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134	AG										
3691	184	Sealing-ring copper 24x29x2,0mm																																																																																									
	184	DIN 7603 Preis/Pack (1 Pack=10 Stck.)					235001	405	Socket-reduction zinc plated					405	1/4"F 25mm 400bar			900046	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25050 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			586804	134	Steel rope zinc plated Ø1mm, 20cm					134	eye Ø7mm, for M5			3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134	AG																					
235001	405	Socket-reduction zinc plated																																																																																									
	405	1/4"F 25mm 400bar					900046	132	Spraylance st.st. 900mm 15° angled, KEW QC,					132	nozzle protection red 1/4"F, nozzle 25050 1/4"M			900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			586804	134	Steel rope zinc plated Ø1mm, 20cm					134	eye Ø7mm, for M5			3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134	AG																																
900046	132	Spraylance st.st. 900mm 15° angled, KEW QC,																																																																																									
	132	nozzle protection red 1/4"F, nozzle 25050 1/4"M					900044	132	Spraylance stainless steel 900mm 15° angled					132	KEW quick-coupling, nozzle protection red 1/4"F			586804	134	Steel rope zinc plated Ø1mm, 20cm					134	eye Ø7mm, for M5			3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134	AG																																											
900044	132	Spraylance stainless steel 900mm 15° angled																																																																																									
	132	KEW quick-coupling, nozzle protection red 1/4"F					586804	134	Steel rope zinc plated Ø1mm, 20cm					134	eye Ø7mm, for M5			3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134	AG																																																						
586804	134	Steel rope zinc plated Ø1mm, 20cm																																																																																									
	134	eye Ø7mm, for M5					3725	134	Strainer waterinlet					134	3/4"			3514	134	Suction basket without Foot-Valve 1/2"					134	AG																																																																	
3725	134	Strainer waterinlet																																																																																									
	134	3/4"					3514	134	Suction basket without Foot-Valve 1/2"					134	AG																																																																												
3514	134	Suction basket without Foot-Valve 1/2"																																																																																									
	134	AG																																																																																									

# Sales Pricelist

8/7/2023



item number	item group discount group	description	sales price	PU	QR code	picture																																																																																					
3738	110	Suction connection R3/4" DN19																																																																																									
	110	for float tank					2992	108	Switch 1phase 15A ON/OFF Rotary-Switch					108	FM2/HS-F35-BE- RG/E.P.			25091	120	Switchcover o-off 1-hole 20,5mm					120	PA6 GF30 black			2252	120	Thermostat covering					120	PP TV10 black			232001	106	Transformer prim.230VAC,sec.24VA C,					106	1,25A/30VA			330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			5334	404	Union nut brass nickelplated DN20 R3/4"					404				110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151
2992	108	Switch 1phase 15A ON/OFF Rotary-Switch																																																																																									
	108	FM2/HS-F35-BE- RG/E.P.					25091	120	Switchcover o-off 1-hole 20,5mm					120	PA6 GF30 black			2252	120	Thermostat covering					120	PP TV10 black			232001	106	Transformer prim.230VAC,sec.24VA C,					106	1,25A/30VA			330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			5334	404	Union nut brass nickelplated DN20 R3/4"					404				110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik										
25091	120	Switchcover o-off 1-hole 20,5mm																																																																																									
	120	PA6 GF30 black					2252	120	Thermostat covering					120	PP TV10 black			232001	106	Transformer prim.230VAC,sec.24VA C,					106	1,25A/30VA			330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			5334	404	Union nut brass nickelplated DN20 R3/4"					404				110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik																					
2252	120	Thermostat covering																																																																																									
	120	PP TV10 black					232001	106	Transformer prim.230VAC,sec.24VA C,					106	1,25A/30VA			330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			5334	404	Union nut brass nickelplated DN20 R3/4"					404				110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik																																
232001	106	Transformer prim.230VAC,sec.24VA C,																																																																																									
	106	1,25A/30VA					330010	132	Trigger gun standard 280bar 30l/min					132	150°C with quick- coupling red, M22x1,5			5334	404	Union nut brass nickelplated DN20 R3/4"					404				110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik																																											
330010	132	Trigger gun standard 280bar 30l/min																																																																																									
	132	150°C with quick- coupling red, M22x1,5					5334	404	Union nut brass nickelplated DN20 R3/4"					404				110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik																																																						
5334	404	Union nut brass nickelplated DN20 R3/4"																																																																																									
	404						110064	151	Unloader-Unit VRT3 panel mounting INOX					151	KS823/1140-B			362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik																																																																	
110064	151	Unloader-Unit VRT3 panel mounting INOX																																																																																									
	151	KS823/1140-B					362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar					151	INOX / Keramik																																																																												
362609	151	Unloader-Valve VRT3 3/8" panel mounting 310bar																																																																																									
	151	INOX / Keramik																																																																																									

item number	item group discount group	description	sales price	PU	QR code	picture
39181	410 410	Washer DIN 9021 DIN-EN-ISO 7093 Ø1=6,4mm Ø2=18mm stainless steel				
38661	410 410	Washer type A DIN 125 DIN-EN-ISO 7089 Ø1=13mm Ø2=24mm stainless steel				
2644	110 110	Waterinlet connection R3/4"M / R3/4"M				
5348	106 106	Wire-joint nut M25x1,5 grey				
5312	106 106	Wire-joint PERFECT M25x1,5			