

according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EHRLE CW WheelCleaner

UFI:

PFJ0-W0VN-3006-3SQ4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

EHRLE GmbH | Industriestraße 3 | D-89165 Dietenheim | +49 7303 1600-0 | www.ehrle.com EHRLE Sp.z o.o.] Warzymice 45 | 72-005 Przecław Polen | +48 91-814-5555 | www.ehrle.pl EHRLE Austria GmbH | Technoparkstr. 4 | 5310 Mondsee] +43 6232 903 035 702 | www.ehrle-austria.at EHRLE FS 314, Zethizu leial 114 | Marupk, Almupes novas, LV-2167 Lettiand | 4731 f 7869100 | www.ehrle.lv EHRLE FS 314, Zethizu leial 114 | Marupk, Almupes novas, LV-2167 Lettiand | 4731 f 7869100 | www.ehrle.lv EHRLE Stowakia s.r.o. | zemdelskia 1091/3b | Hradice Královi | 4421 948 471788 | www.ehrle-slovakia.sk EHRLE Ceská st.r.o. | zemdelskia 1091/3b | Hradice Královi | 4421 948 541 780 | www.ehrle.co.uk EHRLE ENK LIG. | 1174 Lettiang | Lettiang | Lettiang | Lettiang | 2405 541 830 | www.ehrle.co.uk EHRLE Forski 2011 | 118 ude la Garei [67610 La Wanzenau | +33 6770 244 85 | www.ehrle.fv KVANT KL - EHRLE-Hungária | Hunyadi Janos ú19, Building No.25 | 1116 Budapest | +36 (1) 371-0760 | www.ehrle.hu EHRLE Goldware Ervope 23 Jokal 7 | 21000 Novi Sad Schein | +38 1213 821 908 | www.ehrle.rs VALOR Smartwash SRL | str.Mesteacanului nr.150 | 547625 Sâncraiu de Mureș | +40 365 732 302 | www.ehrle-romania.ro

1.4. Emergency telephone number: see SECTION 1.3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Sodium Hydroxide

Signal word:

Pictograms:



Danger

Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P305+P351+P338
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P308+P313
 IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants 5-15%, phosphonates <5%, alkalis, complexing agents, solubilizers, corrosion inhibitors, dyes



according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610_sd

Page 2 of 9

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
68439-57-6	Olefinsulfonate-Na-salt			5 - < 10 %
	270-407-8		01-2119513401-57	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			
1310-73-2	Sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	02-2119752469-26	
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE	
68439-57-6	270-407-8	Olefinsulfonate-Na-salt	5 - < 10 %
	Skin Irrit. 2; H315: >= 5 - 100 Eye Dam. 1; H318: >= 38 - 100 Eye Irrit. 2; H319: >= 5 - < 38		
1310-73-2	215-185-5	Sodium hydroxide	1 - < 5 %
		I314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The



according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610_sd

Page 3 of 9

product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store near acids.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610_sd

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Not required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	yellow-green		
Odour:	characteristic		
			Test method
Melting point/freezing point:		<0 °C	
Boiling point or initial boiling point and		>98 °C	
boiling range:			
Flammability			
Solid/liquid:		not applicable	
Gas:		not applicable	
Lower explosion limits:		not applicable	
Upper explosion limits:		not applicable	
Flash point:		>100 °C	
Auto-ignition temperature:		not applicable	
Decomposition temperature:		not determined	
pH-Value (at 20 °C):		13,5	K-QP1012C
Viscosity / kinematic:		not determined	
Water solubility:		completely miscible	
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):			K-QP1012E
Relative vapour density:		not determined	
2. Other information			

9.2. Other information



according to UK REACH Regulation

EHRLE GmbH

EHRLE CW WheelCleaner

not applicable

not applicable

not determined

not determined

not applicable

not applicable not applicable

not determined

not determined

Revision date: 12.12.2022

Product code: c1610_sd

Page 5 of 9

Information with regard to physical hazard classes Explosive properties

Not explosive Self-ignition temperature Solid: Gas: Oxidizing properties Not relevant

Other safety characteristics

Evaporation rate: Solid content: Sublimation point: Softening point: Pour point: Viscosity / dynamic: Flow time:

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

This information is not available.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610 sd

Page 6 of 9

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC. Readily biodegradable, according to appropriate OECD test.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD): 480mg O2/g

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8



according to UK REACH Regulation

14.1 Packing aroup: III Hazard label: 8 Classification code: C5 Linited quantity: 51 Excepted quantity: F1 Transport category: 3 Hazard No: 80 Tunnel restriction code: E Initiand waterways transport (ADN) 14.1 UN number or ID number: 14.1 UN number or ID number: UN 1824 14.2.2 UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Packing aroup: 8 It-1.4 UN number or ID number: UN 1824 14.4 Packing aroup: III Hazard label: 8 Karine transport (MOG) 11 14.1 UN number or ID number: UN 1824 14.2 Packing aroup: III Hazard label: 8 Marine transport (MOG) 14.1 UN number or ID number: 14.1 Packing aroup: III Hazard label: 8 Special Provisions: 223 Limited quantity: 51 Excepted quantity: 51 Excepted quantity: 51 Excepted quantity:	EHRLE CW WheelCleaner				
Hazard tabel: 8 Hazard tabel: 8 Hazard tabel: 6 Classification code: 5 Excepted quantity: 5 Limited quantity: 6 Transport category: 3 Hazard No: 8 Tunnel restriction code: E Inimited restriction code: E Inimited restriction code: E Inimited quantity: 10 Hazard label: 0 Classification code: 1 Hazard class(es): 8 HAZARD UNINEER COLUMINATION (ININEER COLUTION (ININEER COLUTION (ININEER COLUMINEER COLUTION (ININEER COLUMINEER COLU	Revision date: 12.12.2022	Product code: c1610_sd	Page 7 of 9		
Classification code: C5 Linitied quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: E Intimed quantity: E 14.1.01 Number of ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(s): 8 14.4. Packing aroup: III Hazard No: III Hazard label: 8 Classification code: C5 Linited quantity: 5 L Excepted quantity: 6 L 14.1. Un number or ID number: VD 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(sp: 8 14.4. Packing group: III Hazard labe! 8 Varian transport hazard tass(sp: 8 14.4. Packing group: 1					
Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inland waterways transport (ADN) UN 1824 14.2. UN number or ID number; UN 1824 14.2. UN proper shipping name: SODUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: 5 L Marine transport (MDG) 11 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.3. Un number or ID number: UN 1824 14.3. UN report shipping name: SODUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Azaking group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity:	Hazard label:	8			
Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: E miand waterways transport (ADN) <u>14.1. UN number or ID number;</u> UN 1824 <u>14.2. UN proper shipping name</u> : SODIUM HYDROXIDE SOLUTION <u>14.3. Transport hazard class(es)</u> : 8 <u>14.4. Packing droup</u> : III Hazard label: C5 Limited quantity: 5 L Excepted quantity: 5 L Excepted quantity: 5 L Hazard label: SODIUM HYDROXIDE, SOLUTION <u>14.3. Transport hazard class(es)</u> : 8 <u>14.4. Packing droup</u> : III Hazard label: C5 Limited quantity: 5 L Excepted quantity: 8 <u>14.4. UN number or ID number</u> : UN 1824 <u>14.2. UN proper shipping name</u> : SODIUM HYDROXIDE, SOLUTION <u>14.3. Transport hazard class(es)</u> : 8 <u>14.4. Packing group</u> : III Hazard label: SODIUM HYDROXIDE, SOLUTION <u>14.3. Transport hazard class(es)</u> : 8 <u>14.4. Packing group</u> : III Hazard label: SODIUM HYDROXIDE, SOLUTION <u>14.5. Transport hazard class(es)</u> : 8 <u>14.4. Packing group</u> : III Hazard label: SODIUM HYDROXIDE, SOLUTION <u>14.5. Excepted quantity</u> : 5 L Excepted quantity: 5 L Excepted quantity: 6 L Excepted quantity: 5 L Excepted quantity: 5 L Excepted quantity: 5 L Excepted quantity: 6 L Excepted quantity: 7 S L Excepted quantity: 8 S Excepted quanti					
Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inited quantity: UN 1824 142. UN nomber of D number: UN 1824 143. Transport hazard class(es): 8 144. Packing group: II Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: 5 L Marine transport (MDG) 1 141. UN number or ID number: UN 1824 142. UN proper shipping name: SODUM HYDROXIDE, SOLUTION 143. Transport (mDG) 1 144. UN number or ID number: UN 1824 145. UN proper shipping name: SODUM HYDROXIDE, SOLUTION 143. Transport hazard class(es): 8 144. Acaking group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 5 L Excepted quantity: 5 L Excepted quantity:					
Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: E Inited quantity: UN 1824 142. UN nomber of D number: UN 1824 143. Transport hazard class(es): 8 144. Packing group: II Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: 5 L Marine transport (MDG) 1 141. UN number or ID number: UN 1824 142. UN proper shipping name: SODUM HYDROXIDE, SOLUTION 143. Transport (mDG) 1 144. UN number or ID number: UN 1824 145. UN proper shipping name: SODUM HYDROXIDE, SOLUTION 143. Transport hazard class(es): 8 144. Acaking group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 5 L Excepted quantity: 5 L Excepted quantity:	Classification and a				
Excepted quantity: E1 Transport category: 3 Hazard No: 80 Turnel restriction code: E niand waterways transport (ADN) 14.1. Un umber or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing aroup: III Hazard label: 8 Classification code: C5 Limited quantity: 5L Excepted quantity: E1 14.1. Un umber or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing aroup: III Hazard label: 8 Sopicial Provisions: 20 Special Provisions: 213 Sopicial label: 8 Special Provisions: 213 Segregation group: alkalis Limited quantity: E1 Excepted quantity: E1 Excepted quantity: 5L Excepted quantity: E1 Excepted quantity: E1					
Hazard No: 80 Tunnel restriction code: E Inand waterways transport (ADN) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: E1 Warine transport (IMOG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 0 Special Provisions: 23 Special Provisions: 23 Special Provisions: 23 Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Martime transport in bulk according to IMO Instruments not applicable					
Tunnel restriction code: E niand waterways transport (ADN) 14.1. UN number or ID number: SODIUM HYDROXIDE SOLUTION 14.1. UN noroper shipping name: SODIUM HYDROXIDE SOLUTION 14.1. Packing group: II 14.1. Packing group: II Hazard label: 8 Classification code: C5 Limited quantity: 5.1 Excepted quantity: E1 Warne transport (MDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5.1 Excepted quantity: 6.1					
Intervays transport (ADN) 14.1.UN number or ID number: UN 1824 14.2.UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.1.Transport hazard class(es): 8 14.4.Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: E1 Marine transport (MDG) 14.4. Packing group: 14.1.UN number or ID number: UN 1824 14.2.UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3.Transport flazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 6 L Excepted quantity:					
14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: E1 Warine transport (MOG) 14.1. UN number or ID number: 14.1. UN number or ID number: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 6 L Excepted quantity: 1 L ENVIRONMENTALLY		E			
42. UN proper shipping name: SODIUM HYDROXIDE SOLUTION 43.1 Transport hazard class(es): 8 44.2 Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: E1 Warine transport (MOG) 14.1 Packing group: 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.3. Transport pace class(es): 8 14.3. Transport hazard class(es): 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 5 L Excepted quantity: 5 L Excepted quantity: 6 L Excepted quantity: 6 L Excepted quantity: 6 L Except		1101 1824			
4.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Classification code: C5 Limited quantity: 5 L Excepted quantity: E1 Marine transport (MDG) 14.1. UN number or ID number: 14.1. UN number or ID number: UN 1824 14.2. Packing group: III Hazard label: 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity:					
14.4. Packing group: III Hazard label: 8 Auge of the second se					
Classification code: C5 Limited quantity: 5 L Excepted quantity: E1 Varine transport (IMDG) Varine transport (IMDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 5 L Excepted quantity: 5 L Excepted quantity: 6 L Excepted quantity: 5 L		III			
Limited quantity: 5 L Excepted quantity: E1 Warine transport (IMDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Special precautions for user Not required 14.7. Maritime transport in bulk according to Wo instruments not applicable	Hazard label:	8			
Limited quantity: 5 L Excepted quantity: E1 Marine transport (IMDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Special precautions for user Not required 14.7. Maritime transport in bulk according to Unistruments not applicable					
Limited quantity: 5 L Excepted quantity: E1 Marine transport (IMDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Special precautions for user Not required 14.7. Maritime transport in bulk according to Unistruments not applicable					
Limited quantity: 5 L Excepted quantity: E1 Marine transport (IMDG) 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.5. Special precautions for user Not required 14.7. Maritime transport in bulk according to Wo instruments not applicable		8			
Excepted quantity: E1 Marine transport (IMDG) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 Excepted quantity: E1 Ems: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards Invite ransport in bulk according to IMO instruments Not required Not required					
Marine transport (MDG) UN 1824 14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: ENVIRONMENTALLY HAZARDOUS: No 14.5. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable					
14.1. UN number or ID number: UN 1824 14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards No 14.5. Special precautions for user No 14.5. Transport in bulk according to IMO instruments not applicable					
14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLUTION 14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards No It.6. Special precautions for user No Not required IMO instruments Inot applicable IMO instruments		LIN 1824			
14.3. Transport hazard class(es): 8 14.4. Packing group: III Hazard label: 8 Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 5 L EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards Image: Second procession of the second proc					
Hazard label: 8 Hazard label: 8 Automatic control of the second secon					
Special Provisions: 223 Limited quantity: 5 L Excepted quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user No Not required HAT. Maritime transport in bulk according to IMO instruments not applicable UNICONMENTALLY					
Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable	Hazard label:	8			
Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable					
Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable					
Limited quantity: 5 L Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis I4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No I4.6. Special precautions for user Not required I4.7. Maritime transport in bulk according to IMO instruments not applicable					
Excepted quantity: E1 EmS: F-A, S-B Segregation group: alkalis I4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: ENVIRONMENTALLY HAZARDOUS: No I4.6. Special precautions for user Not required I4.7. Maritime transport in bulk according to IMO instruments not applicable					
EmS: F-A, S-B Segregation group: alkalis I4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: ENVIRONMENTALLY HAZARDOUS: No I4.6. Special precautions for user No Not required Identification of the second of the se					
14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable	EmS:	F-A, S-B			
ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable	Segregation group:	alkalis			
14.6. Special precautions for user Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable	14.5. Environmental hazards				
Not required 14.7. Maritime transport in bulk according to IMO instruments not applicable	ENVIRONMENTALLY HAZARDOUS:	No			
not applicable					
		to IMO instruments			
SECTION 15: Regulatory information	not applicable				
	SECTION 15: Regulatory information				

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75



according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610_sd

Page 8 of 9

National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Skin Corr. 1B; H314	Calculation method	
Relevant H and EUH statements (number and full text)		

elevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.



according to UK REACH Regulation

EHRLE CW WheelCleaner

Revision date: 12.12.2022

Product code: c1610_sd

Page 9 of 9

H318 Causes serious eye damage.

us eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)