

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EHRLE CW SoftFoam XP

UFI: 08C0-G062-100K-G6RG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product for professional cleaning and maintenance

1.3. Details of the supplier of the safety data sheet

EHRLE GmbH | Industriestraße 3 | D-89165 Dietenheim | +49 7303 1600-0 | www.ehrle.com
EHRLE Sp.z o.o. | Warzymice 45 | 72-006 Przeclaw Polen | +48 91-814-5555 | www.ehrle.pl
EHRLE Austria GmbH | Technoparkstr. 4 | 5310 Mondsee | +43 6232 903 035 702 | www.ehrle-austria.at
EHRLE FS SIA | Zeltiņu iela 114 | Mārupē, Mārupes novads, LV-2167 Letland | +371 67869100 | www.ehrle.lv
EHRLE Slovakia s.r.o. | Mlynská 11 | SK - 902 03 Pezinok | +421 948 477788 | www.ehrle-slovakia.sk
EHRLE Česká s.r.o. | Zemědělská 1091/3b | Hradec Králové | +420 495 541 830 | www.ehrle.cz
EHRLE UK Ltd. | Unit 2 - Kinetic 45 - Newmarket Lane | Leeds LS9 0SH | +44 113 240 7291 | www.ehrle.co.uk
EHRLE France | 11 Rue de la Gare | 67510 La Wantzenau | +33 6 77 02 44 85 | www.ehrle.fr
KVANTUM - EHRLE-Hungária | Hunyadi János út 9. | Building No.25 | 1116 Budapest | +36 (1) 371-0760 | www.ehrle.hu
EHRLE doo | Bulevar Evrope 23 lokal 7 | 21000 Novi Sad Serbien | +38 1213 821 908 | www.ehrle.rs
VALOR Smartwash SRL | str.Mesteacănului nr.15D | 547525 Sâncraiu de Mureş | +40 365 732 302 | www.ehrle-romania.ro

1.4. Emergency telephone number: see SECTION 1.3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Sodium Hydroxide

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants 5-15%, EDTA <5%, alkalis, water-soluble solvents, corrosion inhibitors, fragrances (Geraniol, Linalool, Citronellol)

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 2 of 9

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-------------|--|--------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 121617-08-1 | Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine | | | 5 - < 10 % |
| | 939-464-2 | | 01-2119971970-28 | |
| | Skin Irrit. 2, Eye Dam. 1; H315 H318 | | | |
| 68891-38-3 | Alcohols, C12-14, ethoxylated, sulfated, sodium salts | | | 5 - < 10 % |
| | 500-234-8 | | 01-2119488639-16 | |
| | Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412 | | | |
| 64-02-8 | tetrasodium ethylene diamine tetraacetate | | | 1 - < 5 % |
| | 200-573-9 | 607-428-00-2 | 01-2119486762-27 | |
| | Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, STOT RE 2; H332 H302 H318 H373 | | | |
| 1310-73-2 | Sodium hydroxide | | | 1 - < 5 % |
| | 215-185-5 | 011-002-00-6 | 02-2119752469-26 | |
| | Skin Corr. 1A; H314 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|--|------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 68891-38-3 | 500-234-8 | Alcohols, C12-14, ethoxylated, sulfated, sodium salts | 5 - < 10 % |
| | | Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 5 - < 10 | |
| 64-02-8 | 200-573-9 | tetrasodium ethylene diamine tetraacetate | 1 - < 5 % |
| | | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg | |
| 1310-73-2 | 215-185-5 | Sodium hydroxide | 1 - < 5 % |
| | | Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2 | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

Take the victim into fresh air.

In the case of inhalation of aerosol/mist consult a physician if necessary.

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 3 of 9

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store near acids.

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 4 of 9

Further information on storage conditions

Keep container tightly closed.
Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|------------------|-----|-------------------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | - | 2 | | STEL (15 min) | WEL |

8.2. Exposure controls**Appropriate engineering controls**

Not required.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
Colour: light yellow
Odour: characteristic

Test method

Melting point/freezing point: <0 °C
Boiling point or initial boiling point and boiling range: >98 °C
Flammability
Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: not applicable
Upper explosion limits: not applicable
Flash point: >100 °C
Auto-ignition temperature: not applicable
Decomposition temperature: not determined
pH-Value (at 20 °C): approx. 13 K-QP1012C
Viscosity / kinematic: not determined

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 5 of 9

| | |
|--|----------------------------------|
| Water solubility: (at 20 °C) | completely miscible |
| Solubility in other solvents not determined | |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,10 g/cm ³ K-QP1012E |
| Relative vapour density: | not determined |

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

Not explosive

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not relevant

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

Acids

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 6 of 9

| CAS No | Chemical name | | | | |
|---------|---|---------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 64-02-8 | tetrasodium ethylene diamine tetraacetate | | | | |
| | oral | ATE 500 mg/kg | | | |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproductionBased on available data, the classification criteria are not met.
Possible cancer hazard**STOT-single exposure**

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further informationChemical Oxygen Demand (COD): 467 mg O₂/g**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 7 of 9

Disposal recommendations

Do not dispose of waste into sewer.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|--|---------------------------|
| 14.1. UN number or ID number: | UN 1824 |
| 14.2. UN proper shipping name: | SODIUM HYDROXIDE SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |



| | |
|--------------------------|-----|
| Classification code: | C5 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Marine transport (IMDG)

| | |
|--|----------------------------|
| 14.1. UN number or ID number: | UN 1824 |
| 14.2. UN proper shipping name: | SODIUM HYDROXIDE, SOLUTION |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |



| | |
|---------------------|----------|
| Marine pollutant: | no |
| Special Provisions: | 223 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| EmS: | F-A, S-B |
| Segregation group: | alkalis |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not required

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 8 of 9

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Safety Data Sheet

according to UK REACH Regulation

EHRLE CW SoftFoam XP

Revision date: 12.12.2022

Product code: c1640_sd

Page 9 of 9

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Corr. 1B; H314 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H373 | May cause damage to organs (Respiratory system) through prolonged or repeated exposure if inhaled. |
| H412 | Harmful to aquatic life with long lasting effects. |

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)