

**EHRLE GmbH** 

according to Regulation (EC) No 1907/2006

## **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**EHRLE Super Finish** 

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Product for professional cleaning and maintenance

## 1.3. Details of the supplier of the safety data sheet

Company name: EHRLE GmbH
Street: Industriestraße 3
Place: D-89165 Dietenheim

Telephone: 07303 1600 0 Telefax: 07303 1600 60

e-mail: info@ehrle.com **1.4. Emergency telephone** +49 7303-160016

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Very toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



#### Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P273 Avoid release to the environment.

#### 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Chemical characterization**

cationic compounds, water-soluble solvents, solubilizers, maintenance substances, dyes



**EHRLE GmbH** 



according to Regulation (EC) No 1907/2006

## **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013 sd Page 2 of 8

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
9004-78-8	Tetraethylene glycolmonophenyl ether				
	500-013-6				
	Acute Tox. 4; H302				
-mixture	Mixture of cationic ammine salts			5 - < 10 %	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H400 H410				

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No hazards which require special first aid measures.

#### After inhalation

not hazardous by inhalation

#### After contact with skin

Wash off with plenty of water.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Any extinguishing means and measures are acceptable.

## 5.2. Special hazards arising from the substance or mixture

This information is not available.

### 5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

## 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.





according to Regulation (EC) No 1907/2006

## **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 3 of 8

### 6.3. Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water.

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

No special precautions required.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

## Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

This information is not available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls

# Appropriate engineering controls

Not required.

## Protective and hygiene measures

General industrial hygiene practice. No special protective equipment required.

## Skin protection

Not required

## Respiratory protection

Not required

### **Environmental exposure controls**

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light blue
Odour: mild

Test method

pH-Value (at 20 °C): approx. 4,5 K-QP1012C

Changes in the physical state

Melting point: <0 °C Initial boiling point and boiling range: >98 °C



according to Regulation (EC) No 1907/2006

## **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 4 of 8

Sublimation point:not applicableSoftening point:not applicablePour point:not applicableFlash point:>100 °C

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

Not explosive

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

>200 °C

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not relevant

Vapour pressure: not determined

Density (at 20 °C): 1,01 g/cm³ K-QP1012E

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

viscosity / kinematic:

not determined

rot determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This information is not available.

# 10.2. Chemical stability

This information is not available.

# 10.3. Possibility of hazardous reactions

This information is not available.

## 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

### 10.5. Incompatible materials

This information is not available.



according to Regulation (EC) No 1907/2006

# **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 5 of 8

## 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Do not mix with other detergents or chemicals.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
9004-78-8	Tetraethylene glycolmonophenyl ether				
		ATE 500 mg/kg			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### **Further information**

Health injuries are not known or expected under normal use.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
-mixture	Mixture of cationic ammine salts						
	Acute fish toxicity	LC50	1,8 mg/l		Leuciscus idus (Golden orfe)		
	Acute algae toxicity	ErC50 mg/l	> 0,4		Pseudokirchneriella subcapitata (green algae)		
	Acute crustacea toxicity	EC50 mg/l	0,065		Daphnia magna (Water flea)		
	Acute bacteria toxicity	(564 mg/l)	)	3 h			

## 12.2. Persistence and degradability

Cationic compounds are biodegradable only in high dilution. They are adequate diluted in sewage and become inactive through contact with other waste-water substances. Therefore solutions could be disposed of in the sewerage system.





according to Regulation (EC) No 1907/2006

# **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 6 of 8

### 12.3. Bioaccumulative potential

This information is not available.

#### 12.4. Mobility in soil

The formulation of the product does not contain halogen organic compounds (AOX) or AOX forming halogen compounds.

## 12.5. Results of PBT and vPvB assessment

This information is not available.

### 12.6. Other adverse effects

This information is not available.

#### **Further information**

Chemical Oxygen Demand (COD): 536 mg O2/g.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Disposal recommendations

Container should be emptied thoroughly.

Do not pour remains of product in large quantities into the sewage.

### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

## List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

## Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number: UN 3082

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Imidazolium compound)

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: E

Marine transport (IMDG)

**14.1. UN number:** UN 3082





according to Regulation (EC) No 1907/2006

## **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 7 of 8

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Imidazolium compound)

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9



Marine pollutant: yes

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Imidazolium compound

14.6. Special precautions for user

Not required

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s):

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging



**EHRLE GmbH** 

according to Regulation (EC) No 1907/2006

## **EHRLE Super Finish**

Revision date: 12.11.2020 Product code: c2013\_sd Page 8 of 8

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intériourse)

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
LI440	Vary toxic to aquatic life with lo

H410 Very toxic to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)